


Japan Test Report

Equipment : Sona IF573 802.11ax Wi-Fi 6E Module with Bluetooth 5.4
Model No. : Sona IF573
Brand Name : Laird Connectivity
Applicant : Laird Connectivity LLC
Address : W66N220 Commerce Court, Cedarburg, WI 53012 United States Of America
Standard : Article 2 Paragraph 1 Item 19-3
Received Date : Jan. 17, 2023
Tested Date : Aug. 03 ~ Sep. 05, 2023

Measurement was conducted by the following test method:
Test method temporarily determined by TACOYAKI.

We, International Certification Corporation, would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by:


Alex Huang / Supervisor

Approved by:


Gary Chang / Manager

Table of Contents

1	General Description	5
1.1	Information.....	5
1.2	Test Equipment and Calibration Data	15
1.3	Testing Applied Standards	15
1.4	Deviation from Test Standard and Measurement Procedure.....	15
1.5	Measurement Uncertainty	16
2	Test Configuration	17
2.1	Testing Location and Conditions	17
2.2	Testing Facility	17
2.3	Supporting Units	17
2.4	The Worst Test Modes and Channel Details	17
3	Transmitter Test Results	19
3.1	Antenna Power	19
3.2	Frequency Tolerance	22
3.3	Occupied Bandwidth	23
3.4	Transmitter Spurious Emissions.....	24
3.5	Adjacent Channel Emitted Power	29
3.6	Burst Length	30
3.7	Carrier Sense Measurement	31
3.8	Interference Prevention Function	32
4	Receiver Test Results	33
4.1	Receiver Spurious Emissions.....	33
5	Test laboratory information.....	34

Appendix A. Antenna Power

Appendix B. Frequency Tolerance

Appendix C. Occupied Bandwidth

Appendix D. Transmitter Spurious Emissions

Appendix E. Adjacent Channel Emitted Power

Appendix F. Burst Length

Appendix G. Carrier Sense Measurement

Appendix H. Interference Prevention Function

Appendix I. Receiver Spurious Emissions

Appendix J. TPC Function

Release Record

Report No.	Version	Description	Issued Date
JR311701AN	Rev. 01	Initial issue	Sep. 20, 2023

Summary of Test Results

Ref. Std. Clause	Description	Result
3.1.2(2)	Antenna Power	Pass
3.1.2(3)	Tolerance for Antenna Power	Pass
3.1.2(4)	Frequency Tolerance	Pass
3.1.2(5)	E.I.R.P	Pass
3.1.2(7)	Transmission Burst Length	Pass
3.1.2(8)	Unwanted Emission Strength	Pass
3.1.2(9)	Adjacent Channel Emitted Power	Pass
3.1.2(11)	Occupied Bandwidth	Pass
3.1.3	Secondary Radiated Emissions	Pass
3.1.4.1	Interference Prevention Function	Pass
3.1.7	Carrier Sense	Pass

Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Information

1.1.1 Product Details

The configuration of the EUT is shown as the following:

Model Name	Part No.	Description
Sona IF573	453-00117	Module, Sona IF573, MIMO, MHF4
	453-00118	Module, Sona IF573, MIMO, Trace Pin

1.1.2 Specification of the Equipment under Test (EUT)

Power Type	3.3Vdc from host
Type(s) of Modulation / Technology	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK
Frequency Range (MHz)	5150~5250, 5250~5350, 5470~5730
Operating Mode: IEEE Std. 802.11 / Data rate (Mbps)	802.11a: Up to 54 Mbps 802.11n HT20 (MCS 0~15) 802.11n HT40 (MCS 0~15) 802.11ac VHT20 (MCS 0~9) 802.11ac VHT40 (MCS 0~9) 802.11ac VHT80 (MCS 0~9) 802.11ax HE20 (MCS 0~11) 802.11ax HE40 (MCS 0~11) 802.11ax HE80 (MCS 0~11)
HW Version	R1.0
SW Version	18.15 RC1.54 wI0: May 21 2023 19:48:44 version 18.53.212.8(7e2f89f) FWID 01-2b47fc4c
TPC function	Support

Note: 802.11ax supports full RU and partial RU configuration.

1.1.3 Accessories

N/A

1.1.4 Antenna Details

Ant. No.	Manufacturer	Model	Part Number	Type	Connector	Operating Frequencies / Gain (dBi)		
						2.4GHz	5GHz	6GHz
1	JOYMAX	TWX-100B RSAX-2001	NA	Dipole	RP-SMA	2	4	4
2	Laird	FlexMIMO 6E	EFD2471A3 S-10MH4L	PIFA	MHF4L	2.2	3.8	3.3
3	Laird	Mini NanoBlade Flex 6 GHz	EMF2471A 3S-10MH4L	PCB Dipole	MHF4L	2.4	4.4	5.2
4	Laird	FlexPIFA 6E	EFB2471A3 S-10MH4L	PIFA	MHF4L	2.2	3.9	3.8

Note: Please refer to antenna report for more details about antenna pattern and other information.

1.1.5 Antenna Power

full RU configuration

Operating Mode	Band	Rated Power (mW/MHz)	Measured Conducted Power (mW/MHz)	Radiated Power (mW/MHz)
11a	W52	3.625	3.62243	9.97700
11n HT20		3.600	3.58096	9.86279
11ac VHT20		3.625	3.61410	9.95405
11ax HE20		3.600	3.58922	9.88553
11n HT40		1.800	1.79061	4.93174
11ac VHT40		1.800	1.77419	4.88652
11ax HE40		1.800	1.79887	4.95450
11ac VHT80		0.906	0.90573	2.49459
11ax HE80		0.905	0.90365	2.48886
11a	W53	3.600	3.58096	9.86279
11n HT20		3.625	3.61410	9.95405
11ac VHT20		3.625	3.60579	9.93116
11ax HE20		3.625	3.62243	9.97700
11n HT40		1.800	1.79887	4.95450
11ac VHT40		1.812	1.81134	4.98884
11ax HE40		1.810	1.80302	4.96592
11ac VHT80		0.900	0.88308	2.43220
11ax HE80		0.905	0.90365	2.48886
11a	W56	9.980	9.97700	27.47894
11n HT20		9.950	9.90832	27.28978
11ac VHT20		9.900	9.88553	27.22701
11ax HE20		9.100	9.05733	24.94595
11n HT40		4.990	4.98884	13.74042
11ac VHT40		4.990	4.98884	13.74042
11ax HE40		4.200	4.11150	11.32400
11ac VHT80		2.350	2.30675	6.35331
11ax HE80		2.100	2.04644	5.63638

partial RU configuration

Operating Mode	Band	Rated Power (mW/MHz)	Measured Conducted Power (mW/MHz)	Radiated Power (mW/MHz)
ax HE20-OFDMA RU106	W52	3.500	3.45939	9.52796
ax HE20-OFDMA RU26		3.600	3.56451	9.81748
ax HE20-OFDMA RU52		3.625	3.60579	9.93116
ax HE40-OFDMA RU106		1.800	1.75792	4.84172
ax HE40-OFDMA RU242		1.810	1.80302	4.96592
ax HE40-OFDMA RU26		1.800	1.79061	4.93174
ax HE40-OFDMA RU52		1.800	1.79061	4.93174
ax HE80-OFDMA RU106		0.850	0.80353	2.21309
ax HE80-OFDMA RU242		0.900	0.86896	2.39332
ax HE80-OFDMA RU26		0.800	0.76560	2.10863
ax HE80-OFDMA RU484		0.900	0.86298	2.37684
ax HE80-OFDMA RU52		0.800	0.77446	2.13304
ax HE20-OFDMA RU106	W53	3.550	3.54813	9.77237
ax HE20-OFDMA RU26		3.600	3.58922	9.88553
ax HE20-OFDMA RU52		3.625	3.62243	9.97700
ax HE40-OFDMA RU106		1.800	1.72584	4.75335
ax HE40-OFDMA RU242		1.800	1.77011	4.87528
ax HE40-OFDMA RU26		1.800	1.77419	4.88652
ax HE40-OFDMA RU52		1.800	1.71791	4.73151
ax HE80-OFDMA RU106		0.900	0.85114	2.34423
ax HE80-OFDMA RU242		0.900	0.85704	2.36048
ax HE80-OFDMA RU26		0.850	0.83753	2.30675
ax HE80-OFDMA RU484		0.906	0.90573	2.49459
ax HE80-OFDMA RU52		0.850	0.84333	2.32274
ax HE20-OFDMA RU106	W56	9.800	9.79490	26.97739
ax HE20-OFDMA RU26		9.960	9.95405	27.41574
ax HE20-OFDMA RU52		9.800	9.77237	26.91535
ax HE40-OFDMA RU106		4.850	4.84172	13.33521
ax HE40-OFDMA RU242		4.900	4.86407	13.39677
ax HE40-OFDMA RU26		4.960	4.95450	13.64583
ax HE40-OFDMA RU52		3.500	3.48337	9.59401
ax HE80-OFDMA RU106		2.470	2.46037	6.77642
ax HE80-OFDMA RU242		2.490	2.48886	6.85488
ax HE80-OFDMA RU26		2.450	2.31739	6.38263
ax HE80-OFDMA RU484		2.500	2.46037	6.77642
ax HE80-OFDMA RU52		2.450	2.34963	6.47143

1.1.6 Channel List

802.11a / n HT20 / ac VHT20 / ax HE20		802.11n HT40 / ac VHT40 / ax HE40	
Channel	Frequency(MHz)	Channel	Frequency(MHz)
36	5180	38	5190
40	5200	46	5230
44	5220	54	5270
48	5240	62	5310
52	5260	102	5510
56	5280	110	5550
60	5300	118	5590
64	5320	126	5630
100	5500	134	5670
104	5520	142	5710
108	5540	802.11ac VHT80 / ax HE80	
112	5560	42	5210
116	5580	58	5290
120	5600	106	5530
124	5620	122	5610
128	5640	138	5690
132	5660	---	---
136	5680	---	---
140	5700	---	---
144	5720	---	---

1.1.7 Test Tool and Power Index

Test Tool
By command, version: 18.53.180.8

full RU configuration

Power Index					
Channel	Frequency MHz)	802.11a	802.11n HT20	802.11ac VHT20	802.11ax HE20
36	5180	52	51	51	54
40	5200	52	51	51	54
48	5240	51	51	51	53
52	5260	51	52	52	49
56	5280	49	50	50	54
64	5320	49	50	50	54
100	5500	68	69	69	71
120	5600	68	69	69	72
144	5720	67	68	68	71

Power Index				
Channel	Frequency MHz)	802.11n HT40	802.11ac VHT40	802. 11ax HE40
38	5190	52	54	55
46	5230	52	54	54
54	5270	52	53	54
62	5310	51	52	54
102	5510	70	70	68
118	5590	70	70	68
142	5710	69	69	68

Power Index			
Channel	Frequency MHz)	802.11ac VHT80	802. 11ax HE80
42	5210	54	55
58	5290	53	54
106	5530	71	69
122	5610	71	69
138	5690	70	68

partial RU configuration

Power Index	Test Frequency (MHz)	Power Index
ax HE20-OFDMA RU26	5180	25
ax HE20-OFDMA RU26	5200	25
ax HE20-OFDMA RU26	5240	26
ax HE20-OFDMA RU26	5260	27
ax HE20-OFDMA RU26	5280	27
ax HE20-OFDMA RU26	5320	27
ax HE20-OFDMA RU26	5500	38
ax HE20-OFDMA RU26	5600	38
ax HE20-OFDMA RU26	5720	38
ax HE20-OFDMA RU52	5180	36
ax HE20-OFDMA RU52	5200	36
ax HE20-OFDMA RU52	5240	36
ax HE20-OFDMA RU52	5260	36
ax HE20-OFDMA RU52	5280	35
ax HE20-OFDMA RU52	5320	35
ax HE20-OFDMA RU52	5500	50
ax HE20-OFDMA RU52	5600	50
ax HE20-OFDMA RU52	5720	50
ax HE20-OFDMA RU106	5180	46
ax HE20-OFDMA RU106	5200	46
ax HE20-OFDMA RU106	5240	46
ax HE20-OFDMA RU106	5260	38
ax HE20-OFDMA RU106	5280	45
ax HE20-OFDMA RU106	5320	45
ax HE20-OFDMA RU106	5500	63
ax HE20-OFDMA RU106	5600	63
ax HE20-OFDMA RU106	5720	63

Power Index	Test Frequency (MHz)	Power Index
ax HE40-OFDMA RU26	5190	11
ax HE40-OFDMA RU26	5230	10
ax HE40-OFDMA RU26	5270	12
ax HE40-OFDMA RU26	5310	11
ax HE40-OFDMA RU26	5510	30
ax HE40-OFDMA RU26	5590	30
ax HE40-OFDMA RU26	5710	30
ax HE40-OFDMA RU52	5190	23
ax HE40-OFDMA RU52	5230	23
ax HE40-OFDMA RU52	5270	23
ax HE40-OFDMA RU52	5310	23
ax HE40-OFDMA RU52	5510	35
ax HE40-OFDMA RU52	5590	35
ax HE40-OFDMA RU52	5710	35
ax HE40-OFDMA RU106	5190	33
ax HE40-OFDMA RU106	5230	33
ax HE40-OFDMA RU106	5270	34
ax HE40-OFDMA RU106	5310	34
ax HE40-OFDMA RU106	5510	47
ax HE40-OFDMA RU106	5590	47
ax HE40-OFDMA RU106	5710	47
ax HE40-OFDMA RU242	5190	43
ax HE40-OFDMA RU242	5230	42
ax HE40-OFDMA RU242	5270	42
ax HE40-OFDMA RU242	5310	41
ax HE40-OFDMA RU242	5510	58
ax HE40-OFDMA RU242	5590	58
ax HE40-OFDMA RU242	5710	58

Power Index	Test Frequency (MHz)	Power Index
ax HE80-OFDMA RU26	5210	-3
ax HE80-OFDMA RU26	5290	-3
ax HE80-OFDMA RU26	5530	19
ax HE80-OFDMA RU26	5610	19
ax HE80-OFDMA RU26	5690	19
ax HE80-OFDMA RU52	5210	9
ax HE80-OFDMA RU52	5290	9
ax HE80-OFDMA RU52	5530	29
ax HE80-OFDMA RU52	5610	30
ax HE80-OFDMA RU52	5690	29
ax HE80-OFDMA RU106	5210	26
ax HE80-OFDMA RU106	5290	26
ax HE80-OFDMA RU106	5530	39
ax HE80-OFDMA RU106	5610	38
ax HE80-OFDMA RU106	5690	37
ax HE80-OFDMA RU242	5210	38
ax HE80-OFDMA RU242	5290	36
ax HE80-OFDMA RU242	5530	51
ax HE80-OFDMA RU242	5610	51
ax HE80-OFDMA RU242	5690	51
ax HE80-OFDMA RU484	5210	44
ax HE80-OFDMA RU484	5290	44
ax HE80-OFDMA RU484	5530	60
ax HE80-OFDMA RU484	5610	59
ax HE80-OFDMA RU484	5690	59

1.1.8 Test Voltage

Test Voltage	<input checked="" type="checkbox"/> Vnom (3.3 Vdc)	<input checked="" type="checkbox"/> Vmax (3.6 Vdc)	<input checked="" type="checkbox"/> Vmin (3.13 Vdc)
--------------	--	--	---

1.1.9 Protection Method for High Frequency and Modulation Section

Protected Method	Description
Glued key component	The RF chipset will be protected by glue.

1.2 Test Equipment and Calibration Data

Test Item	RF Conducted						
Test Site	(TH01-WS)						
Tested Date	Aug. 03 ~ Sep. 05, 2023						
Instrument	Brand	Model No.	Serial No.	Calibration Date	Calibration Until	Calibration Authority	Calibration Method
Spectrum Analyzer	R&S	FSV40	101910	Apr. 14, 2023	Apr. 13, 2024	ETC	(C)
DC POWER SOURCE	GW INSTEK	GPC-6030D	GES855395	Oct. 31, 2022	Oct. 30, 2023	ETC	(C)
Power Meter	Anritsu	ML2495A	1241002	Nov. 23, 2022	Nov. 22, 2023	ETC	(C)
Power Sensor	Anritsu	MA2411B	1207366	Nov. 23, 2022	Nov. 22, 2023	ETC	(C)
Measurement Software	Sporton	SENSE-T71_NII	V5.10.7.9	NA	NA	N/A	N/A
<p>Note 1: Calibration Interval of instruments listed above is one year.</p> <p>Note 2: Calibration Method</p> <p>a. Calibration conducted by the National Institute of Information and Communications Technology(NICT) or a designated calibration agency under Article 102-18 paragraph (1) of the Radio Law.</p> <p>b. Calibration conducted pursuant to the provisions of Article 135 or Article 144 of the Measurement Law (Law No. 51 of 1992) Japan Calibration Service System.</p> <p>c. Calibration conducted in foreign countries, which shall be equivalent to the calibration conducted by the NICT or a designated calibration agency under Article 102-18 paragraph (1).</p> <p>d. Calibration conducted by using other equipment that listed above from a) to c).</p>							

1.3 Testing Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

Article 2 Paragraph 1 Item 19-3

1.4 Deviation from Test Standard and Measurement Procedure

None

1.5 Measurement Uncertainty

The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor ($k=2$)).

Measurement Uncertainty	
Parameters	Uncertainty
Bandwidth	± 34.139 Hz
Conducted power	± 0.808 dB
Frequency error	$\pm 1 \times 10^{-9}$
TX Conducted emission	± 2.680 dB
RX Conducted emission	± 3.034 dB
Time	$\pm 0.1\%$
Adjacent channel leakage power	± 0.557 dB

2 Test Configuration

2.1 Testing Location and Conditions

Test Site	Site Category	Ambient Condition	Tested By
TH01-WS	OVEN Room	25°C / 65%	Ryan Lee

2.2 Testing Facility

Test Laboratory	International Certification Corporation
Test Site	TH01-WS
Address of Test Site	No.3-1, Lane 6, Wen San 3rd St., Kwei Shan Dist., Tao Yuan City 33381, Taiwan (R.O.C.)

2.3 Supporting Units

Support Equipment List				
No.	Equipment	Brand Name	Model Name	Remark
1	Laptop	DELL	Latitude E5470	---

2.4 The Worst Test Modes and Channel Details

full RU configuration				
Test item	Modulation Mode	Test Frequency (MHz)	Test method	Mode
Antenna Power Frequency Tolerance Occupied Bandwidth Transmitter Spurious Emission Adjacent Channel Emitted Power Burst Length Carrier Sense Interference Prevention Function	11a n HT20 ac VHT20 ax HE20-OFDMA	5180 / 5200 / 5240 / 5260 / 5280 / 5320 / 5500 / 5600 / 5720	Conducted	TX
	n HT40 ac VHT40 ax HE40-OFDMA	5190 / 5230 / 5270 / 5310 5510 / 5590 / 5710		
	n HT80 ac VHT80 ax HE80-OFDMA	5210 / 5290 / 5530 / 5610 / 5690		
Receiver Spurious Emissions	11a n HT20 ac VHT20 ax HE20-OFDMA	5180 / 5200 / 5240 / 5260 / 5280 / 5320 / 5500 / 5600 / 5720	Conducted	RX
	n HT40 ac VHT40 ax HE40-OFDMA	5190 / 5230 / 5270 / 5310 5510 / 5590 / 5710		
	n HT80 ac VHT80 ax HE80-OFDMA	5210 / 5290 / 5530 / 5610 / 5690		

partial RU configuration				
Test item	Modulation Mode	Test Frequency (MHz)	Test method	Mode
Antenna Power	ax HE20-OFDMA RU26 ax HE20-OFDMA RU52 ax HE20-OFDMA RU106	5180 / 5240 / 5260 / 5320 5500 / 5600 / 5720	Conducted	TX
	ax HE40-OFDMA RU26 ax HE40-OFDMA RU52 ax HE40-OFDMA RU106 ax HE40-OFDMA RU242	5190 / 5230 / 5270 / 5310 5510 / 5590 / 5710		
	ax HE80-OFDMA RU26 ax HE80-OFDMA RU52 ax HE80-OFDMA RU106 ax HE80-OFDMA RU242 ax HE80-OFDMA RU484	5210 / 5290 / 5530 / 5610 / 5690		
Transmitter Spurious Emission	ax HE20-OFDMA RU26	5240 / 5260 / 5600 / 5720	Conducted	TX
	ax HE20-OFDMA RU52	5240		
	ax HE20-OFDMA RU106	5240 / 5260 / 5500		
	ax HE40-OFDMA RU26	5510 / 5710		
	ax HE40-OFDMA RU106	5590		
	ax HE80-OFDMA RU242	5530 / 5610 / 5690		

3 Transmitter Test Results

3.1 Antenna Power

3.1.1 Limit of Antenna Power

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)		Power Tolerance
		Conducted Power	EIRP	
W52	20	10	10	+20 % , -80 %
	40	5	5	
	80	2.5	2.5	
	160	1.25	1.25	

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)			Power Tolerance
		Conducted Power	EIRP		
			W/TPC	W/O TPC	
W53	20	10	10	5	+20 % , -80 %
	40	5	5	2.5	
	80	2.5	2.5	1.25	
	160	1.25	1.25	0.625	

Band	Bandwidth(MHz)	Output Power Limit (mW/MHz)			Power Tolerance
		Conducted Power	EIRP		
			W/TPC	W/O TPC	
W56	20	10	50	25	+50 % , -50 %
	40	5	25	12.5	
	80	2.5	12.5	6.25	
	160	1.25	6.25	3.125	

Note: TPC, A function to reduce the average antenna power by 3 dB in one communication system.


Output Power	Band	Power Tolerance	Bandwidth: 80 + 80 MHz	
Conducted Power (mW/MHz)	W52	+20 % , -80 %	1.25	
	W53	+20 % , -80 %	1.25	
	W56	+50 % , -50 %	1.25	
EIRP (mW/MHz)	W52	+20 % , -80 %	1.25	
	W53	+20 % , -80 %	With TPC	1.25
		+20 % , -80 %	Without TPC	0.625
	W56	+50 % , -50 %	With TPC	1.25
		+50 % , -50 %	Without TPC	0.625

Note: TPC, A function to reduce the average antenna power by 3 dB in one communication system.

3.1.2 Test Procedures

1. A power meter is connected on the IF output port of the spectrum analyzer. Adjust the spectrum analyzer to have the center frequency the same with the measured carrier. RBW=VBW=1MHz, detector mode is positive peak. Turn off the averaging function and use zero span.
2. The calibrating signal power shall be reduced to 0 dBm and it shall be verified that the power meter reading also reduces by 10 dB. Connect the equipment to be measured. Using the following settings of the spectrum analyzer in combination with "max hold" function, find the frequency of highest power output in the power envelope: center frequency equal to operating frequency; RBW & VBW: 1 MHz; detector mode: positive peak; averaging: off; span: 3 times the spectrum width; amplitude: adjust for middle of the instrument's range. The frequency found shall be recorded
3. Set the center frequency of the spectrum analyzer to the found frequency and switch to zero span. The power meter indicates the measured power density "E". Remove the EUT and put the replacing standard signal generator (SSG). Set the standard signal generator (SSG) at same frequency and transmit on, then set SSG output power at Pt to give the equivalent output level of "E"
4. Calculate antenna power density by the formula below $PD = Pt + 10 \cdot \log(1/x)$.
x: The duty cycle of the EUT in continuously transmitting mode
Pt: Output power of the SSG
5. Antenna Power Error is definition that actual measure antenna power tolerance between + 20% to - 80% or +50 % to -50 % power range that base on operating frequency range and manufacturer declare the conducted power density

3.1.3 Test Setup



3.1.4 Test Result

Refer to Appendix A, J.

3.2 Frequency Tolerance


3.2.1 Limit of Frequency Tolerance

Frequency tolerance shall be +/- 20ppm.

3.2.2 Test Procedures

1. Set Span = 30 / 60 / 120 MHz, RBW = 100 kHz, VBW = 300 kHz, Sweep time = Auto, detector = Peak.
2. The peak value of the power envelope shall be measured and noted.
3. The span shall be reduced and the marker moved in a positive frequency increment until the upper, (relative to the centre frequency), -10 dBc point is reached. This value shall be noted as f1.
The marker shall then be moved in a negative frequency increment until the lower, (relative to the centre frequency), -10 dBc point is reached. This value shall be noted as f2.
The Measurement Frequency is calculated as $(f1 + f2) / 2$.
4. $FT(ppm) = \{ (MF - CF) / CF \} \times 1000000$
(FT: Frequency Tolerance, MF: Measurement Frequency, CF: Centre Frequency.)

3.2.3 Test Setup



3.2.4 Test Result

Refer to Appendix B.

3.3 Occupied Bandwidth


3.3.1 Limit of Occupied Bandwidth

System	Limit (MHz)
20 MHz (Non-OFDM)	18
20 MHz (OFDM)	20
40 MHz (OFDM)	40
80 MHz (OFDM)	80
80 + 80 MHz (OFDM)	80
160 MHz (OFDM)	160

3.3.2 Test Procedures

1. Set Span = 2 times the limit of above table, RBW = VBW= About 3% or less of the limit of above table, detector = Peak, Sweep time = Auto.
2. Enable OBW function of spectrum analyzer to measure OBW and capture test plot.

3.3.3 Test Setup



3.3.4 Test Result

Refer to Appendix C.

3.4 Transmitter Spurious Emissions

3.4.1 Limit of Transmitter Spurious Emissions

W52

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (OBW: 18 MHz or less)	5142 MHz or less	2.5 μ W/MHz
	5142.0 ~ 5150.0 MHz	15.0 μ W/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{1-(f-9)}$ mW/MHz
	5251.0 ~ 5260.0 MHz	$10.0^{1-(8/90)(f-11)}$ mW/MHz
	5260.0 ~ 5266.7 MHz	$10.0^{1.8-(6/50)(f-20)}$ mW/MHz
	5266.7 MHz or more	2.5 μ W/MHz
20 (OBW: 18 - 20 MHz)	5142 MHz or less	2.5 μ W/MHz
	5142 ~ 5150 MHz	15 μ W/MHz
	5250 - 5250.2 MHz	$10^{1-(8/3)(f-9.75)}$ mW/MHz
	5250.2 ~ 5251 MHz	$10^{1-(f-9)}$ mW/MHz
	5251 ~ 5260 MHz	$10^{1-(8/90)(f-11)}$ mW/MHz
	5260 ~ 5266.7 MHz	$10^{1.8-(6/50)(f-20)}$ mW/MHz
	5266.7 MHz or more	2.5 μ W/MHz
40	5141.6 MHz or less	2.5 μ W/MHz
	5141.6 ~ 5150.0 MHz	15.0 μ W/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{-(f-20)+\log(1/2)}$ mW/MHz
	5251.0 ~ 5270.0 MHz	$10.0^{-(8/190)(f-21)-1+\log(1/2)}$ mW/MHz
	5270.0 ~ 5278.4 MHz	$10.0^{-(3/50)(f-40)-1.8+\log(1/2)}$ mW/MHz
	5278.4 MHz or more	2.5 μ W/MHz
80	5123.2 MHz or less	2.5 μ W/MHz
	5123.2 ~ 5150.0 MHz	15.0 μ W/MHz
	5250.0 ~ 5251.0 MHz	$10.0^{-(f-40)+\log(1/4)}$ mW/MHz
	5251.0 ~ 5290.0 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
	5290.0 ~ 5296.7 MHz	$10.0^{-(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
	5296.7 MHz or more	2.5 μ W/MHz

W53

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (OBW: 18 MHz or less)	5233.3 MHz or less	2.5 μ W/MHz
	5233.3 ~ 5240.0 MHz	$10^{-1.8-(6/50)(f-20)}$ mW/MHz
	5240.0 ~ 5249 MHz	$10^{-1-(8/90)(f-11)}$ mW/MHz W/MHz
	5249 ~ 5250.0 MHz	$10^{-1-(f-9)}$ mW/MHz
	5350 MHz or more	2.5 μ W/MHz
20 (OBW: 18 - 20 MHz)	5233.3 MHz or less	2.5 μ W/MHz
	5233.3 ~ 5240.0 MHz	$10^{-1.8-(6/50)(f-20)}$ mW/MHz
	5240.0 ~ 5249 MHz	$10^{-1-(8/90)(f-11)}$ mW/MHz
	5249 ~ 5249.8 MHz	$10^{-1-(f-9)}$ mW/MHz
	5249.8 ~ 5250 MHz	$10^{-1-(8/3)(f-9.75)}$ mW/MHz W/MHz
	5350 MHz or more	2.5 μ W/MHz
40	5221.6 MHz or less	2.5 μ W/MHz
	5221.6 ~ 5230 MHz	$10.0^{-(3/50)(f-40)-1.8+\log(1/2)}$ mW/MHz
	5230 ~ 5249 MHz	$10.0^{-(8/190)(f-21)-1+\log(1/2)}$ mW/MHz
	5249 ~ 5250.0 MHz	$10.0^{-(f-20)-1+\log(1/2)}$ mW/MHz
	5350 ~ 5358.4 MHz	15.0 μ W/MHz
	5358.4 MHz or more	2.5 μ W/MHz
80	5203.3 MHz or less	2.5 μ W/MHz
	5203.3 ~ 5210.0 MHz	$10.0^{-(3/100)(f-80)-1.8+\log(1/4)}$ mW/MHz
	5210.0 ~ 5249 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/4)}$ mW/MHz
	5249 ~ 5250 MHz	$10.0^{-(f-40)-1+\log(1/4)}$ mW/MHz
	5350 ~ 5376.8MHz	15.0 μ W/MHz
	5376.8 MHz or more	2.5 μ W/MHz

W56

Bandwidth(MHz)	Measured Frequency Range	Limit
20 (DSSS, etc)	5470 MHz or less	12.5 μ W/MHz
	5730 MHz or more	12.5 μ W/MHz
20 (OFDM)	5460 MHz or less	2.5 μ W/MHz
	5460 ~ 5470 MHz	12.5 μ W/MHz
	5745 -5765 MHz	12.5 μ W/MHz
	Over 5765 MHz	2.5 μ W/MHz
40	5460 MHz or less	12.5 μ W/MHz
	5460 ~ 5470 MHz	50 μ W/MHz
	5770 MHz or more	12.5 μ W/MHz
80	5460 MHz or less	12.5 μ W/MHz
	5460 ~ 5469.5 MHz	50 μ W/MHz
	5469.5 ~ 5470 MHz	51.2 μ W/MHz
	5770 MHz or more	12.5 μ W/MHz
160	5419.6 MHz or less	12.5 μ W/MHz
	5419.6 ~ 5470.0 MHz	50 μ W/MHz
	5725.0 MHz or more	12.5 μ W/MHz

W52 + W53

Bandwidth(MHz)	Measured Frequency Range	Limit
160	5099.6 MHz or less	2.5 μ W/MHz
	5099.6 ~ 5150.0 MHz	15 μ W/MHz
	5350 ~ 5400.4 MHz	15 μ W/MHz
	5400.4 MHz or more	2.5 μ W/MHz

80+80 MHz system

Frequency (GHz)	Measured Frequency Range	Limit
5.21 & (5.53 or 5.61 or 5.69)	5134.8 MHz or less	2.5 μ W/MHz
	5134.8 ~ 5150.0 MHz	162.5 μ W/MHz
	5250.0 ~ 5251 MHz	$10.0^{-(f-40)-1+\log(1/8)}$ mW/MHz
	5251 ~ 5285.2 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/8)}$ mW/MHz
	5285.2 ~ 5370 MHz	2.5 μ W/MHz
	5370 ~ 5454.8 MHz	2.5 μ W/MHz (When used 5,370 - 5,454.8 MHz simultaneously with a 5.2GHz band high power radio station : 12.5 μ W/MHz)
	5454.8 ~ 5470 MHz	15.0 μ W/MHz (When used simultaneously 5,454.8 - 5,470 MHz with a 5.2GHz band high-power radio station : 50 μ W/MHz)
	5730 MHz or more	15.0 μ W/MHz (*When used 5690MHz)
	5770 MHz or more	15.0 μ W/MHz


Frequency (GHz)	Measured Frequency Range	Limit
5.29 & (5.53 or 5.61 or 5.69)	5214.8 MHz or less	2.5 μ W/MHz
	5214.8 ~ 5249 MHz	$10.0^{-(8/390)(f-41)-1+\log(1/8)}$ mW/MHz
	5249 ~ 5250 MHz	$10.0^{-(f-40)-1+\log(1/8)}$ mW/MHz
	5350 ~ 5365.2 MHz	15.0 μ W/MHz
	5365.2 ~ 5410 MHz	2.5 μ W/MHz
	5410 ~ 5454.8 MHz	2.5 μ W/MHz
	5454.8 ~ 5470 MHz	15.0 μ W/MHz
	5730 MHz or more	15.0 μ W/MHz (*When used 5690MHz)
	5770 MHz or more	15.0 μ W/MHz

Frequency (GHz)	Measured Frequency Range	Limit
5.53 & 5.69	5419.6 MHz or less	12.5 μ W/MHz
	5419.6 ~ 5470.0 MHz	50 μ W/MHz
	5770.0 MHz or more	12.5 μ W/MHz

3.4.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto.
3. Following above setting of spectrum analyzer to measure spurious emission of 30~26000 MHz.

3.4.3 Test Setup



3.4.4 Test result

Refer to Appendix D.

3.5 Adjacent Channel Emitted Power


3.5.1 Limit of Adjacent Channel Emitted Power

Bandwidth(MHz)	Measured Frequency Range (MHz)	Limit (dBc)
20	Fc +/- 20MHz +/- 10MHz	>25
	Fc +/- 40MHz +/- 10MHz	>40
40	Fc +/- 40MHz +/- 20MHz	>25
	Fc +/- 80MHz +/- 20MHz	>40
80	Fc +/- 80MHz +/- 40MHz	>25
80+80	Fc +/- 80MHz +/- 40MHz	>25
160	-	-

3.5.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = 300kHz, VBW = 300kHz, Detector = sample, Sweep = Auto.
3. Enable Adjacent channel power measurement function of spectrum analyzer to measure power of Fc +/- 20MHz, 40MHz or 80MHz

3.5.3 Test Setup



3.5.4 Test result

Refer to Appendix E.

3.6 Burst Length


3.6.1 Limit of Burst Length

Burst Length shall be less than 8 ms.

3.6.2 Test Procedures

1. Set EUT to transmit at rated power and channel to perform test.
2. Set RBW = VBW = 10 MHz, detector = Peak, Span = 0Hz, Sweep time = 50 ms.
3. Enable trigger and gating function of spectrum analyzer to lock on burst and measure burst on time.

3.6.3 Test Setup



3.6.4 Test Result

Refer to Appendix F.

3.7 Carrier Sense Measurement

3.7.1 Limit of Carrier Sense Measurement

Limits
EUT shall not transmit any waves when carrier wave inject into EUT

3.7.2 Test Procedures

1. Set RBW = VBW = 1MHz, Detector type = Peak, Sweep time = Auto, Span = 50 MHz.
2. Set EUT to normal operating mode and link up with accessory.
3. Turn off the EUT transmission
4. Turn on the Signal Generator output to send carrier wave to EUT then turn on the EUT transmission

Power level of carrier wave at EUT is as below


$$P_{cs} \text{ (dBm)} = 22.79 + G_r - 20\log(F)$$

G_r : Antenna gain (dBi)

F : Transmission Frequency (MHz)

5. Check the EUT does not transmit any waves

3.7.3 Test Setup



3.7.4 Test result

Refer to Appendix G.

3.8 Interference Prevention Function


3.8.1 Limit of Interference Prevention Function Measurement

Limits
The identification code shall be 19 bits long

3.8.2 Test Procedures

1. Set EUT under operating mode and link up with companion equipment
2. Check communication status between EUT and companion equipment is normal
3. Confirm the MAC address of EUT

3.8.3 Test Setup



3.8.4 Test Result

Refer to Appendix H.

4 Receiver Test Results

4.1 Receiver Spurious Emissions


4.1.1 Limit of Receiver Spurious Emissions

Item	Limits
Rx Spurious Emission	$\leq 4\text{nW}$ ($f < 1\text{GHz}$).
	$\leq 20\text{nW}$ ($1\text{GHz} \leq f$).

4.1.2 Test Procedures

1. Set EUT under receiving condition to perform test
2. Set RBW = VBW = 100kHz, detector = Peak, Sweep time = Auto for emission measurement below 1GHz.
3. Set RBW = VBW = 1MHz, detector = Peak, Sweep time = Auto for emission measurement above 1GHz.

4.1.3 Test Setup



4.1.4 Test Result

Refer to Appendix I.

5 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corporation (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <http://www.icertifi.com.tw>.

Linkou

Tel: 886-2-2601-1640

No.30-2, Ding Fwu Tsuen, Lin Kou
District, New Taipei City, Taiwan
(R.O.C.)

Kwei Shan

Tel: 886-3-271-8666

No.3-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)
No.2-1, Lane 6, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

Kwei Shan Site II

Tel: 886-3-271-8640

No.14-1, Lane 19, Wen San 3rd
St., Kwei Shan Dist., Tao Yuan
City 33381, Taiwan (R.O.C.)

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0345

Email: ICC_Service@icertifi.com.tw

==END==

full RU configuration
Summary

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5.15-5.25GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.59	3.62243	3.62500	-0.07	20	-80
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.54	3.58096	3.60000	-0.53	20	-80
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.58	3.61410	3.62500	-0.30	20	-80
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.55	3.58922	3.60000	-0.30	20	-80
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.53	1.79061	1.80000	-0.52	20	-80
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	2.49	1.77419	1.80000	-1.43	20	-80
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	2.55	1.79887	1.80000	-0.06	20	-80
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-0.43	0.90573	0.90600	-0.03	20	-80
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	-0.44	0.90365	0.90500	-0.15	20	-80
5.25-5.35GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.54	3.58096	3.60000	-0.53	20	-80
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.58	3.61410	3.62500	-0.30	20	-80
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.57	3.60579	3.62500	-0.53	20	-80
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.59	3.62243	3.62500	-0.07	20	-80
802.11n HT40_Nss1,(MCS0)_2TX	Pass	2.55	1.79887	1.80000	-0.06	20	-80
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	2.58	1.81134	1.81200	-0.04	20	-80
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	2.56	1.80302	1.81000	-0.39	20	-80
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-0.54	0.88308	0.90000	-1.88	20	-80
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	-0.44	0.90365	0.90500	-0.15	20	-80
5.47-5.730GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	9.75	9.44061	9.98000	-5.40	50	-50
802.11n HT20_Nss1,(MCS0)_2TX	Pass	9.75	9.44061	9.95000	-5.12	50	-50
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	9.83	9.61612	9.90000	-2.87	50	-50
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	9.29	8.49180	9.10000	-6.68	50	-50
802.11n HT40_Nss1,(MCS0)_2TX	Pass	6.82	4.80839	4.99000	-3.64	50	-50
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	6.65	4.62381	4.99000	-7.34	50	-50
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.92	3.90841	4.20000	-6.94	50	-50
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	3.19	2.08449	2.35000	-11.30	50	-50
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	2.59	1.81552	2.10000	-13.55	50	-50

Result

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.52	3.56451	3.62500	-1.67	20	-80
5180MHz_TnomVmin	Pass	5.51	3.55631	3.62500	-1.89	20	-80
5180MHz_TnomVmax	Pass	5.50	3.54813	3.62500	-2.12	20	-80
5200MHz_TnomVnom	Pass	5.58	3.61410	3.62500	-0.30	20	-80
5200MHz_TnomVmin	Pass	5.59	3.62243	3.62500	-0.07	20	-80
5200MHz_TnomVmax	Pass	5.59	3.62243	3.62500	-0.07	20	-80
5240MHz_TnomVnom	Pass	5.37	3.44350	3.62500	-5.01	20	-80
5240MHz_TnomVmin	Pass	5.39	3.45939	3.62500	-4.57	20	-80
5240MHz_TnomVmax	Pass	5.37	3.44350	3.62500	-5.01	20	-80
5260MHz_TnomVnom	Pass	5.54	3.58096	3.60000	-0.53	20	-80
5260MHz_TnomVmin	Pass	5.54	3.58096	3.60000	-0.53	20	-80
5260MHz_TnomVmax	Pass	5.52	3.56451	3.60000	-0.99	20	-80
5280MHz_TnomVnom	Pass	5.39	3.45939	3.60000	-3.91	20	-80
5280MHz_TnomVmin	Pass	5.41	3.47536	3.60000	-3.46	20	-80
5280MHz_TnomVmax	Pass	5.45	3.50752	3.60000	-2.57	20	-80
5320MHz_TnomVnom	Pass	5.45	3.50752	3.60000	-2.57	20	-80
5320MHz_TnomVmin	Pass	5.46	3.51560	3.60000	-2.34	20	-80
5320MHz_TnomVmax	Pass	5.42	3.48337	3.60000	-3.24	20	-80
5500MHz_TnomVnom	Pass	9.77	9.48418	9.98000	-4.97	50	-50
5500MHz_TnomVmin	Pass	9.96	9.90832	9.98000	-0.72	50	-50
5500MHz_TnomVmax	Pass	9.87	9.70510	9.98000	-2.75	50	-50
5600MHz_TnomVnom	Pass	9.78	9.50605	9.98000	-4.75	50	-50
5600MHz_TnomVmin	Pass	9.99	9.97700	9.98000	-0.03	50	-50
5600MHz_TnomVmax	Pass	9.94	9.86279	9.98000	-1.17	50	-50
5720MHz_TnomVnom	Pass	9.87	9.70510	9.98000	-2.75	50	-50
5720MHz_TnomVmin	Pass	9.75	9.44061	9.98000	-5.40	50	-50
5720MHz_TnomVmax	Pass	9.86	9.68278	9.98000	-2.98	50	-50
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.52	3.56451	3.60000	-0.99	20	-80
5180MHz_TnomVmin	Pass	5.33	3.41193	3.60000	-5.22	20	-80
5180MHz_TnomVmax	Pass	5.49	3.53997	3.60000	-1.67	20	-80
5200MHz_TnomVnom	Pass	5.49	3.53997	3.60000	-1.67	20	-80
5200MHz_TnomVmin	Pass	5.54	3.58096	3.60000	-0.53	20	-80
5200MHz_TnomVmax	Pass	5.39	3.45939	3.60000	-3.91	20	-80
5240MHz_TnomVnom	Pass	5.54	3.58096	3.60000	-0.53	20	-80
5240MHz_TnomVmin	Pass	5.42	3.48337	3.60000	-3.24	20	-80
5240MHz_TnomVmax	Pass	5.54	3.58096	3.60000	-0.53	20	-80
5260MHz_TnomVnom	Pass	5.58	3.61410	3.62500	-0.30	20	-80
5260MHz_TnomVmin	Pass	5.53	3.57273	3.62500	-1.44	20	-80
5260MHz_TnomVmax	Pass	5.57	3.60579	3.62500	-0.53	20	-80
5280MHz_TnomVnom	Pass	5.55	3.58922	3.62500	-0.99	20	-80

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5280MHz_TnomVmin	Pass	5.50	3.54813	3.62500	-2.12	20	-80
5280MHz_TnomVmax	Pass	5.58	3.61410	3.62500	-0.30	20	-80
5320MHz_TnomVnom	Pass	5.55	3.58922	3.62500	-0.99	20	-80
5320MHz_TnomVmin	Pass	5.45	3.50752	3.62500	-3.24	20	-80
5320MHz_TnomVmax	Pass	5.54	3.58096	3.62500	-1.21	20	-80
5500MHz_TnomVnom	Pass	9.96	9.90832	9.95000	-0.42	50	-50
5500MHz_TnomVmin	Pass	9.92	9.81748	9.95000	-1.33	50	-50
5500MHz_TnomVmax	Pass	9.94	9.86279	9.95000	-0.88	50	-50
5600MHz_TnomVnom	Pass	9.75	9.44061	9.95000	-5.12	50	-50
5600MHz_TnomVmin	Pass	9.95	9.88553	9.95000	-0.65	50	-50
5600MHz_TnomVmax	Pass	9.79	9.52796	9.95000	-4.24	50	-50
5720MHz_TnomVnom	Pass	9.88	9.72747	9.95000	-2.24	50	-50
5720MHz_TnomVmin	Pass	9.84	9.63829	9.95000	-3.13	50	-50
5720MHz_TnomVmax	Pass	9.93	9.84011	9.95000	-1.10	50	-50
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.41	1.74181	1.80000	-3.23	20	-80
5190MHz_TnomVmin	Pass	2.35	1.71791	1.80000	-4.56	20	-80
5190MHz_TnomVmax	Pass	2.39	1.73380	1.80000	-3.68	20	-80
5230MHz_TnomVnom	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5230MHz_TnomVmin	Pass	2.53	1.79061	1.80000	-0.52	20	-80
5230MHz_TnomVmax	Pass	2.28	1.69044	1.80000	-6.09	20	-80
5270MHz_TnomVnom	Pass	2.55	1.79887	1.80000	-0.06	20	-80
5270MHz_TnomVmin	Pass	2.51	1.78238	1.80000	-0.98	20	-80
5270MHz_TnomVmax	Pass	2.50	1.77828	1.80000	-1.21	20	-80
5310MHz_TnomVnom	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5310MHz_TnomVmin	Pass	2.51	1.78238	1.80000	-0.98	20	-80
5310MHz_TnomVmax	Pass	2.42	1.74582	1.80000	-3.01	20	-80
5510MHz_TnomVnom	Pass	6.88	4.87528	4.99000	-2.30	50	-50
5510MHz_TnomVmin	Pass	6.82	4.80839	4.99000	-3.64	50	-50
5510MHz_TnomVmax	Pass	6.98	4.98884	4.99000	-0.02	50	-50
5590MHz_TnomVnom	Pass	6.92	4.92040	4.99000	-1.39	50	-50
5590MHz_TnomVmin	Pass	6.87	4.86407	4.99000	-2.52	50	-50
5590MHz_TnomVmax	Pass	6.95	4.95450	4.99000	-0.71	50	-50
5710MHz_TnomVnom	Pass	6.97	4.97737	4.99000	-0.25	50	-50
5710MHz_TnomVmin	Pass	6.88	4.87528	4.99000	-2.30	50	-50
5710MHz_TnomVmax	Pass	6.90	4.89779	4.99000	-1.85	50	-50
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.44	3.49945	3.62500	-3.46	20	-80
5180MHz_TnomVmin	Pass	5.55	3.58922	3.62500	-0.99	20	-80
5180MHz_TnomVmax	Pass	5.38	3.45144	3.62500	-4.79	20	-80
5200MHz_TnomVnom	Pass	5.52	3.56451	3.62500	-1.67	20	-80
5200MHz_TnomVmin	Pass	5.58	3.61410	3.62500	-0.30	20	-80
5200MHz_TnomVmax	Pass	5.58	3.61410	3.62500	-0.30	20	-80

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5240MHz_TnomVnom	Pass	5.40	3.46737	3.62500	-4.35	20	-80
5240MHz_TnomVmin	Pass	5.47	3.52371	3.62500	-2.79	20	-80
5240MHz_TnomVmax	Pass	5.38	3.45144	3.62500	-4.79	20	-80
5260MHz_TnomVnom	Pass	5.57	3.60579	3.62500	-0.53	20	-80
5260MHz_TnomVmin	Pass	5.57	3.60579	3.62500	-0.53	20	-80
5260MHz_TnomVmax	Pass	5.48	3.53183	3.62500	-2.57	20	-80
5280MHz_TnomVnom	Pass	5.47	3.52371	3.62500	-2.79	20	-80
5280MHz_TnomVmin	Pass	5.31	3.39625	3.62500	-6.31	20	-80
5280MHz_TnomVmax	Pass	5.54	3.58096	3.62500	-1.21	20	-80
5320MHz_TnomVnom	Pass	5.33	3.41193	3.62500	-5.88	20	-80
5320MHz_TnomVmin	Pass	5.57	3.60579	3.62500	-0.53	20	-80
5320MHz_TnomVmax	Pass	5.46	3.51560	3.62500	-3.02	20	-80
5500MHz_TnomVnom	Pass	9.83	9.61612	9.90000	-2.87	50	-50
5500MHz_TnomVmin	Pass	9.89	9.74990	9.90000	-1.52	50	-50
5500MHz_TnomVmax	Pass	9.92	9.81748	9.90000	-0.83	50	-50
5600MHz_TnomVnom	Pass	9.95	9.88553	9.90000	-0.15	50	-50
5600MHz_TnomVmin	Pass	9.90	9.77237	9.90000	-1.29	50	-50
5600MHz_TnomVmax	Pass	9.85	9.66051	9.90000	-2.42	50	-50
5720MHz_TnomVnom	Pass	9.91	9.79490	9.90000	-1.06	50	-50
5720MHz_TnomVmin	Pass	9.93	9.84011	9.90000	-0.60	50	-50
5720MHz_TnomVmax	Pass	9.90	9.77237	9.90000	-1.29	50	-50
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.46	1.76198	1.80000	-2.11	20	-80
5190MHz_TnomVmin	Pass	2.37	1.72584	1.80000	-4.12	20	-80
5190MHz_TnomVmax	Pass	2.44	1.75388	1.80000	-2.56	20	-80
5230MHz_TnomVnom	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5230MHz_TnomVmin	Pass	2.45	1.75792	1.80000	-2.34	20	-80
5230MHz_TnomVmax	Pass	2.48	1.77011	1.80000	-1.66	20	-80
5270MHz_TnomVnom	Pass	2.30	1.69824	1.81200	-6.28	20	-80
5270MHz_TnomVmin	Pass	2.35	1.71791	1.81200	-5.19	20	-80
5270MHz_TnomVmax	Pass	2.50	1.77828	1.81200	-1.86	20	-80
5310MHz_TnomVnom	Pass	2.58	1.81134	1.81200	-0.04	20	-80
5310MHz_TnomVmin	Pass	2.35	1.71791	1.81200	-5.19	20	-80
5310MHz_TnomVmax	Pass	2.46	1.76198	1.81200	-2.76	20	-80
5510MHz_TnomVnom	Pass	6.95	4.95450	4.99000	-0.71	50	-50
5510MHz_TnomVmin	Pass	6.98	4.98884	4.99000	-0.02	50	-50
5510MHz_TnomVmax	Pass	6.93	4.93174	4.99000	-1.17	50	-50
5590MHz_TnomVnom	Pass	6.89	4.88652	4.99000	-2.07	50	-50
5590MHz_TnomVmin	Pass	6.88	4.87528	4.99000	-2.30	50	-50
5590MHz_TnomVmax	Pass	6.87	4.86407	4.99000	-2.52	50	-50
5710MHz_TnomVnom	Pass	6.66	4.63447	4.99000	-7.12	50	-50
5710MHz_TnomVmin	Pass	6.77	4.75335	4.99000	-4.74	50	-50
5710MHz_TnomVmax	Pass	6.65	4.62381	4.99000	-7.34	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-0.43	0.90573	0.90600	-0.03	20	-80
5210MHz_TnomVmin	Pass	-0.43	0.90573	0.90600	-0.03	20	-80
5210MHz_TnomVmax	Pass	-0.52	0.88716	0.90600	-2.08	20	-80
5290MHz_TnomVnom	Pass	-0.54	0.88308	0.90000	-1.88	20	-80
5290MHz_TnomVmin	Pass	-0.68	0.85507	0.90000	-4.99	20	-80
5290MHz_TnomVmax	Pass	-0.90	0.81283	0.90000	-9.69	20	-80
5530MHz_TnomVnom	Pass	3.25	2.11349	2.35000	-10.06	50	-50
5530MHz_TnomVmin	Pass	3.24	2.10863	2.35000	-10.27	50	-50
5530MHz_TnomVmax	Pass	3.19	2.08449	2.35000	-11.30	50	-50
5610MHz_TnomVnom	Pass	3.63	2.30675	2.35000	-1.84	50	-50
5610MHz_TnomVmin	Pass	3.38	2.17771	2.35000	-7.33	50	-50
5610MHz_TnomVmax	Pass	3.44	2.20800	2.35000	-6.04	50	-50
5690MHz_TnomVnom	Pass	3.24	2.10863	2.35000	-10.27	50	-50
5690MHz_TnomVmin	Pass	3.19	2.08449	2.35000	-11.30	50	-50
5690MHz_TnomVmax	Pass	3.31	2.14289	2.35000	-8.81	50	-50
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.46	3.51560	3.60000	-2.34	20	-80
5180MHz_TnomVmin	Pass	5.38	3.45144	3.60000	-4.13	20	-80
5180MHz_TnomVmax	Pass	5.51	3.55631	3.60000	-1.21	20	-80
5200MHz_TnomVnom	Pass	5.55	3.58922	3.60000	-0.30	20	-80
5200MHz_TnomVmin	Pass	5.52	3.56451	3.60000	-0.99	20	-80
5200MHz_TnomVmax	Pass	5.53	3.57273	3.60000	-0.76	20	-80
5240MHz_TnomVnom	Pass	5.20	3.31131	3.60000	-8.02	20	-80
5240MHz_TnomVmin	Pass	5.22	3.32660	3.60000	-7.59	20	-80
5240MHz_TnomVmax	Pass	5.16	3.28095	3.60000	-8.86	20	-80
5260MHz_TnomVnom	Pass	3.95	2.48313	3.62500	-31.50	20	-80
5260MHz_TnomVmin	Pass	4.23	2.64850	3.62500	-26.94	20	-80
5260MHz_TnomVmax	Pass	4.25	2.66073	3.62500	-26.60	20	-80
5280MHz_TnomVnom	Pass	5.53	3.57273	3.62500	-1.44	20	-80
5280MHz_TnomVmin	Pass	5.38	3.45144	3.62500	-4.79	20	-80
5280MHz_TnomVmax	Pass	5.42	3.48337	3.62500	-3.91	20	-80
5320MHz_TnomVnom	Pass	5.59	3.62243	3.62500	-0.07	20	-80
5320MHz_TnomVmin	Pass	5.43	3.49140	3.62500	-3.69	20	-80
5320MHz_TnomVmax	Pass	5.51	3.55631	3.62500	-1.89	20	-80
5500MHz_TnomVnom	Pass	9.29	8.49180	9.10000	-6.68	50	-50
5500MHz_TnomVmin	Pass	9.40	8.70964	9.10000	-4.29	50	-50
5500MHz_TnomVmax	Pass	9.30	8.51138	9.10000	-6.47	50	-50
5600MHz_TnomVnom	Pass	9.57	9.05733	9.10000	-0.47	50	-50
5600MHz_TnomVmin	Pass	9.50	8.91251	9.10000	-2.06	50	-50
5600MHz_TnomVmax	Pass	9.42	8.74984	9.10000	-3.85	50	-50
5720MHz_TnomVnom	Pass	9.32	8.55067	9.10000	-6.04	50	-50
5720MHz_TnomVmin	Pass	9.48	8.87156	9.10000	-2.51	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5720MHz_TnomVmax	Pass	9.43	8.77001	9.10000	-3.63	50	-50
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5190MHz_TnomVmin	Pass	2.48	1.77011	1.80000	-1.66	20	-80
5190MHz_TnomVmax	Pass	2.47	1.76604	1.80000	-1.89	20	-80
5230MHz_TnomVnom	Pass	2.50	1.77828	1.80000	-1.21	20	-80
5230MHz_TnomVmin	Pass	2.40	1.73780	1.80000	-3.46	20	-80
5230MHz_TnomVmax	Pass	2.55	1.79887	1.80000	-0.06	20	-80
5270MHz_TnomVnom	Pass	2.37	1.72584	1.81000	-4.65	20	-80
5270MHz_TnomVmin	Pass	2.40	1.73780	1.81000	-3.99	20	-80
5270MHz_TnomVmax	Pass	2.56	1.80302	1.81000	-0.39	20	-80
5310MHz_TnomVnom	Pass	2.28	1.69044	1.81000	-6.61	20	-80
5310MHz_TnomVmin	Pass	2.30	1.69824	1.81000	-6.17	20	-80
5310MHz_TnomVmax	Pass	2.35	1.71791	1.81000	-5.09	20	-80
5510MHz_TnomVnom	Pass	5.92	3.90841	4.20000	-6.94	50	-50
5510MHz_TnomVmin	Pass	6.04	4.01791	4.20000	-4.34	50	-50
5510MHz_TnomVmax	Pass	6.11	4.08319	4.20000	-2.78	50	-50
5590MHz_TnomVnom	Pass	6.01	3.99025	4.20000	-4.99	50	-50
5590MHz_TnomVmin	Pass	6.14	4.11150	4.20000	-2.11	50	-50
5590MHz_TnomVmax	Pass	6.04	4.01791	4.20000	-4.34	50	-50
5710MHz_TnomVnom	Pass	6.07	4.04576	4.20000	-3.67	50	-50
5710MHz_TnomVmin	Pass	6.13	4.10204	4.20000	-2.33	50	-50
5710MHz_TnomVmax	Pass	6.08	4.05509	4.20000	-3.45	50	-50
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-0.46	0.89950	0.90500	-0.61	20	-80
5210MHz_TnomVmin	Pass	-0.44	0.90365	0.90500	-0.15	20	-80
5210MHz_TnomVmax	Pass	-0.50	0.89125	0.90500	-1.52	20	-80
5290MHz_TnomVnom	Pass	-0.46	0.89950	0.90500	-0.61	20	-80
5290MHz_TnomVmin	Pass	-0.44	0.90365	0.90500	-0.15	20	-80
5290MHz_TnomVmax	Pass	-0.56	0.87902	0.90500	-2.87	20	-80
5530MHz_TnomVnom	Pass	2.76	1.88799	2.10000	-10.10	50	-50
5530MHz_TnomVmin	Pass	2.79	1.90108	2.10000	-9.47	50	-50
5530MHz_TnomVmax	Pass	2.81	1.90985	2.10000	-9.05	50	-50
5610MHz_TnomVnom	Pass	2.99	1.99067	2.10000	-5.21	50	-50
5610MHz_TnomVmin	Pass	3.07	2.02768	2.10000	-3.44	50	-50
5610MHz_TnomVmax	Pass	3.11	2.04644	2.10000	-2.55	50	-50
5690MHz_TnomVnom	Pass	2.70	1.86209	2.10000	-11.33	50	-50
5690MHz_TnomVmin	Pass	2.59	1.81552	2.10000	-13.55	50	-50
5690MHz_TnomVmax	Pass	2.72	1.87068	2.10000	-10.92	50	-50

partial RU configuration
Summary

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5.15-5.25GHz	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	5.39	3.45939	3.50000	-1.16	20	-80
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	5.52	3.56451	3.60000	-0.99	20	-80
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	Pass	5.57	3.60579	3.62500	-0.53	20	-80
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	Pass	2.45	1.75792	1.80000	-2.34	20	-80
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	Pass	2.56	1.80302	1.81000	-0.39	20	-80
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	Pass	2.53	1.79061	1.80000	-0.52	20	-80
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	Pass	2.53	1.79061	1.80000	-0.52	20	-80
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	Pass	-0.95	0.80353	0.85000	-5.47	20	-80
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	Pass	-0.61	0.86896	0.90000	-3.45	20	-80
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	Pass	-1.16	0.76560	0.80000	-4.30	20	-80
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	Pass	-0.64	0.86298	0.90000	-4.11	20	-80
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	Pass	-1.11	0.77446	0.80000	-3.19	20	-80
5.25-5.35GHz	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	5.50	3.54813	3.55000	-0.05	20	-80
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	5.55	3.58922	3.60000	-0.30	20	-80
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	Pass	5.59	3.62243	3.62500	-0.07	20	-80
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	Pass	2.37	1.72584	1.80000	-4.12	20	-80
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	Pass	2.48	1.77011	1.80000	-1.66	20	-80
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	Pass	2.49	1.77419	1.80000	-1.43	20	-80
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	Pass	2.35	1.71791	1.80000	-4.56	20	-80
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	Pass	-0.70	0.85114	0.90000	-5.43	20	-80
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	Pass	-0.67	0.85704	0.90000	-4.77	20	-80
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	Pass	-0.77	0.83753	0.85000	-1.47	20	-80
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	Pass	-0.43	0.90573	0.90600	-0.03	20	-80
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	Pass	-0.74	0.84333	0.85000	-0.78	20	-80
5.47-5.730GHz	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	9.84	9.63829	9.80000	-1.65	50	-50
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	9.67	9.26830	9.96000	-6.94	50	-50
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	Pass	9.70	9.33254	9.80000	-4.77	50	-50
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	Pass	6.78	4.76431	4.85000	-1.77	50	-50
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	Pass	6.68	4.65586	4.90000	-4.98	50	-50
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	Pass	6.76	4.74242	4.96000	-4.39	50	-50
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	Pass	5.03	3.18420	3.50000	-9.02	50	-50
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	Pass	3.69	2.33884	2.47000	-5.31	50	-50
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	Pass	3.75	2.37137	2.49000	-4.76	50	-50
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	Pass	3.49	2.23357	2.45000	-8.83	50	-50
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	Pass	3.62	2.30144	2.50000	-7.94	50	-50
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	Pass	3.46	2.21820	2.45000	-9.46	50	-50

Result

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.50	3.54813	3.60000	-1.44	20	-80
5180MHz_TnomVmin	Pass	5.48	3.53183	3.60000	-1.89	20	-80
5180MHz_TnomVmax	Pass	5.51	3.55631	3.60000	-1.21	20	-80
5200MHz_TnomVnom	Pass	5.26	3.35738	3.60000	-6.74	20	-80
5200MHz_TnomVmin	Pass	5.24	3.34195	3.60000	-7.17	20	-80
5200MHz_TnomVmax	Pass	5.28	3.37287	3.60000	-6.31	20	-80
5240MHz_TnomVnom	Pass	5.50	3.54813	3.60000	-1.44	20	-80
5240MHz_TnomVmin	Pass	5.48	3.53183	3.60000	-1.89	20	-80
5240MHz_TnomVmax	Pass	5.52	3.56451	3.60000	-0.99	20	-80
5260MHz_TnomVnom	Pass	5.41	3.47536	3.60000	-3.46	20	-80
5260MHz_TnomVmin	Pass	5.39	3.45939	3.60000	-3.91	20	-80
5260MHz_TnomVmax	Pass	5.43	3.49140	3.60000	-3.02	20	-80
5280MHz_TnomVnom	Pass	5.52	3.56451	3.60000	-0.99	20	-80
5280MHz_TnomVmin	Pass	5.51	3.55631	3.60000	-1.21	20	-80
5280MHz_TnomVmax	Pass	5.55	3.58922	3.60000	-0.30	20	-80
5320MHz_TnomVnom	Pass	5.43	3.49140	3.60000	-3.02	20	-80
5320MHz_TnomVmin	Pass	5.43	3.49140	3.60000	-3.02	20	-80
5320MHz_TnomVmax	Pass	5.46	3.51560	3.60000	-2.34	20	-80
5500MHz_TnomVnom	Pass	9.69	9.31108	9.96000	-6.52	50	-50
5500MHz_TnomVmin	Pass	9.67	9.26830	9.96000	-6.94	50	-50
5500MHz_TnomVmax	Pass	9.72	9.37562	9.96000	-5.87	50	-50
5600MHz_TnomVnom	Pass	9.92	9.81748	9.96000	-1.43	50	-50
5600MHz_TnomVmin	Pass	9.90	9.77237	9.96000	-1.88	50	-50
5600MHz_TnomVmax	Pass	9.92	9.81748	9.96000	-1.43	50	-50
5720MHz_TnomVnom	Pass	9.96	9.90832	9.96000	-0.52	50	-50
5720MHz_TnomVmin	Pass	9.96	9.90832	9.96000	-0.52	50	-50
5720MHz_TnomVmax	Pass	9.98	9.95405	9.96000	-0.06	50	-50
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.36	3.43558	3.62500	-5.23	20	-80
5180MHz_TnomVmin	Pass	5.34	3.41979	3.62500	-5.66	20	-80
5180MHz_TnomVmax	Pass	5.38	3.45144	3.62500	-4.79	20	-80
5200MHz_TnomVnom	Pass	5.37	3.44350	3.62500	-5.01	20	-80
5200MHz_TnomVmin	Pass	5.36	3.43558	3.62500	-5.23	20	-80
5200MHz_TnomVmax	Pass	5.39	3.45939	3.62500	-4.57	20	-80
5240MHz_TnomVnom	Pass	5.54	3.58096	3.62500	-1.21	20	-80
5240MHz_TnomVmin	Pass	5.52	3.56451	3.62500	-1.67	20	-80
5240MHz_TnomVmax	Pass	5.57	3.60579	3.62500	-0.53	20	-80
5260MHz_TnomVnom	Pass	5.56	3.59749	3.62500	-0.76	20	-80
5260MHz_TnomVmin	Pass	5.55	3.58922	3.62500	-0.99	20	-80
5260MHz_TnomVmax	Pass	5.59	3.62243	3.62500	-0.07	20	-80
5280MHz_TnomVnom	Pass	4.74	2.97852	3.62500	-17.83	20	-80

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5280MHz_TnomVmin	Pass	4.72	2.96483	3.62500	-18.21	20	-80
5280MHz_TnomVmax	Pass	4.75	2.98538	3.62500	-17.64	20	-80
5320MHz_TnomVnom	Pass	4.78	3.00608	3.62500	-17.07	20	-80
5320MHz_TnomVmin	Pass	4.76	2.99226	3.62500	-17.45	20	-80
5320MHz_TnomVmax	Pass	4.81	3.02691	3.62500	-16.50	20	-80
5500MHz_TnomVnom	Pass	9.73	9.39723	9.80000	-4.11	50	-50
5500MHz_TnomVmin	Pass	9.70	9.33254	9.80000	-4.77	50	-50
5500MHz_TnomVmax	Pass	9.74	9.41890	9.80000	-3.89	50	-50
5600MHz_TnomVnom	Pass	9.89	9.74990	9.80000	-0.51	50	-50
5600MHz_TnomVmin	Pass	9.89	9.74990	9.80000	-0.51	50	-50
5600MHz_TnomVmax	Pass	9.90	9.77237	9.80000	-0.28	50	-50
5720MHz_TnomVnom	Pass	9.89	9.74990	9.80000	-0.51	50	-50
5720MHz_TnomVmin	Pass	9.87	9.70510	9.80000	-0.97	50	-50
5720MHz_TnomVmax	Pass	9.90	9.77237	9.80000	-0.28	50	-50
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.33	3.41193	3.50000	-2.52	20	-80
5180MHz_TnomVmin	Pass	5.31	3.39625	3.50000	-2.96	20	-80
5180MHz_TnomVmax	Pass	5.35	3.42768	3.50000	-2.07	20	-80
5200MHz_TnomVnom	Pass	5.27	3.36512	3.50000	-3.85	20	-80
5200MHz_TnomVmin	Pass	5.24	3.34195	3.50000	-4.52	20	-80
5200MHz_TnomVmax	Pass	5.30	3.38844	3.50000	-3.19	20	-80
5240MHz_TnomVnom	Pass	5.36	3.43558	3.50000	-1.84	20	-80
5240MHz_TnomVmin	Pass	5.34	3.41979	3.50000	-2.29	20	-80
5240MHz_TnomVmax	Pass	5.39	3.45939	3.50000	-1.16	20	-80
5260MHz_TnomVnom	Pass	3.14	2.06063	3.55000	-41.95	20	-80
5260MHz_TnomVmin	Pass	3.11	2.04644	3.55000	-42.35	20	-80
5260MHz_TnomVmax	Pass	3.14	2.06063	3.55000	-41.95	20	-80
5280MHz_TnomVnom	Pass	5.39	3.45939	3.55000	-2.55	20	-80
5280MHz_TnomVmin	Pass	5.38	3.45144	3.55000	-2.78	20	-80
5280MHz_TnomVmax	Pass	5.41	3.47536	3.55000	-2.10	20	-80
5320MHz_TnomVnom	Pass	5.48	3.53183	3.55000	-0.51	20	-80
5320MHz_TnomVmin	Pass	5.47	3.52371	3.55000	-0.74	20	-80
5320MHz_TnomVmax	Pass	5.50	3.54813	3.55000	-0.05	20	-80
5500MHz_TnomVnom	Pass	9.89	9.74990	9.80000	-0.51	50	-50
5500MHz_TnomVmin	Pass	9.87	9.70510	9.80000	-0.97	50	-50
5500MHz_TnomVmax	Pass	9.90	9.77237	9.80000	-0.28	50	-50
5600MHz_TnomVnom	Pass	9.85	9.66051	9.80000	-1.42	50	-50
5600MHz_TnomVmin	Pass	9.84	9.63829	9.80000	-1.65	50	-50
5600MHz_TnomVmax	Pass	9.86	9.68278	9.80000	-1.20	50	-50
5720MHz_TnomVnom	Pass	9.87	9.70510	9.80000	-0.97	50	-50
5720MHz_TnomVmin	Pass	9.86	9.68278	9.80000	-1.20	50	-50
5720MHz_TnomVmax	Pass	9.91	9.79490	9.80000	-0.05	50	-50
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5190MHz_TnomVnom	Pass	2.50	1.77828	1.80000	-1.21	20	-80
5190MHz_TnomVmin	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5190MHz_TnomVmax	Pass	2.53	1.79061	1.80000	-0.52	20	-80
5230MHz_TnomVnom	Pass	2.38	1.72982	1.80000	-3.90	20	-80
5230MHz_TnomVmin	Pass	2.38	1.72982	1.80000	-3.90	20	-80
5230MHz_TnomVmax	Pass	2.38	1.72982	1.80000	-3.90	20	-80
5270MHz_TnomVnom	Pass	2.40	1.73780	1.80000	-3.46	20	-80
5270MHz_TnomVmin	Pass	2.38	1.72982	1.80000	-3.90	20	-80
5270MHz_TnomVmax	Pass	2.42	1.74582	1.80000	-3.01	20	-80
5310MHz_TnomVnom	Pass	2.47	1.76604	1.80000	-1.89	20	-80
5310MHz_TnomVmin	Pass	2.45	1.75792	1.80000	-2.34	20	-80
5310MHz_TnomVmax	Pass	2.49	1.77419	1.80000	-1.43	20	-80
5510MHz_TnomVnom	Pass	6.85	4.84172	4.96000	-2.38	50	-50
5510MHz_TnomVmin	Pass	6.84	4.83059	4.96000	-2.61	50	-50
5510MHz_TnomVmax	Pass	6.88	4.87528	4.96000	-1.71	50	-50
5590MHz_TnomVnom	Pass	6.78	4.76431	4.96000	-3.95	50	-50
5590MHz_TnomVmin	Pass	6.76	4.74242	4.96000	-4.39	50	-50
5590MHz_TnomVmax	Pass	6.79	4.77529	4.96000	-3.72	50	-50
5710MHz_TnomVnom	Pass	6.93	4.93174	4.96000	-0.57	50	-50
5710MHz_TnomVmin	Pass	6.90	4.89779	4.96000	-1.25	50	-50
5710MHz_TnomVmax	Pass	6.95	4.95450	4.96000	-0.11	50	-50
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.51	1.78238	1.80000	-0.98	20	-80
5190MHz_TnomVmin	Pass	2.50	1.77828	1.80000	-1.21	20	-80
5190MHz_TnomVmax	Pass	2.53	1.79061	1.80000	-0.52	20	-80
5230MHz_TnomVnom	Pass	2.22	1.66725	1.80000	-7.38	20	-80
5230MHz_TnomVmin	Pass	2.21	1.66341	1.80000	-7.59	20	-80
5230MHz_TnomVmax	Pass	2.22	1.66725	1.80000	-7.38	20	-80
5270MHz_TnomVnom	Pass	2.33	1.71002	1.80000	-5.00	20	-80
5270MHz_TnomVmin	Pass	2.32	1.70608	1.80000	-5.22	20	-80
5270MHz_TnomVmax	Pass	2.35	1.71791	1.80000	-4.56	20	-80
5310MHz_TnomVnom	Pass	2.13	1.63305	1.80000	-9.27	20	-80
5310MHz_TnomVmin	Pass	2.11	1.62555	1.80000	-9.69	20	-80
5310MHz_TnomVmax	Pass	2.17	1.64816	1.80000	-8.44	20	-80
5510MHz_TnomVnom	Pass	5.40	3.46737	3.50000	-0.93	50	-50
5510MHz_TnomVmin	Pass	5.38	3.45144	3.50000	-1.39	50	-50
5510MHz_TnomVmax	Pass	5.42	3.48337	3.50000	-0.48	50	-50
5590MHz_TnomVnom	Pass	5.05	3.19890	3.50000	-8.60	50	-50
5590MHz_TnomVmin	Pass	5.03	3.18420	3.50000	-9.02	50	-50
5590MHz_TnomVmax	Pass	5.07	3.21366	3.50000	-8.18	50	-50
5710MHz_TnomVnom	Pass	5.23	3.33426	3.50000	-4.74	50	-50
5710MHz_TnomVmin	Pass	5.21	3.31894	3.50000	-5.17	50	-50
5710MHz_TnomVmax	Pass	5.25	3.34965	3.50000	-4.30	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.26	1.68267	1.80000	-6.52	20	-80
5190MHz_TnomVmin	Pass	2.24	1.67494	1.80000	-6.95	20	-80
5190MHz_TnomVmax	Pass	2.27	1.68655	1.80000	-6.30	20	-80
5230MHz_TnomVnom	Pass	2.43	1.74985	1.80000	-2.79	20	-80
5230MHz_TnomVmin	Pass	2.42	1.74582	1.80000	-3.01	20	-80
5230MHz_TnomVmax	Pass	2.45	1.75792	1.80000	-2.34	20	-80
5270MHz_TnomVnom	Pass	2.21	1.66341	1.80000	-7.59	20	-80
5270MHz_TnomVmin	Pass	2.19	1.65577	1.80000	-8.01	20	-80
5270MHz_TnomVmax	Pass	2.23	1.67109	1.80000	-7.16	20	-80
5310MHz_TnomVnom	Pass	2.36	1.72187	1.80000	-4.34	20	-80
5310MHz_TnomVmin	Pass	2.35	1.71791	1.80000	-4.56	20	-80
5310MHz_TnomVmax	Pass	2.37	1.72584	1.80000	-4.12	20	-80
5510MHz_TnomVnom	Pass	6.80	4.78630	4.85000	-1.31	50	-50
5510MHz_TnomVmin	Pass	6.78	4.76431	4.85000	-1.77	50	-50
5510MHz_TnomVmax	Pass	6.81	4.79733	4.85000	-1.09	50	-50
5590MHz_TnomVnom	Pass	6.79	4.77529	4.85000	-1.54	50	-50
5590MHz_TnomVmin	Pass	6.78	4.76431	4.85000	-1.77	50	-50
5590MHz_TnomVmax	Pass	6.81	4.79733	4.85000	-1.09	50	-50
5710MHz_TnomVnom	Pass	6.84	4.83059	4.85000	-0.40	50	-50
5710MHz_TnomVmin	Pass	6.82	4.80839	4.85000	-0.86	50	-50
5710MHz_TnomVmax	Pass	6.85	4.84172	4.85000	-0.17	50	-50
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	2.54	1.79473	1.81000	-0.84	20	-80
5190MHz_TnomVmin	Pass	2.54	1.79473	1.81000	-0.84	20	-80
5190MHz_TnomVmax	Pass	2.56	1.80302	1.81000	-0.39	20	-80
5230MHz_TnomVnom	Pass	2.47	1.76604	1.81000	-2.43	20	-80
5230MHz_TnomVmin	Pass	2.45	1.75792	1.81000	-2.88	20	-80
5230MHz_TnomVmax	Pass	2.51	1.78238	1.81000	-1.53	20	-80
5270MHz_TnomVnom	Pass	2.46	1.76198	1.80000	-2.11	20	-80
5270MHz_TnomVmin	Pass	2.43	1.74985	1.80000	-2.79	20	-80
5270MHz_TnomVmax	Pass	2.47	1.76604	1.80000	-1.89	20	-80
5310MHz_TnomVnom	Pass	2.47	1.76604	1.80000	-1.89	20	-80
5310MHz_TnomVmin	Pass	2.46	1.76198	1.80000	-2.11	20	-80
5310MHz_TnomVmax	Pass	2.48	1.77011	1.80000	-1.66	20	-80
5510MHz_TnomVnom	Pass	6.70	4.67735	4.90000	-4.54	50	-50
5510MHz_TnomVmin	Pass	6.68	4.65586	4.90000	-4.98	50	-50
5510MHz_TnomVmax	Pass	6.73	4.70977	4.90000	-3.88	50	-50
5590MHz_TnomVnom	Pass	6.78	4.76431	4.90000	-2.77	50	-50
5590MHz_TnomVmin	Pass	6.77	4.75335	4.90000	-2.99	50	-50
5590MHz_TnomVmax	Pass	6.82	4.80839	4.90000	-1.87	50	-50
5710MHz_TnomVnom	Pass	6.84	4.83059	4.90000	-1.42	50	-50
5710MHz_TnomVmin	Pass	6.84	4.83059	4.90000	-1.42	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5710MHz_TnomVmax	Pass	6.87	4.86407	4.90000	-0.73	50	-50
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-1.18	0.76208	0.80000	-4.74	20	-80
5210MHz_TnomVmin	Pass	-1.21	0.75683	0.80000	-5.40	20	-80
5210MHz_TnomVmax	Pass	-1.16	0.76560	0.80000	-4.30	20	-80
5290MHz_TnomVnom	Pass	-0.81	0.82985	0.85000	-2.37	20	-80
5290MHz_TnomVmin	Pass	-0.82	0.82794	0.85000	-2.60	20	-80
5290MHz_TnomVmax	Pass	-0.77	0.83753	0.85000	-1.47	20	-80
5530MHz_TnomVnom	Pass	3.61	2.29615	2.45000	-6.28	50	-50
5530MHz_TnomVmin	Pass	3.59	2.28560	2.45000	-6.71	50	-50
5530MHz_TnomVmax	Pass	3.65	2.31739	2.45000	-5.41	50	-50
5610MHz_TnomVnom	Pass	3.50	2.23872	2.45000	-8.62	50	-50
5610MHz_TnomVmin	Pass	3.49	2.23357	2.45000	-8.83	50	-50
5610MHz_TnomVmax	Pass	3.54	2.25944	2.45000	-7.78	50	-50
5690MHz_TnomVnom	Pass	3.60	2.29087	2.45000	-6.50	50	-50
5690MHz_TnomVmin	Pass	3.59	2.28560	2.45000	-6.71	50	-50
5690MHz_TnomVmax	Pass	3.62	2.30144	2.45000	-6.06	50	-50
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-1.11	0.77446	0.80000	-3.19	20	-80
5210MHz_TnomVmin	Pass	-1.13	0.77090	0.80000	-3.64	20	-80
5210MHz_TnomVmax	Pass	-1.11	0.77446	0.80000	-3.19	20	-80
5290MHz_TnomVnom	Pass	-0.77	0.83753	0.85000	-1.47	20	-80
5290MHz_TnomVmin	Pass	-0.79	0.83368	0.85000	-1.92	20	-80
5290MHz_TnomVmax	Pass	-0.74	0.84333	0.85000	-0.78	20	-80
5530MHz_TnomVnom	Pass	3.57	2.27510	2.45000	-7.14	50	-50
5530MHz_TnomVmin	Pass	3.54	2.25944	2.45000	-7.78	50	-50
5530MHz_TnomVmax	Pass	3.59	2.28560	2.45000	-6.71	50	-50
5610MHz_TnomVnom	Pass	3.48	2.22844	2.45000	-9.04	50	-50
5610MHz_TnomVmin	Pass	3.46	2.21820	2.45000	-9.46	50	-50
5610MHz_TnomVmax	Pass	3.50	2.23872	2.45000	-8.62	50	-50
5690MHz_TnomVnom	Pass	3.69	2.33884	2.45000	-4.54	50	-50
5690MHz_TnomVmin	Pass	3.68	2.33346	2.45000	-4.76	50	-50
5690MHz_TnomVmax	Pass	3.71	2.34963	2.45000	-4.10	50	-50
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-0.95	0.80353	0.85000	-5.47	20	-80
5210MHz_TnomVmin	Pass	-0.97	0.79983	0.85000	-5.90	20	-80
5210MHz_TnomVmax	Pass	-0.95	0.80353	0.85000	-5.47	20	-80
5290MHz_TnomVnom	Pass	-0.71	0.84918	0.90000	-5.65	20	-80
5290MHz_TnomVmin	Pass	-0.73	0.84528	0.90000	-6.08	20	-80
5290MHz_TnomVmax	Pass	-0.70	0.85114	0.90000	-5.43	20	-80
5530MHz_TnomVnom	Pass	3.75	2.37137	2.47000	-3.99	50	-50
5530MHz_TnomVmin	Pass	3.73	2.36048	2.47000	-4.43	50	-50
5530MHz_TnomVmax	Pass	3.76	2.37684	2.47000	-3.77	50	-50

Mode	Result	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Declare (mW/MHz)	Tolerance (%)	Limit+ (%)	Limit- (%)
5610MHz_TnomVnom	Pass	3.70	2.34423	2.47000	-5.09	50	-50
5610MHz_TnomVmin	Pass	3.69	2.33884	2.47000	-5.31	50	-50
5610MHz_TnomVmax	Pass	3.71	2.34963	2.47000	-4.87	50	-50
5690MHz_TnomVnom	Pass	3.89	2.44906	2.47000	-0.85	50	-50
5690MHz_TnomVmin	Pass	3.88	2.44343	2.47000	-1.08	50	-50
5690MHz_TnomVmax	Pass	3.91	2.46037	2.47000	-0.39	50	-50
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-0.62	0.86696	0.90000	-3.67	20	-80
5210MHz_TnomVmin	Pass	-0.63	0.86497	0.90000	-3.89	20	-80
5210MHz_TnomVmax	Pass	-0.61	0.86896	0.90000	-3.45	20	-80
5290MHz_TnomVnom	Pass	-0.69	0.85310	0.90000	-5.21	20	-80
5290MHz_TnomVmin	Pass	-0.70	0.85114	0.90000	-5.43	20	-80
5290MHz_TnomVmax	Pass	-0.67	0.85704	0.90000	-4.77	20	-80
5530MHz_TnomVnom	Pass	3.77	2.38232	2.49000	-4.32	50	-50
5530MHz_TnomVmin	Pass	3.75	2.37137	2.49000	-4.76	50	-50
5530MHz_TnomVmax	Pass	3.79	2.39332	2.49000	-3.88	50	-50
5610MHz_TnomVnom	Pass	3.80	2.39883	2.49000	-3.66	50	-50
5610MHz_TnomVmin	Pass	3.80	2.39883	2.49000	-3.66	50	-50
5610MHz_TnomVmax	Pass	3.84	2.42103	2.49000	-2.77	50	-50
5690MHz_TnomVnom	Pass	3.94	2.47742	2.49000	-0.51	50	-50
5690MHz_TnomVmin	Pass	3.91	2.46037	2.49000	-1.19	50	-50
5690MHz_TnomVmax	Pass	3.96	2.48886	2.49000	-0.05	50	-50
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	-0.67	0.85704	0.90000	-4.77	20	-80
5210MHz_TnomVmin	Pass	-0.68	0.85507	0.90000	-4.99	20	-80
5210MHz_TnomVmax	Pass	-0.64	0.86298	0.90000	-4.11	20	-80
5290MHz_TnomVnom	Pass	-0.45	0.90157	0.90600	-0.49	20	-80
5290MHz_TnomVmin	Pass	-0.47	0.89743	0.90600	-0.95	20	-80
5290MHz_TnomVmax	Pass	-0.43	0.90573	0.90600	-0.03	20	-80
5530MHz_TnomVnom	Pass	3.70	2.34423	2.50000	-6.23	50	-50
5530MHz_TnomVmin	Pass	3.69	2.33884	2.50000	-6.45	50	-50
5530MHz_TnomVmax	Pass	3.73	2.36048	2.50000	-5.58	50	-50
5610MHz_TnomVnom	Pass	3.63	2.30675	2.50000	-7.73	50	-50
5610MHz_TnomVmin	Pass	3.62	2.30144	2.50000	-7.94	50	-50
5610MHz_TnomVmax	Pass	3.65	2.31739	2.50000	-7.30	50	-50
5690MHz_TnomVnom	Pass	3.90	2.45471	2.50000	-1.81	50	-50
5690MHz_TnomVmin	Pass	3.89	2.44906	2.50000	-2.04	50	-50
5690MHz_TnomVmax	Pass	3.91	2.46037	2.50000	-1.59	50	-50

full RU configuration
Summary

Mode	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	5.59	3.62243	9.99	9.97700
802.11n HT20_Nss1,(MCS0)_2TX	5.54	3.58096	9.94	9.86279
802.11ac VHT20_Nss1,(MCS0)_2TX	5.58	3.61410	9.98	9.95405
ax20_OFDMA_Nss1,(MCS0)_2TX	5.55	3.58922	9.95	9.88553
802.11n HT40_Nss1,(MCS0)_2TX	2.53	1.79061	6.93	4.93174
802.11ac VHT40_Nss1,(MCS0)_2TX	2.49	1.77419	6.89	4.88652
ax40_OFDMA_Nss1,(MCS0)_2TX	2.55	1.79887	6.95	4.95450
802.11ac VHT80_Nss1,(MCS0)_2TX	-0.43	0.90573	3.97	2.49459
ax80_OFDMA_Nss1,(MCS0)_2TX	-0.44	0.90365	3.96	2.48886
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	5.54	3.58096	9.94	9.86279
802.11n HT20_Nss1,(MCS0)_2TX	5.58	3.61410	9.98	9.95405
802.11ac VHT20_Nss1,(MCS0)_2TX	5.57	3.60579	9.97	9.93116
ax20_OFDMA_Nss1,(MCS0)_2TX	5.59	3.62243	9.99	9.97700
802.11n HT40_Nss1,(MCS0)_2TX	2.55	1.79887	6.95	4.95450
802.11ac VHT40_Nss1,(MCS0)_2TX	2.58	1.81134	6.98	4.98884
ax40_OFDMA_Nss1,(MCS0)_2TX	2.56	1.80302	6.96	4.96592
802.11ac VHT80_Nss1,(MCS0)_2TX	-0.54	0.88308	3.86	2.43220
ax80_OFDMA_Nss1,(MCS0)_2TX	-0.44	0.90365	3.96	2.48886
5.47-5.730GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	9.99	9.97700	14.39	27.47894
802.11n HT20_Nss1,(MCS0)_2TX	9.96	9.90832	14.36	27.28978
802.11ac VHT20_Nss1,(MCS0)_2TX	9.95	9.88553	14.35	27.22701
ax20_OFDMA_Nss1,(MCS0)_2TX	9.57	9.05733	13.97	24.94595
802.11n HT40_Nss1,(MCS0)_2TX	6.98	4.98884	11.38	13.74042
802.11ac VHT40_Nss1,(MCS0)_2TX	6.98	4.98884	11.38	13.74042
ax40_OFDMA_Nss1,(MCS0)_2TX	6.14	4.11150	10.54	11.32400
802.11ac VHT80_Nss1,(MCS0)_2TX	3.63	2.30675	8.03	6.35331
ax80_OFDMA_Nss1,(MCS0)_2TX	3.11	2.04644	7.51	5.63638

Result

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.99	1.96	5.52	3.56451	10	9.92	9.81748	10
5180MHz_TnomVmin	Pass	4.40	2.84	2.12	5.51	3.55631	10	9.91	9.79490	10
5180MHz_TnomVmax	Pass	4.40	2.91	2.03	5.50	3.54813	10	9.90	9.77237	10
5200MHz_TnomVnom	Pass	4.40	2.99	2.11	5.58	3.61410	10	9.98	9.95405	10
5200MHz_TnomVmin	Pass	4.40	3.08	2.02	5.59	3.62243	10	9.99	9.97700	10
5200MHz_TnomVmax	Pass	4.40	2.97	2.16	5.59	3.62243	10	9.99	9.97700	10
5240MHz_TnomVnom	Pass	4.40	2.75	1.93	5.37	3.44350	10	9.77	9.48418	10
5240MHz_TnomVmin	Pass	4.40	2.86	1.84	5.39	3.45939	10	9.79	9.52796	10
5240MHz_TnomVmax	Pass	4.40	2.79	1.89	5.37	3.44350	10	9.77	9.48418	10
5260MHz_TnomVnom	Pass	4.40	2.91	2.11	5.54	3.58096	10	9.94	9.86279	10
5260MHz_TnomVmin	Pass	4.40	2.78	2.26	5.54	3.58096	10	9.94	9.86279	10
5260MHz_TnomVmax	Pass	4.40	2.85	2.15	5.52	3.56451	10	9.92	9.81748	10
5280MHz_TnomVnom	Pass	4.40	2.84	1.86	5.39	3.45939	10	9.79	9.52796	10
5280MHz_TnomVmin	Pass	4.40	2.75	2.01	5.41	3.47536	10	9.81	9.57194	10
5280MHz_TnomVmax	Pass	4.40	2.83	2.02	5.45	3.50752	10	9.85	9.66051	10
5320MHz_TnomVnom	Pass	4.40	2.72	2.15	5.45	3.50752	10	9.85	9.66051	10
5320MHz_TnomVmin	Pass	4.40	2.62	2.28	5.46	3.51560	10	9.86	9.68278	10
5320MHz_TnomVmax	Pass	4.40	2.63	2.18	5.42	3.48337	10	9.82	9.59401	10
5500MHz_TnomVnom	Pass	4.40	6.94	6.57	9.77	9.48418	10	14.17	26.12161	50
5500MHz_TnomVmin	Pass	4.40	7.13	6.76	9.96	9.90832	10	14.36	27.28978	50
5500MHz_TnomVmax	Pass	4.40	7.19	6.50	9.87	9.70510	10	14.27	26.73006	50
5600MHz_TnomVnom	Pass	4.40	6.76	6.78	9.78	9.50605	10	14.18	26.18183	50
5600MHz_TnomVmin	Pass	4.40	7.10	6.85	9.99	9.97700	10	14.39	27.47894	50
5600MHz_TnomVmax	Pass	4.40	7.11	6.74	9.94	9.86279	10	14.34	27.16439	50
5720MHz_TnomVnom	Pass	4.40	7.06	6.66	9.87	9.70510	10	14.27	26.73006	50
5720MHz_TnomVmin	Pass	4.40	6.84	6.64	9.75	9.44061	10	14.15	26.00160	50
5720MHz_TnomVmax	Pass	4.40	6.88	6.82	9.86	9.68278	10	14.26	26.66859	50
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.96	2.01	5.52	3.56451	10	9.92	9.81748	10
5180MHz_TnomVmin	Pass	4.40	2.74	1.86	5.33	3.41193	10	9.73	9.39723	10
5180MHz_TnomVmax	Pass	4.40	2.93	1.98	5.49	3.53997	10	9.89	9.74990	10
5200MHz_TnomVnom	Pass	4.40	2.82	2.10	5.49	3.53997	10	9.89	9.74990	10
5200MHz_TnomVmin	Pass	4.40	2.89	2.14	5.54	3.58096	10	9.94	9.86279	10
5200MHz_TnomVmax	Pass	4.40	2.77	1.94	5.39	3.45939	10	9.79	9.52796	10
5240MHz_TnomVnom	Pass	4.40	2.78	2.26	5.54	3.58096	10	9.94	9.86279	10
5240MHz_TnomVmin	Pass	4.40	2.66	2.15	5.42	3.48337	10	9.82	9.59401	10
5240MHz_TnomVmax	Pass	4.40	2.81	2.22	5.54	3.58096	10	9.94	9.86279	10
5260MHz_TnomVnom	Pass	4.40	2.74	2.39	5.58	3.61410	10	9.98	9.95405	10
5260MHz_TnomVmin	Pass	4.40	2.61	2.42	5.53	3.57273	10	9.93	9.84011	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5260MHz_TnomVmax	Pass	4.40	2.69	2.43	5.57	3.60579	10	9.97	9.93116	10
5280MHz_TnomVnom	Pass	4.40	2.77	2.30	5.55	3.58922	10	9.95	9.88553	10
5280MHz_TnomVmin	Pass	4.40	2.74	2.23	5.50	3.54813	10	9.90	9.77237	10
5280MHz_TnomVmax	Pass	4.40	2.80	2.33	5.58	3.61410	10	9.98	9.95405	10
5320MHz_TnomVnom	Pass	4.40	2.78	2.29	5.55	3.58922	10	9.95	9.88553	10
5320MHz_TnomVmin	Pass	4.40	2.66	2.21	5.45	3.50752	10	9.85	9.66051	10
5320MHz_TnomVmax	Pass	4.40	2.69	2.37	5.54	3.58096	10	9.94	9.86279	10
5500MHz_TnomVnom	Pass	4.40	7.11	6.78	9.96	9.90832	10	14.36	27.28978	50
5500MHz_TnomVmin	Pass	4.40	7.14	6.67	9.92	9.81748	10	14.32	27.03958	50
5500MHz_TnomVmax	Pass	4.40	7.06	6.79	9.94	9.86279	10	14.34	27.16439	50
5600MHz_TnomVnom	Pass	4.40	6.66	6.81	9.75	9.44061	10	14.15	26.00160	50
5600MHz_TnomVmin	Pass	4.40	6.96	6.92	9.95	9.88553	10	14.35	27.22701	50
5600MHz_TnomVmax	Pass	4.40	6.86	6.70	9.79	9.52796	10	14.19	26.24219	50
5720MHz_TnomVnom	Pass	4.40	6.96	6.78	9.88	9.72747	10	14.28	26.79168	50
5720MHz_TnomVmin	Pass	4.40	6.88	6.77	9.84	9.63829	10	14.24	26.54606	50
5720MHz_TnomVmax	Pass	4.40	7.12	6.71	9.93	9.84011	10	14.33	27.10192	50
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	-0.26	-0.97	2.41	1.74181	5	6.81	4.79733	5
5190MHz_TnomVmin	Pass	4.40	-0.42	-0.92	2.35	1.71791	5	6.75	4.73151	5
5190MHz_TnomVmax	Pass	4.40	-0.38	-0.87	2.39	1.73380	5	6.79	4.77529	5
5230MHz_TnomVnom	Pass	4.40	-0.19	-0.88	2.49	1.77419	5	6.89	4.88652	5
5230MHz_TnomVmin	Pass	4.40	-0.14	-0.86	2.53	1.79061	5	6.93	4.93174	5
5230MHz_TnomVmax	Pass	4.40	-0.51	-0.96	2.28	1.69044	5	6.68	4.65586	5
5270MHz_TnomVnom	Pass	4.40	-0.15	-0.80	2.55	1.79887	5	6.95	4.95450	5
5270MHz_TnomVmin	Pass	4.40	-0.17	-0.85	2.51	1.78238	5	6.91	4.90908	5
5270MHz_TnomVmax	Pass	4.40	-0.28	-0.76	2.50	1.77828	5	6.90	4.89779	5
5310MHz_TnomVnom	Pass	4.40	-0.22	-0.85	2.49	1.77419	5	6.89	4.88652	5
5310MHz_TnomVmin	Pass	4.40	-0.23	-0.78	2.51	1.78238	5	6.91	4.90908	5
5310MHz_TnomVmax	Pass	4.40	-0.32	-0.88	2.42	1.74582	5	6.82	4.80839	5
5510MHz_TnomVnom	Pass	4.40	3.92	3.82	6.88	4.87528	5	11.28	13.42765	25
5510MHz_TnomVmin	Pass	4.40	3.95	3.66	6.82	4.80839	5	11.22	13.24342	25
5510MHz_TnomVmax	Pass	4.40	4.16	3.78	6.98	4.98884	5	11.38	13.74042	25
5590MHz_TnomVnom	Pass	4.40	4.05	3.77	6.92	4.92040	5	11.32	13.55189	25
5590MHz_TnomVmin	Pass	4.40	4.01	3.71	6.87	4.86407	5	11.27	13.39677	25
5590MHz_TnomVmax	Pass	4.40	4.08	3.79	6.95	4.95450	5	11.35	13.64583	25
5710MHz_TnomVnom	Pass	4.40	3.94	3.98	6.97	4.97737	5	11.37	13.70882	25
5710MHz_TnomVmin	Pass	4.40	3.95	3.78	6.88	4.87528	5	11.28	13.42765	25
5710MHz_TnomVmax	Pass	4.40	4.02	3.75	6.90	4.89779	5	11.30	13.48963	25
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.88	1.93	5.44	3.49945	10	9.84	9.63829	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5180MHz_TnomVmin	Pass	4.40	3.00	2.02	5.55	3.58922	10	9.95	9.88553	10
5180MHz_TnomVmax	Pass	4.40	2.75	1.96	5.38	3.45144	10	9.78	9.50605	10
5200MHz_TnomVnom	Pass	4.40	2.97	1.99	5.52	3.56451	10	9.92	9.81748	10
5200MHz_TnomVmin	Pass	4.40	2.98	2.11	5.58	3.61410	10	9.98	9.95405	10
5200MHz_TnomVmax	Pass	4.40	2.92	2.19	5.58	3.61410	10	9.98	9.95405	10
5240MHz_TnomVnom	Pass	4.40	2.82	1.92	5.40	3.46737	10	9.80	9.54993	10
5240MHz_TnomVmin	Pass	4.40	2.84	2.05	5.47	3.52371	10	9.87	9.70510	10
5240MHz_TnomVmax	Pass	4.40	2.73	1.97	5.38	3.45144	10	9.78	9.50605	10
5260MHz_TnomVnom	Pass	4.40	2.71	2.41	5.57	3.60579	10	9.97	9.93116	10
5260MHz_TnomVmin	Pass	4.40	2.71	2.41	5.57	3.60579	10	9.97	9.93116	10
5260MHz_TnomVmax	Pass	4.40	2.57	2.36	5.48	3.53183	10	9.88	9.72747	10
5280MHz_TnomVnom	Pass	4.40	2.69	2.22	5.47	3.52371	10	9.87	9.70510	10
5280MHz_TnomVmin	Pass	4.40	2.40	2.20	5.31	3.39625	10	9.71	9.35406	10
5280MHz_TnomVmax	Pass	4.40	2.71	2.35	5.54	3.58096	10	9.94	9.86279	10
5320MHz_TnomVnom	Pass	4.40	2.37	2.27	5.33	3.41193	10	9.73	9.39723	10
5320MHz_TnomVmin	Pass	4.40	2.78	2.32	5.57	3.60579	10	9.97	9.93116	10
5320MHz_TnomVmax	Pass	4.40	2.58	2.32	5.46	3.51560	10	9.86	9.68278	10
5500MHz_TnomVnom	Pass	4.40	6.84	6.79	9.83	9.61612	10	14.23	26.48500	50
5500MHz_TnomVmin	Pass	4.40	7.03	6.73	9.89	9.74990	10	14.29	26.85344	50
5500MHz_TnomVmax	Pass	4.40	7.09	6.73	9.92	9.81748	10	14.32	27.03958	50
5600MHz_TnomVnom	Pass	4.40	7.09	6.79	9.95	9.88553	10	14.35	27.22701	50
5600MHz_TnomVmin	Pass	4.40	6.86	6.91	9.90	9.77237	10	14.30	26.91535	50
5600MHz_TnomVmax	Pass	4.40	6.90	6.77	9.85	9.66051	10	14.25	26.60725	50
5720MHz_TnomVnom	Pass	4.40	6.96	6.83	9.91	9.79490	10	14.31	26.97739	50
5720MHz_TnomVmin	Pass	4.40	7.04	6.80	9.93	9.84011	10	14.33	27.10192	50
5720MHz_TnomVmax	Pass	4.40	6.82	6.96	9.90	9.77237	10	14.30	26.91535	50
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	-0.39	-0.71	2.46	1.76198	5	6.86	4.85289	5
5190MHz_TnomVmin	Pass	4.40	-0.39	-0.90	2.37	1.72584	5	6.77	4.75335	5
5190MHz_TnomVmax	Pass	4.40	-0.32	-0.83	2.44	1.75388	5	6.84	4.83059	5
5230MHz_TnomVnom	Pass	4.40	-0.36	-0.68	2.49	1.77419	5	6.89	4.88652	5
5230MHz_TnomVmin	Pass	4.40	-0.54	-0.59	2.45	1.75792	5	6.85	4.84172	5
5230MHz_TnomVmax	Pass	4.40	-0.36	-0.71	2.48	1.77011	5	6.88	4.87528	5
5270MHz_TnomVnom	Pass	4.40	-0.93	-0.50	2.30	1.69824	5	6.70	4.67735	5
5270MHz_TnomVmin	Pass	4.40	-0.67	-0.66	2.35	1.71791	5	6.75	4.73151	5
5270MHz_TnomVmax	Pass	4.40	-0.34	-0.68	2.50	1.77828	5	6.90	4.89779	5
5310MHz_TnomVnom	Pass	4.40	-0.39	-0.47	2.58	1.81134	5	6.98	4.98884	5
5310MHz_TnomVmin	Pass	4.40	-0.68	-0.65	2.35	1.71791	5	6.75	4.73151	5
5310MHz_TnomVmax	Pass	4.40	-0.66	-0.44	2.46	1.76198	5	6.86	4.85289	5
5510MHz_TnomVnom	Pass	4.40	4.03	3.85	6.95	4.95450	5	11.35	13.64583	25

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5510MHz_TnomVmin	Pass	4.40	4.06	3.87	6.98	4.98884	5	11.38	13.74042	25
5510MHz_TnomVmax	Pass	4.40	3.98	3.86	6.93	4.93174	5	11.33	13.58313	25
5590MHz_TnomVnom	Pass	4.40	4.08	3.66	6.89	4.88652	5	11.29	13.45860	25
5590MHz_TnomVmin	Pass	4.40	3.97	3.77	6.88	4.87528	5	11.28	13.42765	25
5590MHz_TnomVmax	Pass	4.40	4.10	3.60	6.87	4.86407	5	11.27	13.39677	25
5710MHz_TnomVnom	Pass	4.40	3.86	3.42	6.66	4.63447	5	11.06	12.76439	25
5710MHz_TnomVmin	Pass	4.40	3.83	3.68	6.77	4.75335	5	11.17	13.09182	25
5710MHz_TnomVmax	Pass	4.40	3.70	3.58	6.65	4.62381	5	11.05	12.73503	25
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-2.96	-3.97	-0.43	0.90573	2.5	3.97	2.49459	2.5
5210MHz_TnomVmin	Pass	4.40	-3.00	-3.92	-0.43	0.90573	2.5	3.97	2.49459	2.5
5210MHz_TnomVmax	Pass	4.40	-3.34	-3.72	-0.52	0.88716	2.5	3.88	2.44343	2.5
5290MHz_TnomVnom	Pass	4.40	-3.38	-3.72	-0.54	0.88308	2.5	3.86	2.43220	2.5
5290MHz_TnomVmin	Pass	4.40	-3.55	-3.84	-0.68	0.85507	2.5	3.72	2.35505	2.5
5290MHz_TnomVmax	Pass	4.40	-3.71	-4.11	-0.90	0.81283	2.5	3.50	2.23872	2.5
5530MHz_TnomVnom	Pass	4.40	0.78	-0.38	3.25	2.11349	2.5	7.65	5.82103	12.5
5530MHz_TnomVmin	Pass	4.40	0.79	-0.41	3.24	2.10863	2.5	7.64	5.80764	12.5
5530MHz_TnomVmax	Pass	4.40	0.65	-0.34	3.19	2.08449	2.5	7.59	5.74116	12.5
5610MHz_TnomVnom	Pass	4.40	1.19	-0.04	3.63	2.30675	2.5	8.03	6.35331	12.5
5610MHz_TnomVmin	Pass	4.40	0.85	-0.17	3.38	2.17771	2.5	7.78	5.99791	12.5
5610MHz_TnomVmax	Pass	4.40	0.93	-0.14	3.44	2.20800	2.5	7.84	6.08135	12.5
5690MHz_TnomVnom	Pass	4.40	0.74	-0.35	3.24	2.10863	2.5	7.64	5.80764	12.5
5690MHz_TnomVmin	Pass	4.40	0.73	-0.44	3.19	2.08449	2.5	7.59	5.74116	12.5
5690MHz_TnomVmax	Pass	4.40	0.68	-0.12	3.31	2.14289	2.5	7.71	5.90201	12.5
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.85	2.00	5.46	3.51560	10	9.86	9.68278	10
5180MHz_TnomVmin	Pass	4.40	2.70	2.02	5.38	3.45144	10	9.78	9.50605	10
5180MHz_TnomVmax	Pass	4.40	2.94	2.01	5.51	3.55631	10	9.91	9.79490	10
5200MHz_TnomVnom	Pass	4.40	2.93	2.10	5.55	3.58922	10	9.95	9.88553	10
5200MHz_TnomVmin	Pass	4.40	3.09	1.83	5.52	3.56451	10	9.92	9.81748	10
5200MHz_TnomVmax	Pass	4.40	2.98	2.00	5.53	3.57273	10	9.93	9.84011	10
5240MHz_TnomVnom	Pass	4.40	2.51	1.84	5.20	3.31131	10	9.60	9.12011	10
5240MHz_TnomVmin	Pass	4.40	2.68	1.68	5.22	3.32660	10	9.62	9.16220	10
5240MHz_TnomVmax	Pass	4.40	2.51	1.76	5.16	3.28095	10	9.56	9.03649	10
5260MHz_TnomVnom	Pass	4.40	1.15	0.72	3.95	2.48313	10	8.35	6.83912	10
5260MHz_TnomVmin	Pass	4.40	1.54	0.87	4.23	2.64850	10	8.63	7.29458	10
5260MHz_TnomVmax	Pass	4.40	1.59	0.86	4.25	2.66073	10	8.65	7.32825	10
5280MHz_TnomVnom	Pass	4.40	2.72	2.32	5.53	3.57273	10	9.93	9.84011	10
5280MHz_TnomVmin	Pass	4.40	2.36	2.37	5.38	3.45144	10	9.78	9.50605	10
5280MHz_TnomVmax	Pass	4.40	2.60	2.21	5.42	3.48337	10	9.82	9.59401	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5320MHz_TnomVnom	Pass	4.40	2.73	2.42	5.59	3.62243	10	9.99	9.97700	10
5320MHz_TnomVmin	Pass	4.40	2.67	2.16	5.43	3.49140	10	9.83	9.61612	10
5320MHz_TnomVmax	Pass	4.40	2.72	2.26	5.51	3.55631	10	9.91	9.79490	10
5500MHz_TnomVnom	Pass	4.40	6.39	6.17	9.29	8.49180	10	13.69	23.38837	50
5500MHz_TnomVmin	Pass	4.40	6.59	6.17	9.40	8.70964	10	13.80	23.98833	50
5500MHz_TnomVmax	Pass	4.40	6.39	6.19	9.30	8.51138	10	13.70	23.44229	50
5600MHz_TnomVnom	Pass	4.40	6.54	6.58	9.57	9.05733	10	13.97	24.94595	50
5600MHz_TnomVmin	Pass	4.40	6.59	6.38	9.50	8.91251	10	13.90	24.54709	50
5600MHz_TnomVmax	Pass	4.40	6.39	6.43	9.42	8.74984	10	13.82	24.09905	50
5720MHz_TnomVnom	Pass	4.40	6.35	6.27	9.32	8.55067	10	13.72	23.55049	50
5720MHz_TnomVmin	Pass	4.40	6.62	6.31	9.48	8.87156	10	13.88	24.43431	50
5720MHz_TnomVmax	Pass	4.40	6.54	6.29	9.43	8.77001	10	13.83	24.15461	50
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	-0.65	-0.40	2.49	1.77419	5	6.89	4.88652	5
5190MHz_TnomVmin	Pass	4.40	-0.39	-0.67	2.48	1.77011	5	6.88	4.87528	5
5190MHz_TnomVmax	Pass	4.40	-0.31	-0.78	2.47	1.76604	5	6.87	4.86407	5
5230MHz_TnomVnom	Pass	4.40	-0.41	-0.62	2.50	1.77828	5	6.90	4.89779	5
5230MHz_TnomVmin	Pass	4.40	-0.46	-0.76	2.40	1.73780	5	6.80	4.78630	5
5230MHz_TnomVmax	Pass	4.40	-0.22	-0.71	2.55	1.79887	5	6.95	4.95450	5
5270MHz_TnomVnom	Pass	4.40	-0.90	-0.40	2.37	1.72584	5	6.77	4.75335	5
5270MHz_TnomVmin	Pass	4.40	-0.76	-0.46	2.40	1.73780	5	6.80	4.78630	5
5270MHz_TnomVmax	Pass	4.40	-0.50	-0.41	2.56	1.80302	5	6.96	4.96592	5
5310MHz_TnomVnom	Pass	4.40	-0.88	-0.59	2.28	1.69044	5	6.68	4.65586	5
5310MHz_TnomVmin	Pass	4.40	-0.85	-0.57	2.30	1.69824	5	6.70	4.67735	5
5310MHz_TnomVmax	Pass	4.40	-0.57	-0.75	2.35	1.71791	5	6.75	4.73151	5
5510MHz_TnomVnom	Pass	4.40	2.92	2.90	5.92	3.90841	5	10.32	10.76465	25
5510MHz_TnomVmin	Pass	4.40	2.90	3.15	6.04	4.01791	5	10.44	11.06624	25
5510MHz_TnomVmax	Pass	4.40	3.13	3.06	6.11	4.08319	5	10.51	11.24605	25
5590MHz_TnomVnom	Pass	4.40	2.90	3.09	6.01	3.99025	5	10.41	10.99006	25
5590MHz_TnomVmin	Pass	4.40	3.20	3.05	6.14	4.11150	5	10.54	11.32400	25
5590MHz_TnomVmax	Pass	4.40	3.02	3.03	6.04	4.01791	5	10.44	11.06624	25
5710MHz_TnomVnom	Pass	4.40	3.18	2.94	6.07	4.04576	5	10.47	11.14295	25
5710MHz_TnomVmin	Pass	4.40	3.18	3.05	6.13	4.10204	5	10.53	11.29796	25
5710MHz_TnomVmax	Pass	4.40	3.17	2.97	6.08	4.05509	5	10.48	11.16863	25
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-2.96	-4.06	-0.46	0.89950	2.5	3.94	2.47742	2.5
5210MHz_TnomVmin	Pass	4.40	-3.25	-3.66	-0.44	0.90365	2.5	3.96	2.48886	2.5
5210MHz_TnomVmax	Pass	4.40	-2.98	-4.12	-0.50	0.89125	2.5	3.90	2.45471	2.5
5290MHz_TnomVnom	Pass	4.40	-3.41	-3.54	-0.46	0.89950	2.5	3.94	2.47742	2.5
5290MHz_TnomVmin	Pass	4.40	-3.30	-3.61	-0.44	0.90365	2.5	3.96	2.48886	2.5
5290MHz_TnomVmax	Pass	4.40	-3.36	-3.80	-0.56	0.87902	2.5	3.84	2.42103	2.5

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5530MHz_TnomVnom	Pass	4.40	0.13	-0.66	2.76	1.88799	2.5	7.16	5.19996	12.5
5530MHz_TnomVmin	Pass	4.40	0.11	-0.57	2.79	1.90108	2.5	7.19	5.23600	12.5
5530MHz_TnomVmax	Pass	4.40	0.21	-0.65	2.81	1.90985	2.5	7.21	5.26017	12.5
5610MHz_TnomVnom	Pass	4.40	0.25	-0.30	2.99	1.99067	2.5	7.39	5.48277	12.5
5610MHz_TnomVmin	Pass	4.40	0.44	-0.35	3.07	2.02768	2.5	7.47	5.58470	12.5
5610MHz_TnomVmax	Pass	4.40	0.34	-0.16	3.11	2.04644	2.5	7.51	5.63638	12.5
5690MHz_TnomVnom	Pass	4.40	0.08	-0.75	2.70	1.86209	2.5	7.10	5.12861	12.5
5690MHz_TnomVmin	Pass	4.40	-0.07	-0.81	2.59	1.81552	2.5	6.99	5.00035	12.5
5690MHz_TnomVmax	Pass	4.40	0.20	-0.84	2.72	1.87068	2.5	7.12	5.15229	12.5

P1 = Port 1 Antenna Power; P2 = Port 2 Antenna Power; Pn = Port n Antenna Power;
Antenna Power = Sum by P1~Pn;

partial RU configuration
Summary

Mode	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)
5.15-5.25GHz	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	5.39	3.45939	9.79	9.52796
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	5.52	3.56451	9.92	9.81748
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	5.57	3.60579	9.97	9.93116
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	2.45	1.75792	6.85	4.84172
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	2.56	1.80302	6.96	4.96592
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	2.53	1.79061	6.93	4.93174
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	2.53	1.79061	6.93	4.93174
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	-0.95	0.80353	3.45	2.21309
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	-0.61	0.86896	3.79	2.39332
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	-1.16	0.76560	3.24	2.10863
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	-0.64	0.86298	3.76	2.37684
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	-1.11	0.77446	3.29	2.13304
5.25-5.35GHz	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	5.50	3.54813	9.90	9.77237
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	5.55	3.58922	9.95	9.88553
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	5.59	3.62243	9.99	9.97700
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	2.37	1.72584	6.77	4.75335
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	2.48	1.77011	6.88	4.87528
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	2.49	1.77419	6.89	4.88652
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	2.35	1.71791	6.75	4.73151
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	-0.70	0.85114	3.70	2.34423
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	-0.67	0.85704	3.73	2.36048
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	-0.77	0.83753	3.63	2.30675
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	-0.43	0.90573	3.97	2.49459
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	-0.74	0.84333	3.66	2.32274
5.47-5.730GHz	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	9.91	9.79490	14.31	26.97739
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	9.98	9.95405	14.38	27.41574
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	9.90	9.77237	14.30	26.91535
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	6.85	4.84172	11.25	13.33521
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	6.87	4.86407	11.27	13.39677
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	6.95	4.95450	11.35	13.64583
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	5.42	3.48337	9.82	9.59401
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	3.91	2.46037	8.31	6.77642
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	3.96	2.48886	8.36	6.85488
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	3.65	2.31739	8.05	6.38263
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	3.91	2.46037	8.31	6.77642
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	3.71	2.34963	8.11	6.47143

Result

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	3.43	1.29	5.50	3.54813	10	9.90	9.77237	10
5180MHz_TnomVmin	Pass	4.40	3.4	1.29	5.48	3.53183	10	9.88	9.72747	10
5180MHz_TnomVmax	Pass	4.40	3.43	1.32	5.51	3.55631	10	9.91	9.79490	10
5200MHz_TnomVnom	Pass	4.40	3.32	0.82	5.26	3.35738	10	9.66	9.24698	10
5200MHz_TnomVmin	Pass	4.40	3.31	0.79	5.24	3.34195	10	9.64	9.20450	10
5200MHz_TnomVmax	Pass	4.40	3.34	0.86	5.28	3.37287	10	9.68	9.28966	10
5240MHz_TnomVnom	Pass	4.40	3	1.9	5.50	3.54813	10	9.90	9.77237	10
5240MHz_TnomVmin	Pass	4.40	2.98	1.88	5.48	3.53183	10	9.88	9.72747	10
5240MHz_TnomVmax	Pass	4.40	3.02	1.94	5.52	3.56451	10	9.92	9.81748	10
5260MHz_TnomVnom	Pass	4.40	3.45	1.02	5.41	3.47536	10	9.81	9.57194	10
5260MHz_TnomVmin	Pass	4.40	3.42	1.02	5.39	3.45939	10	9.79	9.52796	10
5260MHz_TnomVmax	Pass	4.40	3.46	1.04	5.43	3.49140	10	9.83	9.61612	10
5280MHz_TnomVnom	Pass	4.40	3.08	1.85	5.52	3.56451	10	9.92	9.81748	10
5280MHz_TnomVmin	Pass	4.40	3.08	1.83	5.51	3.55631	10	9.91	9.79490	10
5280MHz_TnomVmax	Pass	4.40	3.1	1.89	5.55	3.58922	10	9.95	9.88553	10
5320MHz_TnomVnom	Pass	4.40	3.09	1.62	5.43	3.49140	10	9.83	9.61612	10
5320MHz_TnomVmin	Pass	4.40	3.09	1.62	5.43	3.49140	10	9.83	9.61612	10
5320MHz_TnomVmax	Pass	4.40	3.13	1.64	5.46	3.51560	10	9.86	9.68278	10
5500MHz_TnomVnom	Pass	4.40	6.79	6.57	9.69	9.31108	10	14.09	25.64484	50
5500MHz_TnomVmin	Pass	4.40	6.78	6.54	9.67	9.26830	10	14.07	25.52701	50
5500MHz_TnomVmax	Pass	4.40	6.83	6.58	9.72	9.37562	10	14.12	25.82260	50
5600MHz_TnomVnom	Pass	4.40	7.05	6.76	9.92	9.81748	10	14.32	27.03958	50
5600MHz_TnomVmin	Pass	4.40	7.03	6.75	9.90	9.77237	10	14.30	26.91535	50
5600MHz_TnomVmax	Pass	4.40	7.05	6.76	9.92	9.81748	10	14.32	27.03958	50
5720MHz_TnomVnom	Pass	4.40	7.11	6.78	9.96	9.90832	10	14.36	27.28978	50
5720MHz_TnomVmin	Pass	4.40	7.11	6.78	9.96	9.90832	10	14.36	27.28978	50
5720MHz_TnomVmax	Pass	4.40	7.14	6.79	9.98	9.95405	10	14.38	27.41574	50
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.95	1.66	5.36	3.43558	10	9.76	9.46237	10
5180MHz_TnomVmin	Pass	4.40	2.93	1.63	5.34	3.41979	10	9.74	9.41890	10
5180MHz_TnomVmax	Pass	4.40	2.95	1.7	5.38	3.45144	10	9.78	9.50605	10
5200MHz_TnomVnom	Pass	4.40	3.01	1.59	5.37	3.44350	10	9.77	9.48418	10
5200MHz_TnomVmin	Pass	4.40	3.01	1.58	5.36	3.43558	10	9.76	9.46237	10
5200MHz_TnomVmax	Pass	4.40	3.03	1.61	5.39	3.45939	10	9.79	9.52796	10
5240MHz_TnomVnom	Pass	4.40	3.06	1.92	5.54	3.58096	10	9.94	9.86279	10
5240MHz_TnomVmin	Pass	4.40	3.05	1.89	5.52	3.56451	10	9.92	9.81748	10
5240MHz_TnomVmax	Pass	4.40	3.08	1.96	5.57	3.60579	10	9.97	9.93116	10
5260MHz_TnomVnom	Pass	4.40	2.92	2.15	5.56	3.59749	10	9.96	9.90832	10
5260MHz_TnomVmin	Pass	4.40	2.9	2.15	5.55	3.58922	10	9.95	9.88553	10

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5260MHz_TnomVmax	Pass	4.40	2.95	2.18	5.59	3.62243	10	9.99	9.97700	10
5280MHz_TnomVnom	Pass	4.40	2.6	0.63	4.74	2.97852	10	9.14	8.20352	10
5280MHz_TnomVmin	Pass	4.40	2.57	0.63	4.72	2.96483	10	9.12	8.16582	10
5280MHz_TnomVmax	Pass	4.40	2.61	0.64	4.75	2.98538	10	9.15	8.22243	10
5320MHz_TnomVnom	Pass	4.40	2.58	0.78	4.78	3.00608	10	9.18	8.27942	10
5320MHz_TnomVmin	Pass	4.40	2.55	0.76	4.76	2.99226	10	9.16	8.24138	10
5320MHz_TnomVmax	Pass	4.40	2.62	0.79	4.81	3.02691	10	9.21	8.33681	10
5500MHz_TnomVnom	Pass	4.40	6.62	6.81	9.73	9.39723	10	14.13	25.88213	50
5500MHz_TnomVmin	Pass	4.40	6.59	6.79	9.70	9.33254	10	14.10	25.70396	50
5500MHz_TnomVmax	Pass	4.40	6.62	6.84	9.74	9.41890	10	14.14	25.94179	50
5600MHz_TnomVnom	Pass	4.40	6.88	6.88	9.89	9.74990	10	14.29	26.85344	50
5600MHz_TnomVmin	Pass	4.40	6.88	6.87	9.89	9.74990	10	14.29	26.85344	50
5600MHz_TnomVmax	Pass	4.40	6.89	6.89	9.90	9.77237	10	14.30	26.91535	50
5720MHz_TnomVnom	Pass	4.40	6.82	6.93	9.89	9.74990	10	14.29	26.85344	50
5720MHz_TnomVmin	Pass	4.40	6.82	6.9	9.87	9.70510	10	14.27	26.73006	50
5720MHz_TnomVmax	Pass	4.40	6.84	6.93	9.90	9.77237	10	14.30	26.91535	50
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	4.40	2.65	1.97	5.33	3.41193	10	9.73	9.39723	10
5180MHz_TnomVmin	Pass	4.40	2.63	1.95	5.31	3.39625	10	9.71	9.35406	10
5180MHz_TnomVmax	Pass	4.40	2.66	2	5.35	3.42768	10	9.75	9.44061	10
5200MHz_TnomVnom	Pass	4.40	2.54	1.95	5.27	3.36512	10	9.67	9.26830	10
5200MHz_TnomVmin	Pass	4.40	2.51	1.93	5.24	3.34195	10	9.64	9.20450	10
5200MHz_TnomVmax	Pass	4.40	2.58	1.97	5.30	3.38844	10	9.70	9.33254	10
5240MHz_TnomVnom	Pass	4.40	2.62	2.06	5.36	3.43558	10	9.76	9.46237	10
5240MHz_TnomVmin	Pass	4.40	2.6	2.04	5.34	3.41979	10	9.74	9.41890	10
5240MHz_TnomVmax	Pass	4.40	2.66	2.09	5.39	3.45939	10	9.79	9.52796	10
5260MHz_TnomVnom	Pass	4.40	0.64	-0.46	3.14	2.06063	10	7.54	5.67545	10
5260MHz_TnomVmin	Pass	4.40	0.61	-0.49	3.11	2.04644	10	7.51	5.63638	10
5260MHz_TnomVmax	Pass	4.40	0.64	-0.46	3.14	2.06063	10	7.54	5.67545	10
5280MHz_TnomVnom	Pass	4.40	2.7	2.03	5.39	3.45939	10	9.79	9.52796	10
5280MHz_TnomVmin	Pass	4.40	2.69	2.02	5.38	3.45144	10	9.78	9.50605	10
5280MHz_TnomVmax	Pass	4.40	2.73	2.04	5.41	3.47536	10	9.81	9.57194	10
5320MHz_TnomVnom	Pass	4.40	2.77	2.15	5.48	3.53183	10	9.88	9.72747	10
5320MHz_TnomVmin	Pass	4.40	2.77	2.12	5.47	3.52371	10	9.87	9.70510	10
5320MHz_TnomVmax	Pass	4.40	2.81	2.15	5.50	3.54813	10	9.90	9.77237	10
5500MHz_TnomVnom	Pass	4.40	7.04	6.71	9.89	9.74990	10	14.29	26.85344	50
5500MHz_TnomVmin	Pass	4.40	7.03	6.68	9.87	9.70510	10	14.27	26.73006	50
5500MHz_TnomVmax	Pass	4.40	7.07	6.71	9.90	9.77237	10	14.30	26.91535	50
5600MHz_TnomVnom	Pass	4.40	6.77	6.9	9.85	9.66051	10	14.25	26.60725	50
5600MHz_TnomVmin	Pass	4.40	6.77	6.88	9.84	9.63829	10	14.24	26.54606	50
5600MHz_TnomVmax	Pass	4.40	6.77	6.93	9.86	9.68278	10	14.26	26.66859	50

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5720MHz_TnomVnom	Pass	4.40	6.99	6.73	9.87	9.70510	10	14.27	26.73006	50
5720MHz_TnomVmin	Pass	4.40	6.96	6.73	9.86	9.68278	10	14.26	26.66859	50
5720MHz_TnomVmax	Pass	4.40	7.03	6.77	9.91	9.79490	10	14.31	26.97739	50
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	0.01	-1.11	2.50	1.77828	5	6.90	4.89779	5
5190MHz_TnomVmin	Pass	4.40	0.01	-1.12	2.49	1.77419	5	6.89	4.88652	5
5190MHz_TnomVmax	Pass	4.40	0.04	-1.08	2.53	1.79061	5	6.93	4.93174	5
5230MHz_TnomVnom	Pass	4.40	0.01	-1.37	2.38	1.72982	5	6.78	4.76431	5
5230MHz_TnomVmin	Pass	4.40	0.01	-1.38	2.38	1.72982	5	6.78	4.76431	5
5230MHz_TnomVmax	Pass	4.40	0.01	-1.37	2.38	1.72982	5	6.78	4.76431	5
5270MHz_TnomVnom	Pass	4.40	-0.18	-1.09	2.40	1.73780	5	6.80	4.78630	5
5270MHz_TnomVmin	Pass	4.40	-0.2	-1.11	2.38	1.72982	5	6.78	4.76431	5
5270MHz_TnomVmax	Pass	4.40	-0.14	-1.09	2.42	1.74582	5	6.82	4.80839	5
5310MHz_TnomVnom	Pass	4.40	0.07	-1.25	2.47	1.76604	5	6.87	4.86407	5
5310MHz_TnomVmin	Pass	4.40	0.05	-1.27	2.45	1.75792	5	6.85	4.84172	5
5310MHz_TnomVmax	Pass	4.40	0.1	-1.24	2.49	1.77419	5	6.89	4.88652	5
5510MHz_TnomVnom	Pass	4.40	4.27	3.37	6.85	4.84172	5	11.25	13.33521	25
5510MHz_TnomVmin	Pass	4.40	4.26	3.36	6.84	4.83059	5	11.24	13.30454	25
5510MHz_TnomVmax	Pass	4.40	4.3	3.39	6.88	4.87528	5	11.28	13.42765	25
5590MHz_TnomVnom	Pass	4.40	4.16	3.33	6.78	4.76431	5	11.18	13.12200	25
5590MHz_TnomVmin	Pass	4.40	4.14	3.31	6.76	4.74242	5	11.16	13.06171	25
5590MHz_TnomVmax	Pass	4.40	4.18	3.34	6.79	4.77529	5	11.19	13.15225	25
5710MHz_TnomVnom	Pass	4.40	4.06	3.77	6.93	4.93174	5	11.33	13.58313	25
5710MHz_TnomVmin	Pass	4.40	4.03	3.74	6.90	4.89779	5	11.30	13.48963	25
5710MHz_TnomVmax	Pass	4.40	4.06	3.81	6.95	4.95450	5	11.35	13.64583	25
ax40_OFDMA_RU52_Index42_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	0.39	-1.62	2.51	1.78238	5	6.91	4.90908	5
5190MHz_TnomVmin	Pass	4.40	0.38	-1.64	2.50	1.77828	5	6.90	4.89779	5
5190MHz_TnomVmax	Pass	4.40	0.4	-1.59	2.53	1.79061	5	6.93	4.93174	5
5230MHz_TnomVnom	Pass	4.40	-0.13	-1.57	2.22	1.66725	5	6.62	4.59198	5
5230MHz_TnomVmin	Pass	4.40	-0.15	-1.57	2.21	1.66341	5	6.61	4.58142	5
5230MHz_TnomVmax	Pass	4.40	-0.13	-1.57	2.22	1.66725	5	6.62	4.59198	5
5270MHz_TnomVnom	Pass	4.40	-0.02	-1.46	2.33	1.71002	5	6.73	4.70977	5
5270MHz_TnomVmin	Pass	4.40	-0.03	-1.48	2.32	1.70608	5	6.72	4.69894	5
5270MHz_TnomVmax	Pass	4.40	0.01	-1.45	2.35	1.71791	5	6.75	4.73151	5
5310MHz_TnomVnom	Pass	4.40	-0.51	-1.29	2.13	1.63305	5	6.53	4.49780	5
5310MHz_TnomVmin	Pass	4.40	-0.54	-1.3	2.11	1.62555	5	6.51	4.47713	5
5310MHz_TnomVmax	Pass	4.40	-0.47	-1.25	2.17	1.64816	5	6.57	4.53942	5
5510MHz_TnomVnom	Pass	4.40	2.61	2.16	5.40	3.46737	5	9.80	9.54993	25
5510MHz_TnomVmin	Pass	4.40	2.6	2.13	5.38	3.45144	5	9.78	9.50605	25
5510MHz_TnomVmax	Pass	4.40	2.64	2.16	5.42	3.48337	5	9.82	9.59401	25

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5590MHz_TnomVnom	Pass	4.40	2.14	1.93	5.05	3.19890	5	9.45	8.81049	25
5590MHz_TnomVmin	Pass	4.40	2.13	1.91	5.03	3.18420	5	9.43	8.77001	25
5590MHz_TnomVmax	Pass	4.40	2.14	1.97	5.07	3.21366	5	9.47	8.85116	25
5710MHz_TnomVnom	Pass	4.40	2.44	1.98	5.23	3.33426	5	9.63	9.18333	25
5710MHz_TnomVmin	Pass	4.40	2.43	1.96	5.21	3.31894	5	9.61	9.14113	25
5710MHz_TnomVmax	Pass	4.40	2.46	2	5.25	3.34965	5	9.65	9.22571	25
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	-0.17	-1.42	2.26	1.68267	5	6.66	4.63447	5
5190MHz_TnomVmin	Pass	4.40	-0.2	-1.42	2.24	1.67494	5	6.64	4.61318	5
5190MHz_TnomVmax	Pass	4.40	-0.16	-1.42	2.27	1.68655	5	6.67	4.64515	5
5230MHz_TnomVnom	Pass	4.40	-0.23	-0.97	2.43	1.74985	5	6.83	4.81948	5
5230MHz_TnomVmin	Pass	4.40	-0.24	-0.97	2.42	1.74582	5	6.82	4.80839	5
5230MHz_TnomVmax	Pass	4.40	-0.21	-0.94	2.45	1.75792	5	6.85	4.84172	5
5270MHz_TnomVnom	Pass	4.40	-0.11	-1.62	2.21	1.66341	5	6.61	4.58142	5
5270MHz_TnomVmin	Pass	4.40	-0.13	-1.65	2.19	1.65577	5	6.59	4.56037	5
5270MHz_TnomVmax	Pass	4.40	-0.08	-1.62	2.23	1.67109	5	6.63	4.60257	5
5310MHz_TnomVnom	Pass	4.40	-0.27	-1.07	2.36	1.72187	5	6.76	4.74242	5
5310MHz_TnomVmin	Pass	4.40	-0.27	-1.1	2.35	1.71791	5	6.75	4.73151	5
5310MHz_TnomVmax	Pass	4.40	-0.25	-1.06	2.37	1.72584	5	6.77	4.75335	5
5510MHz_TnomVnom	Pass	4.40	3.72	3.86	6.80	4.78630	5	11.20	13.18257	25
5510MHz_TnomVmin	Pass	4.40	3.7	3.84	6.78	4.76431	5	11.18	13.12200	25
5510MHz_TnomVmax	Pass	4.40	3.73	3.87	6.81	4.79733	5	11.21	13.21296	25
5590MHz_TnomVnom	Pass	4.40	3.63	3.93	6.79	4.77529	5	11.19	13.15225	25
5590MHz_TnomVmin	Pass	4.40	3.61	3.93	6.78	4.76431	5	11.18	13.12200	25
5590MHz_TnomVmax	Pass	4.40	3.65	3.95	6.81	4.79733	5	11.21	13.21296	25
5710MHz_TnomVnom	Pass	4.40	3.8	3.86	6.84	4.83059	5	11.24	13.30454	25
5710MHz_TnomVmin	Pass	4.40	3.78	3.83	6.82	4.80839	5	11.22	13.24342	25
5710MHz_TnomVmax	Pass	4.40	3.8	3.87	6.85	4.84172	5	11.25	13.33521	25
ax40_OFDMA_RU242_Index61_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	4.40	-0.2	-0.76	2.54	1.79473	5	6.94	4.94311	5
5190MHz_TnomVmin	Pass	4.40	-0.2	-0.76	2.54	1.79473	5	6.94	4.94311	5
5190MHz_TnomVmax	Pass	4.40	-0.16	-0.76	2.56	1.80302	5	6.96	4.96592	5
5230MHz_TnomVnom	Pass	4.40	-0.26	-0.83	2.47	1.76604	5	6.87	4.86407	5
5230MHz_TnomVmin	Pass	4.40	-0.29	-0.84	2.45	1.75792	5	6.85	4.84172	5
5230MHz_TnomVmax	Pass	4.40	-0.22	-0.8	2.51	1.78238	5	6.91	4.90908	5
5270MHz_TnomVnom	Pass	4.40	-0.33	-0.79	2.46	1.76198	5	6.86	4.85289	5
5270MHz_TnomVmin	Pass	4.40	-0.35	-0.82	2.43	1.74985	5	6.83	4.81948	5
5270MHz_TnomVmax	Pass	4.40	-0.31	-0.79	2.47	1.76604	5	6.87	4.86407	5
5310MHz_TnomVnom	Pass	4.40	-0.21	-0.89	2.47	1.76604	5	6.87	4.86407	5
5310MHz_TnomVmin	Pass	4.40	-0.24	-0.89	2.46	1.76198	5	6.86	4.85289	5
5310MHz_TnomVmax	Pass	4.40	-0.21	-0.88	2.48	1.77011	5	6.88	4.87528	5

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
5510MHz_TnomVnom	Pass	4.40	3.68	3.7	6.70	4.67735	5	11.10	12.88250	25
5510MHz_TnomVmin	Pass	4.40	3.65	3.68	6.68	4.65586	5	11.08	12.82331	25
5510MHz_TnomVmax	Pass	4.40	3.71	3.73	6.73	4.70977	5	11.13	12.97179	25
5590MHz_TnomVnom	Pass	4.40	3.73	3.81	6.78	4.76431	5	11.18	13.12200	25
5590MHz_TnomVmin	Pass	4.40	3.7	3.81	6.77	4.75335	5	11.17	13.09182	25
5590MHz_TnomVmax	Pass	4.40	3.77	3.85	6.82	4.80839	5	11.22	13.24342	25
5710MHz_TnomVnom	Pass	4.40	3.7	3.96	6.84	4.83059	5	11.24	13.30454	25
5710MHz_TnomVmin	Pass	4.40	3.7	3.95	6.84	4.83059	5	11.24	13.30454	25
5710MHz_TnomVmax	Pass	4.40	3.72	4	6.87	4.86407	5	11.27	13.39677	25
ax80_OFDMA_RU26_Index21_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-3.6	-4.88	-1.18	0.76208	2.5	3.22	2.09894	2.5
5210MHz_TnomVmin	Pass	4.40	-3.63	-4.91	-1.21	0.75683	2.5	3.19	2.08449	2.5
5210MHz_TnomVmax	Pass	4.40	-3.59	-4.85	-1.16	0.76560	2.5	3.24	2.10863	2.5
5290MHz_TnomVnom	Pass	4.40	-3.66	-3.99	-0.81	0.82985	2.5	3.59	2.28560	2.5
5290MHz_TnomVmin	Pass	4.40	-3.67	-4	-0.82	0.82794	2.5	3.58	2.28034	2.5
5290MHz_TnomVmax	Pass	4.40	-3.62	-3.95	-0.77	0.83753	2.5	3.63	2.30675	2.5
5530MHz_TnomVnom	Pass	4.40	0.76	0.43	3.61	2.29615	2.5	8.01	6.32412	12.5
5530MHz_TnomVmin	Pass	4.40	0.73	0.43	3.59	2.28560	2.5	7.99	6.29506	12.5
5530MHz_TnomVmax	Pass	4.40	0.8	0.47	3.65	2.31739	2.5	8.05	6.38263	12.5
5610MHz_TnomVnom	Pass	4.40	0.6	0.38	3.50	2.23872	2.5	7.90	6.16595	12.5
5610MHz_TnomVmin	Pass	4.40	0.58	0.38	3.49	2.23357	2.5	7.89	6.15177	12.5
5610MHz_TnomVmax	Pass	4.40	0.64	0.41	3.54	2.25944	2.5	7.94	6.22300	12.5
5690MHz_TnomVnom	Pass	4.40	0.54	0.63	3.60	2.29087	2.5	8.00	6.30957	12.5
5690MHz_TnomVmin	Pass	4.40	0.53	0.63	3.59	2.28560	2.5	7.99	6.29506	12.5
5690MHz_TnomVmax	Pass	4.40	0.57	0.64	3.62	2.30144	2.5	8.02	6.33870	12.5
ax80_OFDMA_RU52_Index50_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-3.67	-4.63	-1.11	0.77446	2.5	3.29	2.13304	2.5
5210MHz_TnomVmin	Pass	4.40	-3.67	-4.66	-1.13	0.77090	2.5	3.27	2.12324	2.5
5210MHz_TnomVmax	Pass	4.40	-3.67	-4.63	-1.11	0.77446	2.5	3.29	2.13304	2.5
5290MHz_TnomVnom	Pass	4.40	-3.46	-4.12	-0.77	0.83753	2.5	3.63	2.30675	2.5
5290MHz_TnomVmin	Pass	4.40	-3.49	-4.13	-0.79	0.83368	2.5	3.61	2.29615	2.5
5290MHz_TnomVmax	Pass	4.40	-3.44	-4.08	-0.74	0.84333	2.5	3.66	2.32274	2.5
5530MHz_TnomVnom	Pass	4.40	0.78	0.32	3.57	2.27510	2.5	7.97	6.26614	12.5
5530MHz_TnomVmin	Pass	4.40	0.76	0.29	3.54	2.25944	2.5	7.94	6.22300	12.5
5530MHz_TnomVmax	Pass	4.40	0.8	0.34	3.59	2.28560	2.5	7.99	6.29506	12.5
5610MHz_TnomVnom	Pass	4.40	0.13	0.79	3.48	2.22844	2.5	7.88	6.13762	12.5
5610MHz_TnomVmin	Pass	4.40	0.12	0.76	3.46	2.21820	2.5	7.86	6.10942	12.5
5610MHz_TnomVmax	Pass	4.40	0.13	0.83	3.50	2.23872	2.5	7.90	6.16595	12.5
5690MHz_TnomVnom	Pass	4.40	0.56	0.8	3.69	2.33884	2.5	8.09	6.44169	12.5
5690MHz_TnomVmin	Pass	4.40	0.55	0.78	3.68	2.33346	2.5	8.08	6.42688	12.5
5690MHz_TnomVmax	Pass	4.40	0.57	0.82	3.71	2.34963	2.5	8.11	6.47143	12.5

Mode	Result	Gain (dBi)	P1 (dBm/MHz)	P2 (dBm/MHz)	Antenna Power (dBm/MHz)	Antenna Power (mW/MHz)	Antenna Power Lim. (mW/MHz)	EIRP Antenna Power (dBm/MHz)	EIRP Antenna Power (mW/MHz)	EIRP Antenna Power Lim. (mW/MHz)
ax80_OFDMA_RU106_Index58_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-3.83	-4.1	-0.95	0.80353	2.5	3.45	2.21309	2.5
5210MHz_TnomVmin	Pass	4.40	-3.83	-4.13	-0.97	0.79983	2.5	3.43	2.20293	2.5
5210MHz_TnomVmax	Pass	4.40	-3.82	-4.1	-0.95	0.80353	2.5	3.45	2.21309	2.5
5290MHz_TnomVnom	Pass	4.40	-3.56	-3.89	-0.71	0.84918	2.5	3.69	2.33884	2.5
5290MHz_TnomVmin	Pass	4.40	-3.58	-3.91	-0.73	0.84528	2.5	3.67	2.32809	2.5
5290MHz_TnomVmax	Pass	4.40	-3.56	-3.87	-0.70	0.85114	2.5	3.70	2.34423	2.5
5530MHz_TnomVnom	Pass	4.40	0.59	0.88	3.75	2.37137	2.5	8.15	6.53131	12.5
5530MHz_TnomVmin	Pass	4.40	0.58	0.85	3.73	2.36048	2.5	8.13	6.50130	12.5
5530MHz_TnomVmax	Pass	4.40	0.6	0.89	3.76	2.37684	2.5	8.16	6.54636	12.5
5610MHz_TnomVnom	Pass	4.40	0.74	0.63	3.70	2.34423	2.5	8.10	6.45654	12.5
5610MHz_TnomVmin	Pass	4.40	0.72	0.63	3.69	2.33884	2.5	8.09	6.44169	12.5
5610MHz_TnomVmax	Pass	4.40	0.74	0.65	3.71	2.34963	2.5	8.11	6.47143	12.5
5690MHz_TnomVnom	Pass	4.40	1.02	0.73	3.89	2.44906	2.5	8.29	6.74528	12.5
5690MHz_TnomVmin	Pass	4.40	1	0.73	3.88	2.44343	2.5	8.28	6.72977	12.5
5690MHz_TnomVmax	Pass	4.40	1.04	0.75	3.91	2.46037	2.5	8.31	6.77642	12.5
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-3.23	-4.08	-0.62	0.86696	2.5	3.78	2.38781	2.5
5210MHz_TnomVmin	Pass	4.40	-3.23	-4.1	-0.63	0.86497	2.5	3.77	2.38232	2.5
5210MHz_TnomVmax	Pass	4.40	-3.22	-4.07	-0.61	0.86896	2.5	3.79	2.39332	2.5
5290MHz_TnomVnom	Pass	4.40	-3.54	-3.87	-0.69	0.85310	2.5	3.71	2.34963	2.5
5290MHz_TnomVmin	Pass	4.40	-3.54	-3.89	-0.70	0.85114	2.5	3.70	2.34423	2.5
5290MHz_TnomVmax	Pass	4.40	-3.5	-3.86	-0.67	0.85704	2.5	3.73	2.36048	2.5
5530MHz_TnomVnom	Pass	4.40	0.93	0.59	3.77	2.38232	2.5	8.17	6.56145	12.5
5530MHz_TnomVmin	Pass	4.40	0.91	0.56	3.75	2.37137	2.5	8.15	6.53131	12.5
5530MHz_TnomVmax	Pass	4.40	0.95	0.61	3.79	2.39332	2.5	8.19	6.59174	12.5
5610MHz_TnomVnom	Pass	4.40	0.75	0.83	3.80	2.39883	2.5	8.20	6.60693	12.5
5610MHz_TnomVmin	Pass	4.40	0.75	0.82	3.80	2.39883	2.5	8.20	6.60693	12.5
5610MHz_TnomVmax	Pass	4.40	0.79	0.87	3.84	2.42103	2.5	8.24	6.66807	12.5
5690MHz_TnomVnom	Pass	4.40	0.85	1	3.94	2.47742	2.5	8.34	6.82339	12.5
5690MHz_TnomVmin	Pass	4.40	0.82	0.98	3.91	2.46037	2.5	8.31	6.77642	12.5
5690MHz_TnomVmax	Pass	4.40	0.89	1	3.96	2.48886	2.5	8.36	6.85488	12.5
ax80_OFDMA_RU484_Index65_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	4.40	-3.52	-3.84	-0.67	0.85704	2.5	3.73	2.36048	2.5
5210MHz_TnomVmin	Pass	4.40	-3.53	-3.85	-0.68	0.85507	2.5	3.72	2.35505	2.5
5210MHz_TnomVmax	Pass	4.40	-3.48	-3.83	-0.64	0.86298	2.5	3.76	2.37684	2.5
5290MHz_TnomVnom	Pass	4.40	-3.35	-3.58	-0.45	0.90157	2.5	3.95	2.48313	2.5
5290MHz_TnomVmin	Pass	4.40	-3.36	-3.61	-0.47	0.89743	2.5	3.93	2.47172	2.5
5290MHz_TnomVmax	Pass	4.40	-3.32	-3.57	-0.43	0.90573	2.5	3.97	2.49459	2.5
5530MHz_TnomVnom	Pass	4.40	0.68	0.69	3.70	2.34423	2.5	8.10	6.45654	12.5
5530MHz_TnomVmin	Pass	4.40	0.66	0.69	3.69	2.33884	2.5	8.09	6.44169	12.5



Mode	Result	Gain	P1	P2	Antenna Power	Antenna Power	Antenna Power Lim.	EIRP Antenna Power	EIRP Antenna Power	EIRP Antenna Power Lim.
		(dBi)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	(mW/MHz)	(mW/MHz)	(dBm/MHz)	(mW/MHz)	(mW/MHz)
5530MHz_TnomVmax	Pass	4.40	0.71	0.73	3.73	2.36048	2.5	8.13	6.50130	12.5
5610MHz_TnomVnom	Pass	4.40	0.43	0.81	3.63	2.30675	2.5	8.03	6.35331	12.5
5610MHz_TnomVmin	Pass	4.40	0.42	0.8	3.62	2.30144	2.5	8.02	6.33870	12.5
5610MHz_TnomVmax	Pass	4.40	0.44	0.84	3.65	2.31739	2.5	8.05	6.38263	12.5
5690MHz_TnomVnom	Pass	4.40	0.95	0.82	3.90	2.45471	2.5	8.30	6.76083	12.5
5690MHz_TnomVmin	Pass	4.40	0.94	0.81	3.89	2.44906	2.5	8.29	6.74528	12.5
5690MHz_TnomVmax	Pass	4.40	0.95	0.85	3.91	2.46037	2.5	8.31	6.77642	12.5

P1 = Port 1 Antenna Power; P2 = Port 2 Antenna Power; Pn = Port n Antenna Power;
Antenna Power = Sum by P1~Pn;

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.15-5.25GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.2G	5.19997938G	-3.9663	±20	1	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.2G	5.1999775G	-4.3269	±20	1	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.24G	5.23997938G	-3.9361	±20	1	-
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.18G	5.17996625G	-6.5154	±20	1	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.23G	5.23001875G	3.5851	±20	1	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.23G	5.229985G	-2.8681	±20	1	-
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.19G	5.189925G	-14.4509	±20	1	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.21G	5.2100075G	1.4395	±20	1	-
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.21G	5.2100225G	4.3186	±20	1	-
5.25-5.35GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.32G	5.31996063G	-7.4013	±20	1	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.32G	5.31997G	-5.6391	±20	2	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.32G	5.31996813G	-5.9915	±20	2	-
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.26G	5.2599625G	-7.1293	±20	2	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.27G	5.270015G	2.8463	±20	2	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.31G	5.3099775G	-4.2373	±20	2	-
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.27G	5.26989875G	-19.2125	±20	1	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.29G	5.2899775G	-4.2533	±20	1	-
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.29G	5.2899625G	-7.0888	±20	2	-
5.47-5.730GHz	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.72G	5.72002813G	4.917	±20	2	-
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.72G	5.7200225G	3.9336	±20	1	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.72G	5.72002813G	4.917	±20	1	-
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.5G	5.499985G	-2.7273	±20	2	-
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.71G	5.71004875G	8.5377	±20	1	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.59G	5.589985G	-2.6834	±20	1	-
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.51G	5.50991G	-16.3339	±20	1	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.53G	5.529985G	-2.7125	±20	2	-
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.69G	5.68991G	-15.8172	±20	2	-

Result

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.18000188G	0.362	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.17999625G	-0.7239	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.17999625G	-0.7239	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.18000188G	0.362	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.18000188G	0.362	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.17999813G	-0.362	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.19998125G	-3.6058	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.19999063G	-1.8029	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.19997938G	-3.9663	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.19998688G	-2.524	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.199985G	-2.8846	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.199985G	-2.8846	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.23999438G	-1.0735	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.23999625G	-0.7156	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.2399925G	-1.4313	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.24G	0	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.24000188G	0.3578	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.2399925G	-1.4313	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.2599775G	-4.2776	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.25997938G	-3.9211	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.2599775G	-4.2776	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.25998688G	-2.4952	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.25996438G	-6.7728	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.25997563G	-4.634	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.27998125G	-3.5511	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.27997563G	-4.6165	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.27997188G	-5.3267	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.27997188G	-5.3267	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.27997563G	-4.6165	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.27997G	-5.6818	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.31996438G	-6.6964	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.31998125G	-3.5244	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.31996063G	-7.4013	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.31997G	-5.6391	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.3199775G	-4.2293	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.3199775G	-4.2293	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50000563G	1.0227	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50000938G	1.7045	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.500015G	2.7273	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50000563G	1.0227	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50000188G	0.3409	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5500MHz_TnomVmax	Pass	5.5G	5.50000938G	1.7045	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.6G	0	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.6000075G	1.3393	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60000563G	1.0045	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.6000075G	1.3393	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.59999438G	-1.0045	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60000938G	1.6741	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.7200225G	3.9336	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72002813G	4.917	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72001313G	2.2946	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.720015G	2.6224	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.7200225G	3.9336	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002438G	4.2614	±20	2	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.17998688G	-2.5338	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.17998875G	-2.1718	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.179985G	-2.8958	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.17999438G	-1.0859	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.17998875G	-2.1718	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.17998688G	-2.5338	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.1999925G	-1.4423	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.19998688G	-2.524	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.19999438G	-1.0817	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.19998875G	-2.1635	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.1999775G	-4.3269	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.19999438G	-1.0817	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.23998313G	-3.2204	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.239985G	-2.8626	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.239985G	-2.8626	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.23998875G	-2.1469	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.239985G	-2.8626	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.23998313G	-3.2204	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.25997938G	-3.9211	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.25998313G	-3.2082	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.25998313G	-3.2082	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.259985G	-2.8517	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.25998125G	-3.5646	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.25997375G	-4.9905	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.2799775G	-4.2614	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.27997938G	-3.9062	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.27997188G	-5.3267	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.27997375G	-4.9716	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5280MHz_TnomVmax	Pass	5.28G	5.27997375G	-4.9716	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.27998125G	-3.5511	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.31998125G	-3.5244	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.3199775G	-4.2293	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.31997375G	-4.9342	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.31997G	-5.6391	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.31997563G	-4.5818	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.31997563G	-4.5818	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.5000075G	1.3636	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.49999813G	-0.3409	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50000938G	1.7045	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50000375G	0.6818	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.5G	0	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.5G	0	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.6G	0	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60000375G	0.6696	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.59999813G	-0.3348	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.60000188G	0.3348	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60000188G	0.3348	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.60001125G	2.0089	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.7200225G	3.9336	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72001688G	2.9502	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.7200225G	3.9336	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72001875G	3.278	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72001875G	3.278	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72002063G	3.6058	±20	2	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.190015G	2.8902	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.190015G	2.8902	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.19001125G	2.1676	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19001125G	2.1676	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.1900075G	1.4451	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.190015G	2.8902	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.230015G	2.8681	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.23001125G	2.1511	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.23001875G	3.5851	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.23001875G	3.5851	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.23000375G	0.717	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.2300075G	1.434	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.2700075G	1.4231	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.27G	0	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.27001125G	2.1347	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5270MHz_TnomVmin	Pass	5.27G	5.2699925G	-1.4231	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.27000375G	0.7116	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.270015G	2.8463	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.31000375G	0.7062	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.3100075G	1.4124	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.31000375G	0.7062	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.3100075G	1.4124	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.31000375G	0.7062	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.31G	0	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51003G	5.4446	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51002625G	4.7641	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.51003375G	6.1252	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.5100225G	4.0835	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.5100225G	4.0835	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.51003G	5.4446	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.59003G	5.3667	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.59003375G	6.0376	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.59002625G	4.6959	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.59002625G	4.6959	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.59003375G	6.0376	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.59003G	5.3667	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.7100375G	6.5674	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71004125G	7.2242	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.71004125G	7.2242	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.7100375G	6.5674	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.71004875G	8.5377	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.71004125G	7.2242	±20	2	-
802.11ac_VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.17999063G	-1.8098	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.17998688G	-2.5338	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.1799925G	-1.4479	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.1799925G	-1.4479	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.1799925G	-1.4479	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.17998313G	-3.2577	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.19999625G	-0.7212	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.19998875G	-2.1635	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.199985G	-2.8846	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.19998688G	-2.524	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.19998875G	-2.1635	±20	1	-
5200MHz_TnomVmax	Pass	5.2G	5.199985G	-2.8846	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.23998875G	-2.1469	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.239985G	-2.8626	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5240MHz_TnomVmin	Pass	5.24G	5.23997938G	-3.9361	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.23998313G	-3.2204	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.23999063G	-1.7891	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.23998313G	-3.2204	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.25997938G	-3.9211	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.25998313G	-3.2082	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.25998125G	-3.5646	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.25997563G	-4.634	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.25997938G	-3.9211	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.25998125G	-3.5646	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.27997938G	-3.9062	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.27997938G	-3.9062	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.27997G	-5.6818	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.2799775G	-4.2614	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.2799775G	-4.2614	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.27998688G	-2.4858	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.31997375G	-4.9342	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.31997563G	-4.5818	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.31997938G	-3.8769	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.31996813G	-5.9915	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.31997563G	-4.5818	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.31998313G	-3.172	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.50000375G	0.6818	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.50000563G	1.0227	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.50000375G	0.6818	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.50001125G	2.0455	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.50000188G	0.3409	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.50000563G	1.0227	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.60000375G	0.6696	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.60001313G	2.3437	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.60001313G	2.3437	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.6000075G	1.3393	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.60000938G	1.6741	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.6000225G	4.0179	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72002813G	4.917	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72000938G	1.639	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72001875G	3.278	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72001875G	3.278	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.72001688G	2.9502	±20	1	-
5720MHz_TnomVmax	Pass	5.72G	5.72001125G	1.9668	±20	2	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.1899925G	-1.4451	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5190MHz_TnomVnom	Pass	5.19G	5.19G	0	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.18999625G	-0.7225	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.19G	0	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.19000375G	0.7225	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.19G	0	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.2299925G	-1.434	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.2299925G	-1.434	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.2299925G	-1.434	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.22998875G	-2.1511	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.229985G	-2.8681	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.23G	0	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.269985G	-2.8463	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.26998875G	-2.1347	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.269985G	-2.8463	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.26998125G	-3.5579	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.2699925G	-1.4231	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.26998875G	-2.1347	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.30998125G	-3.5311	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.30998875G	-2.1186	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.309985G	-2.8249	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.3099775G	-4.2373	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.309985G	-2.8249	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.30998875G	-2.1186	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.51G	0	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.51000375G	0.6806	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.5099925G	-1.3612	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.50999625G	-0.6806	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.51G	0	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.51G	0	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.58999625G	-0.6708	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.5899925G	-1.3417	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.589985G	-2.6834	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.58998875G	-2.0125	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.5899925G	-1.3417	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.58999625G	-0.6708	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.7099925G	-1.3135	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.71G	0	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.70999625G	-0.6567	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.71G	0	±20	2	-
5710MHz_TnomVmax	Pass	5.71G	5.70999625G	-0.6567	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.70999625G	-0.6567	±20	2	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5210MHz_TnomVnom	Pass	5.21G	5.2100075G	1.4395	±20	1	-
5210MHz_TnomVnom	Pass	5.21G	5.21G	0	±20	2	-
5210MHz_TnomVmin	Pass	5.21G	5.21G	0	±20	1	-
5210MHz_TnomVmin	Pass	5.21G	5.2099925G	-1.4395	±20	2	-
5210MHz_TnomVmax	Pass	5.21G	5.21G	0	±20	1	-
5210MHz_TnomVmax	Pass	5.21G	5.2099925G	-1.4395	±20	2	-
5290MHz_TnomVnom	Pass	5.29G	5.2899775G	-4.2533	±20	1	-
5290MHz_TnomVnom	Pass	5.29G	5.2899925G	-1.4178	±20	2	-
5290MHz_TnomVmin	Pass	5.29G	5.289985G	-2.8355	±20	1	-
5290MHz_TnomVmin	Pass	5.29G	5.289985G	-2.8355	±20	2	-
5290MHz_TnomVmax	Pass	5.29G	5.2899775G	-4.2533	±20	1	-
5290MHz_TnomVmax	Pass	5.29G	5.2899775G	-4.2533	±20	2	-
5530MHz_TnomVnom	Pass	5.53G	5.53G	0	±20	1	-
5530MHz_TnomVnom	Pass	5.53G	5.53G	0	±20	2	-
5530MHz_TnomVmin	Pass	5.53G	5.53G	0	±20	1	-
5530MHz_TnomVmin	Pass	5.53G	5.529985G	-2.7125	±20	2	-
5530MHz_TnomVmax	Pass	5.53G	5.529985G	-2.7125	±20	1	-
5530MHz_TnomVmax	Pass	5.53G	5.5299925G	-1.3562	±20	2	-
5610MHz_TnomVnom	Pass	5.61G	5.6099925G	-1.3369	±20	1	-
5610MHz_TnomVnom	Pass	5.61G	5.609985G	-2.6738	±20	2	-
5610MHz_TnomVmin	Pass	5.61G	5.61G	0	±20	1	-
5610MHz_TnomVmin	Pass	5.61G	5.61G	0	±20	2	-
5610MHz_TnomVmax	Pass	5.61G	5.61G	0	±20	1	-
5610MHz_TnomVmax	Pass	5.61G	5.609985G	-2.6738	±20	2	-
5690MHz_TnomVnom	Pass	5.69G	5.689985G	-2.6362	±20	1	-
5690MHz_TnomVnom	Pass	5.69G	5.69G	0	±20	2	-
5690MHz_TnomVmin	Pass	5.69G	5.6899925G	-1.3181	±20	1	-
5690MHz_TnomVmin	Pass	5.69G	5.69G	0	±20	2	-
5690MHz_TnomVmax	Pass	5.69G	5.6900075G	1.3181	±20	1	-
5690MHz_TnomVmax	Pass	5.69G	5.69G	0	±20	2	-
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	5.18G	5.17997G	-5.7915	±20	1	-
5180MHz_TnomVnom	Pass	5.18G	5.17997188G	-5.4295	±20	2	-
5180MHz_TnomVmin	Pass	5.18G	5.17997G	-5.7915	±20	1	-
5180MHz_TnomVmin	Pass	5.18G	5.17996813G	-6.1535	±20	2	-
5180MHz_TnomVmax	Pass	5.18G	5.17996625G	-6.5154	±20	1	-
5180MHz_TnomVmax	Pass	5.18G	5.17997188G	-5.4295	±20	2	-
5200MHz_TnomVnom	Pass	5.2G	5.19996625G	-6.4904	±20	1	-
5200MHz_TnomVnom	Pass	5.2G	5.19997563G	-4.6875	±20	2	-
5200MHz_TnomVmin	Pass	5.2G	5.19997G	-5.7692	±20	1	-
5200MHz_TnomVmin	Pass	5.2G	5.19996625G	-6.4904	±20	2	-
5200MHz_TnomVmax	Pass	5.2G	5.19996625G	-6.4904	±20	1	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5200MHz_TnomVmax	Pass	5.2G	5.19997188G	-5.4087	±20	2	-
5240MHz_TnomVnom	Pass	5.24G	5.23998125G	-3.5782	±20	1	-
5240MHz_TnomVnom	Pass	5.24G	5.23997563G	-4.6517	±20	2	-
5240MHz_TnomVmin	Pass	5.24G	5.23997188G	-5.3674	±20	1	-
5240MHz_TnomVmin	Pass	5.24G	5.23996813G	-6.083	±20	2	-
5240MHz_TnomVmax	Pass	5.24G	5.23996625G	-6.4408	±20	1	-
5240MHz_TnomVmax	Pass	5.24G	5.23997188G	-5.3674	±20	2	-
5260MHz_TnomVnom	Pass	5.26G	5.25996438G	-6.7728	±20	1	-
5260MHz_TnomVnom	Pass	5.26G	5.25996813G	-6.0599	±20	2	-
5260MHz_TnomVmin	Pass	5.26G	5.25997188G	-5.347	±20	1	-
5260MHz_TnomVmin	Pass	5.26G	5.25996813G	-6.0599	±20	2	-
5260MHz_TnomVmax	Pass	5.26G	5.25997G	-5.7034	±20	1	-
5260MHz_TnomVmax	Pass	5.26G	5.2599625G	-7.1293	±20	2	-
5280MHz_TnomVnom	Pass	5.28G	5.27997938G	-3.9062	±20	1	-
5280MHz_TnomVnom	Pass	5.28G	5.27997188G	-5.3267	±20	2	-
5280MHz_TnomVmin	Pass	5.28G	5.27996813G	-6.0369	±20	1	-
5280MHz_TnomVmin	Pass	5.28G	5.27996625G	-6.392	±20	2	-
5280MHz_TnomVmax	Pass	5.28G	5.27997188G	-5.3267	±20	1	-
5280MHz_TnomVmax	Pass	5.28G	5.27997563G	-4.6165	±20	2	-
5320MHz_TnomVnom	Pass	5.32G	5.31997375G	-4.9342	±20	1	-
5320MHz_TnomVnom	Pass	5.32G	5.3199775G	-4.2293	±20	2	-
5320MHz_TnomVmin	Pass	5.32G	5.31996813G	-5.9915	±20	1	-
5320MHz_TnomVmin	Pass	5.32G	5.31997375G	-4.9342	±20	2	-
5320MHz_TnomVmax	Pass	5.32G	5.31997938G	-3.8769	±20	1	-
5320MHz_TnomVmax	Pass	5.32G	5.31997188G	-5.2867	±20	2	-
5500MHz_TnomVnom	Pass	5.5G	5.49998688G	-2.3864	±20	1	-
5500MHz_TnomVnom	Pass	5.5G	5.499985G	-2.7273	±20	2	-
5500MHz_TnomVmin	Pass	5.5G	5.49999063G	-1.7045	±20	1	-
5500MHz_TnomVmin	Pass	5.5G	5.49999625G	-0.6818	±20	2	-
5500MHz_TnomVmax	Pass	5.5G	5.49999063G	-1.7045	±20	1	-
5500MHz_TnomVmax	Pass	5.5G	5.49998875G	-2.0455	±20	2	-
5600MHz_TnomVnom	Pass	5.6G	5.59999625G	-0.6696	±20	1	-
5600MHz_TnomVnom	Pass	5.6G	5.5999925G	-1.3393	±20	2	-
5600MHz_TnomVmin	Pass	5.6G	5.59999625G	-0.6696	±20	1	-
5600MHz_TnomVmin	Pass	5.6G	5.59999438G	-1.0045	±20	2	-
5600MHz_TnomVmax	Pass	5.6G	5.6G	0	±20	1	-
5600MHz_TnomVmax	Pass	5.6G	5.6G	0	±20	2	-
5720MHz_TnomVnom	Pass	5.72G	5.72001313G	2.2946	±20	1	-
5720MHz_TnomVnom	Pass	5.72G	5.72000563G	0.9834	±20	2	-
5720MHz_TnomVmin	Pass	5.72G	5.72001313G	2.2946	±20	1	-
5720MHz_TnomVmin	Pass	5.72G	5.72001313G	2.2946	±20	2	-
5720MHz_TnomVmax	Pass	5.72G	5.720015G	2.6224	±20	1	-


Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5720MHz_TnomVmax	Pass	5.72G	5.7200075G	1.3112	±20	2	-
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	5.19G	5.18993625G	-12.2832	±20	1	-
5190MHz_TnomVnom	Pass	5.19G	5.189955G	-8.6705	±20	2	-
5190MHz_TnomVmin	Pass	5.19G	5.189925G	-14.4509	±20	1	-
5190MHz_TnomVmin	Pass	5.19G	5.190045G	8.6705	±20	2	-
5190MHz_TnomVmax	Pass	5.19G	5.1900225G	4.3353	±20	1	-
5190MHz_TnomVmax	Pass	5.19G	5.18999625G	-0.7225	±20	2	-
5230MHz_TnomVnom	Pass	5.23G	5.22998875G	-2.1511	±20	1	-
5230MHz_TnomVnom	Pass	5.23G	5.23001875G	3.5851	±20	2	-
5230MHz_TnomVmin	Pass	5.23G	5.22997G	-5.7361	±20	1	-
5230MHz_TnomVmin	Pass	5.23G	5.2299625G	-7.1702	±20	2	-
5230MHz_TnomVmax	Pass	5.23G	5.23G	0	±20	1	-
5230MHz_TnomVmax	Pass	5.23G	5.22998875G	-2.1511	±20	2	-
5270MHz_TnomVnom	Pass	5.27G	5.27G	0	±20	1	-
5270MHz_TnomVnom	Pass	5.27G	5.2699475G	-9.962	±20	2	-
5270MHz_TnomVmin	Pass	5.27G	5.26997G	-5.6926	±20	1	-
5270MHz_TnomVmin	Pass	5.27G	5.26998875G	-2.1347	±20	2	-
5270MHz_TnomVmax	Pass	5.27G	5.26998875G	-19.2125	±20	1	-
5270MHz_TnomVmax	Pass	5.27G	5.2699775G	-4.2694	±20	2	-
5310MHz_TnomVnom	Pass	5.31G	5.30997G	-5.6497	±20	1	-
5310MHz_TnomVnom	Pass	5.31G	5.31001875G	3.5311	±20	2	-
5310MHz_TnomVmin	Pass	5.31G	5.31004125G	7.7684	±20	1	-
5310MHz_TnomVmin	Pass	5.31G	5.30997G	-5.6497	±20	2	-
5310MHz_TnomVmax	Pass	5.31G	5.30996625G	-6.3559	±20	1	-
5310MHz_TnomVmax	Pass	5.31G	5.30999625G	-0.7062	±20	2	-
5510MHz_TnomVnom	Pass	5.51G	5.509985G	-2.7223	±20	1	-
5510MHz_TnomVnom	Pass	5.51G	5.50999625G	-0.6806	±20	2	-
5510MHz_TnomVmin	Pass	5.51G	5.50997G	-5.4446	±20	1	-
5510MHz_TnomVmin	Pass	5.51G	5.50999625G	-0.6806	±20	2	-
5510MHz_TnomVmax	Pass	5.51G	5.50991G	-16.3339	±20	1	-
5510MHz_TnomVmax	Pass	5.51G	5.50999625G	-0.6806	±20	2	-
5590MHz_TnomVnom	Pass	5.59G	5.58992125G	-14.0877	±20	1	-
5590MHz_TnomVnom	Pass	5.59G	5.5899775G	-4.025	±20	2	-
5590MHz_TnomVmin	Pass	5.59G	5.58991375G	-15.4293	±20	1	-
5590MHz_TnomVmin	Pass	5.59G	5.59G	0	±20	2	-
5590MHz_TnomVmax	Pass	5.59G	5.58992875G	-12.746	±20	1	-
5590MHz_TnomVmax	Pass	5.59G	5.58998875G	-2.0125	±20	2	-
5710MHz_TnomVnom	Pass	5.71G	5.709955G	-7.8809	±20	1	-
5710MHz_TnomVnom	Pass	5.71G	5.70997375G	-4.5972	±20	2	-
5710MHz_TnomVmin	Pass	5.71G	5.709955G	-7.8809	±20	1	-
5710MHz_TnomVmin	Pass	5.71G	5.7099925G	-1.3135	±20	2	-

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5710MHz_TnomVmax	Pass	5.71G	5.70999625G	-0.6567	±20	1	-
5710MHz_TnomVmax	Pass	5.71G	5.71000375G	0.6567	±20	2	-
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	5.21G	5.2100075G	1.4395	±20	1	-
5210MHz_TnomVnom	Pass	5.21G	5.2100075G	1.4395	±20	2	-
5210MHz_TnomVmin	Pass	5.21G	5.2100225G	4.3186	±20	1	-
5210MHz_TnomVmin	Pass	5.21G	5.2100075G	1.4395	±20	2	-
5210MHz_TnomVmax	Pass	5.21G	5.2100225G	4.3186	±20	1	-
5210MHz_TnomVmax	Pass	5.21G	5.2100225G	4.3186	±20	2	-
5290MHz_TnomVnom	Pass	5.29G	5.28997G	-5.6711	±20	1	-
5290MHz_TnomVnom	Pass	5.29G	5.2899775G	-4.2533	±20	2	-
5290MHz_TnomVmin	Pass	5.29G	5.28997G	-5.6711	±20	1	-
5290MHz_TnomVmin	Pass	5.29G	5.2899625G	-7.0888	±20	2	-
5290MHz_TnomVmax	Pass	5.29G	5.2899925G	-1.4178	±20	1	-
5290MHz_TnomVmax	Pass	5.29G	5.28997G	-5.6711	±20	2	-
5530MHz_TnomVnom	Pass	5.53G	5.5299475G	-9.4937	±20	1	-
5530MHz_TnomVnom	Pass	5.53G	5.5299775G	-4.0687	±20	2	-
5530MHz_TnomVmin	Pass	5.53G	5.5299775G	-4.0687	±20	1	-
5530MHz_TnomVmin	Pass	5.53G	5.529985G	-2.7125	±20	2	-
5530MHz_TnomVmax	Pass	5.53G	5.529985G	-2.7125	±20	1	-
5530MHz_TnomVmax	Pass	5.53G	5.5299775G	-4.0687	±20	2	-
5610MHz_TnomVnom	Pass	5.61G	5.6099475G	-9.3583	±20	1	-
5610MHz_TnomVnom	Pass	5.61G	5.6099625G	-6.6845	±20	2	-
5610MHz_TnomVmin	Pass	5.61G	5.60997G	-5.3476	±20	1	-
5610MHz_TnomVmin	Pass	5.61G	5.6099925G	-1.3369	±20	2	-
5610MHz_TnomVmax	Pass	5.61G	5.609955G	-8.0214	±20	1	-
5610MHz_TnomVmax	Pass	5.61G	5.6099775G	-4.0107	±20	2	-
5690MHz_TnomVnom	Pass	5.69G	5.6900075G	1.3181	±20	1	-
5690MHz_TnomVnom	Pass	5.69G	5.68991G	-15.8172	±20	2	-
5690MHz_TnomVmin	Pass	5.69G	5.6899325G	-11.8629	±20	1	-
5690MHz_TnomVmin	Pass	5.69G	5.689985G	-2.6362	±20	2	-
5690MHz_TnomVmax	Pass	5.69G	5.68997G	-5.2724	±20	1	-
5690MHz_TnomVmax	Pass	5.69G	5.69G	0	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability


5180MHz_TnomVnom



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5180MHz_TnomVmin






802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5180MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5200MHz_TnomVnom


07/08/2023



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability


5200MHz_TnomVmin



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability


5200MHz_TnomVmax



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability


5240MHz_TnomVnom



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5240MHz_TnomVmin






802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5240MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5260MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5260MHz_TnomVmin

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.2599775G	5.25169G	5.268265G	-4.2776	±20	1	-
5.26G	5.25998688G	5.2516975G	5.26827625G	-2.4952	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5260MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25996438G	5.2516825G	5.26824625G	-6.7728	±20	1	-
5.26G	5.25997563G	5.25171625G	5.268235G	-4.634	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5280MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27998125G	5.27169375G	5.28826875G	-3.5511	±20	1	-
5.28G	5.27997563G	5.27169375G	5.2882575G	-4.6165	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5280MHz_TnomVmin

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27997188G	5.27167875G	5.288265G	-5.3267	±20	1	-
5.28G	5.27997188G	5.2716825G	5.28826125G	-5.3267	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5280MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27997563G	5.2716825G	5.28826875G	-4.6165	±20	1	-
5.28G	5.27997G	5.2716825G	5.2882575G	-5.6818	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5320MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31996438G	5.311675G	5.32825375G	-6.6964	±20	1	-
5.32G	5.31998125G	5.31169375G	5.32826875G	-3.5244	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5320MHz_TnomVmin

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31996063G	5.31167125G	5.32825G	-7.4013	±20	1	-
5.32G	5.31997G	5.31168625G	5.32825375G	-5.6391	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5320MHz_TnomVmax

07/08/2023



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.3199775G	5.31169G	5.328265G	-4.2293	±20	1	-
5.32G	5.3199775G	5.3116825G	5.3282725G	-4.2293	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5500MHz_TnomVnom

07/08/2023

CF
5.5GHz


Span
30MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.5000563G	5.4917125G	5.50829875G	1.0227	±20	1	-
5.5G	5.5000938G	5.49172375G	5.508295G	1.7045	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5500MHz_TnomVmin

07/08/2023

CF
5.5GHz


Span
30MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.500015G	5.4917275G	5.5083025G	2.7273	±20	1	-
5.5G	5.5000563G	5.49171625G	5.508295G	1.0227	±20	2	-


802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5500MHz_TnomVmax

07/08/2023

CF
5.5GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50000188G	5.49170875G	5.508295G	0.3409	±20	1	-
5.5G	5.5000938G	5.49171625G	5.5083025G	1.7045	±20	2	-


802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5600MHz_TnomVnom

07/08/2023

CF
5.6GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.6G	5.6G	5.59170875G	5.60829125G	0	±20	1	-
5.6G	5.6000075G	5.59170875G	5.60830625G	1.3393	±20	2	-

802.11a_Nss1,(6Mbps)_2TX

Freq. Stability


5600MHz_TnomVmin



802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5600MHz_TnomVmax






802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5720MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5720MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

Freq. Stability

5720MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmax

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmax

07/08/2023

CF
5.2GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.1999775G	5.19105625G	5.20889875G	-4.3269	±20	1	-
5.2G	5.19999438G	5.1910825G	5.20890625G	-1.0817	±20	2	-


802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVnom

07/08/2023

CF
5.24GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.23998313G	5.2310675G	5.24889875G	-3.2204	±20	1	-
5.24G	5.239985G	5.231075G	5.248895G	-2.8626	±20	2	-




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmax


07/08/2023



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5260MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmin




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25998125G	5.2510675G	5.268895G	-3.5646	±20	1	-
5.26G	5.25997375G	5.2510675G	5.26888G	-4.9905	±20	2	-

802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVnom

07/08/2023



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2799775G	5.27106375G	5.28889125G	-4.2614	±20	1	-
5.28G	5.27997938G	5.27106375G	5.288895G	-3.9062	±20	2	-




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmax


07/08/2023



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5600MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5600MHz_TnomVmin



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5600MHz_TnomVmax



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5720MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5720MHz_TnomVmin



802.11n HT20_Nss1,(MCS0)_2TX

Freq. Stability


5720MHz_TnomVmax



802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability


5190MHz_TnomVnom



802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmin




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.1900075G	5.1717225G	5.2082925G	1.4451	±20	1	-
5.19G	5.190015G	5.1717225G	5.2083075G	2.8902	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.230015G	5.21173G	5.2483G	2.8681	±20	1	-
5.23G	5.23001125G	5.2117075G	5.248315G	2.1511	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability


5230MHz_TnomVmin



802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVmax




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVnom

07/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.2700075G	5.2517375G	5.2882775G	1.4231	±20	1	-
5.27G	5.27G	5.251715G	5.288285G	0	±20	2	-


802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmin

07/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27001125G	5.2517225G	5.2883G	2.1347	±20	1	-
5.27G	5.2699925G	5.2517225G	5.2882625G	-1.4231	±20	2	-


802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmax

07/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.27000375G	5.251715G	5.2882925G	0.7116	±20	1	-
5.27G	5.270015G	5.2517525G	5.2882775G	2.8463	±20	2	-


802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVnom

07/08/2023

CF
5.31GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31000375G	5.29173G	5.3282775G	0.7062	±20	1	-
5.31G	5.3100075G	5.29173G	5.328285G	1.4124	±20	2	-




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51003G	5.491745G	5.528315G	5.4446	±20	1	-
5.51G	5.51002625G	5.49173G	5.5283225G	4.7641	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmin

07/08/2023



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51003375G	5.4917525G	5.528315G	6.1252	±20	1	-
5.51G	5.5100225G	5.4917375G	5.5283075G	4.0835	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmax

07/08/2023

CF
5.51GHz


Span
60MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.5100225G	5.49173G	5.528315G	4.0835	±20	1	-
5.51G	5.51003G	5.49173G	5.52833G	5.4446	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVnom

07/08/2023

CF
5.59GHz


Span
60MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59003G	5.5717375G	5.6083225G	5.3667	±20	1	-
5.59G	5.59003375G	5.5717375G	5.60833G	6.0376	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmin

07/08/2023

CF
5.59GHz


Span
60MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59002625G	5.5717375G	5.608315G	4.6959	±20	1	-
5.59G	5.59002625G	5.5717375G	5.608315G	4.6959	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmax

07/08/2023

CF
5.59GHz


Span
60MHz

RBW
100kHz

VBW
300kHz

Sweep Time
8.01ms

Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.59003375G	5.571745G	5.6083225G	6.0376	±20	1	-
5.59G	5.59003G	5.5717375G	5.6083225G	5.3667	±20	2	-

802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability


5710MHz_TnomVnom



802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmin




802.11n HT40_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmax

07/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.71004875G	5.6917525G	5.728345G	8.5377	±20	1	-
5.71G	5.71004125G	5.6917675G	5.728315G	7.2242	±20	2	-


802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVnom

07/08/2023

CF
5.18GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.18G	5.17999063G	5.171075G	5.18890625G	-1.8098	±20	1	-
5.18G	5.17998688G	5.17107875G	5.188895G	-2.5338	±20	2	-




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVnom

07/08/2023

CF
5.2GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.1999625G	5.19108625G	5.20890625G	-0.7212	±20	1	-
5.2G	5.19998875G	5.1910825G	5.208895G	-2.1635	±20	2	-


802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.199985G	5.191075G	5.208895G	-2.8846	±20	1	-
5.2G	5.19998688G	5.191075G	5.20889875G	-2.524	±20	2	-




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVnom

07/08/2023

CF
5.26GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25997938G	5.25107125G	5.2688875G	-3.9211	±20	1	-
5.26G	5.25998313G	5.25107125G	5.2688895G	-3.2082	±20	2	-


802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmin

07/08/2023

CF
5.26GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25998125G	5.25107125G	5.26889125G	-3.5646	±20	1	-
5.26G	5.25997563G	5.25106375G	5.2688875G	-4.634	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25997938G	5.25106375G	5.268895G	-3.9211	±20	1	-
5.26G	5.25998125G	5.25107875G	5.26888375G	-3.5646	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27997938G	5.27106G	5.28889875G	-3.9062	±20	1	-
5.28G	5.27997938G	5.271075G	5.28888375G	-3.9062	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVmin

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27997G	5.271045G	5.288895G	-5.6818	±20	1	-
5.28G	5.2799775G	5.27106G	5.288895G	-4.2614	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVmax

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.2799775G	5.2710525G	5.2889025G	-4.2614	±20	1	-
5.28G	5.27998688G	5.27107875G	5.288895G	-2.4858	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVnom

07/08/2023




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31997375G	5.31106G	5.3288875G	-4.9342	±20	1	-
5.32G	5.31997563G	5.31106G	5.32889125G	-4.5818	±20	2	-

802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmin

07/08/2023



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31997938G	5.3110675G	5.32889125G	-3.8769	±20	1	-
5.32G	5.31996813G	5.3110675G	5.32886875G	-5.9915	±20	2	-




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmin

07/08/2023

CF
5.5GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50000375G	5.49109375G	5.50891375G	0.6818	±20	1	-
5.5G	5.50001125G	5.491105G	5.5089175G	2.0455	±20	2	-


802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmax

07/08/2023

CF
5.5GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.5G	5.50000188G	5.49109375G	5.50891G	0.3409	±20	1	-
5.5G	5.50000563G	5.49108625G	5.508925G	1.0227	±20	2	-




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVmax

07/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVnom

08/08/2023

CF
5.19GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.1899925G	5.171715G	5.20827G	-1.4451	±20	1	-
5.19G	5.19G	5.17173G	5.20827G	0	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmin

08/08/2023

CF
5.19GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.18999625G	5.1717075G	5.208285G	-0.7225	±20	1	-
5.19G	5.19G	5.171715G	5.208285G	0	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmax

08/08/2023

CF
5.19GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.19000375G	5.171715G	5.2082925G	0.7225	±20	1	-
5.19G	5.19G	5.171715G	5.208285G	0	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVnom

08/08/2023

CF
5.23GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.2299925G	5.2117075G	5.2482775G	-1.434	±20	1	-
5.23G	5.2299925G	5.211715G	5.24827G	-1.434	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVmin

08/08/2023

CF
5.23GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.2299925G	5.2117G	5.248285G	-1.434	±20	1	-
5.23G	5.22998875G	5.2117G	5.2482775G	-2.1511	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVmax

08/08/2023

CF
5.23GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.229985G	5.211685G	5.248285G	-2.8681	±20	1	-
5.23G	5.23G	5.2117225G	5.2482775G	0	±20	2	-




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVnom

08/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.269985G	5.2517G	5.28827G	-2.8463	±20	1	-
5.27G	5.26998875G	5.2517075G	5.28827G	-2.1347	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmin

08/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.27G	5.269985G	5.251715G	5.288255G	-2.8463	±20	1	-
5.27G	5.26998125G	5.2517G	5.2882625G	-3.5579	±20	2	-




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVnom

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVnom

08/08/2023

CF
5.51GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.51G	5.4917225G	5.5282775G	0	±20	1	-
5.51G	5.51000375G	5.491715G	5.5282925G	0.6806	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmin

08/08/2023

CF
5.51GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.5099925G	5.4917G	5.528285G	-1.3612	±20	1	-
5.51G	5.50999625G	5.491715G	5.5282775G	-0.6806	±20	2	-

802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmin

08/08/2023

CF
5.59GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.589985G	5.5717075G	5.6082625G	-2.6834	±20	1	-
5.59G	5.58998875G	5.571715G	5.6082625G	-2.0125	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmax

08/08/2023

CF
5.59GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.5899925G	5.5717075G	5.6082775G	-1.3417	±20	1	-
5.59G	5.58999625G	5.5717075G	5.608285G	-0.6708	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVnom

08/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.7099925G	5.6917075G	5.7282775G	-1.3135	±20	1	-
5.71G	5.71G	5.6917075G	5.7282925G	0	±20	2	-


802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmin

08/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.70999625G	5.6917G	5.7282925G	-0.6567	±20	1	-
5.71G	5.71G	5.6917075G	5.7282925G	0	±20	2	-

802.11ac VHT40_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVmin

08/08/2023

CF
5.21GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21G	5.171735G	5.248265G	0	±20	1	-
5.21G	5.2099925G	5.17172G	5.248265G	-1.4395	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVmax

08/08/2023

CF
5.21GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.21G	5.171735G	5.248265G	0	±20	1	-
5.21G	5.2099925G	5.171735G	5.24825G	-1.4395	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVnom

08/08/2023

CF
5.29GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.2899775G	5.25172G	5.328235G	-4.2533	±20	1	-
5.29G	5.2899925G	5.25178G	5.328205G	-1.4178	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVmin

08/08/2023

CF
5.29GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.289985G	5.25172G	5.32825G	-2.8355	±20	1	-
5.29G	5.289985G	5.251765G	5.328205G	-2.8355	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVmax

08/08/2023

CF
5.29GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.2899775G	5.25172G	5.328235G	-4.2533	±20	1	-
5.29G	5.2899775G	5.251765G	5.32819G	-4.2533	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVnom

08/08/2023

CF
5.53GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53G	5.491735G	5.568265G	0	±20	1	-
5.53G	5.53G	5.49175G	5.56825G	0	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVmin

08/08/2023

CF
5.53GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.53G	5.491735G	5.568265G	0	±20	1	-
5.53G	5.529985G	5.491735G	5.568235G	-2.7125	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVmax

08/08/2023

CF
5.53GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.529985G	5.49172G	5.56825G	-2.7125	±20	1	-
5.53G	5.5299925G	5.49175G	5.568235G	-1.3562	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVnom

08/08/2023

CF
5.61GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.6099925G	5.571735G	5.64825G	-1.3369	±20	1	-
5.61G	5.609985G	5.571735G	5.648235G	-2.6738	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVmin

08/08/2023

CF
5.61GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2


Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.61G	5.57175G	5.64825G	0	±20	1	-
5.61G	5.61G	5.571735G	5.648265G	0	±20	2	-

802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVmin

08/08/2023

CF
5.69GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.6899925G	5.65172G	5.728265G	-1.3181	±20	1	-
5.69G	5.69G	5.651735G	5.728265G	0	±20	2	-


802.11ac VHT80_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVmax

08/08/2023

CF
5.69GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.6900075G	5.65175G	5.728265G	1.3181	±20	1	-
5.69G	5.69G	5.651735G	5.728265G	0	±20	2	-

ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5180MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.19997G	5.190385G	5.209555G	-5.7692	±20	1	-
5.2G	5.19996625G	5.19038875G	5.20954375G	-6.4904	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5200MHz_TnomVmax

07/08/2023

CF
5.2GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.2G	5.19996625G	5.19038875G	5.20954375G	-6.4904	±20	1	-
5.2G	5.19997188G	5.19038875G	5.209555G	-5.4087	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVnom

07/08/2023

CF
5.24GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.23998125G	5.23040375G	5.24955875G	-3.5782	±20	1	-
5.24G	5.23997563G	5.23039625G	5.249555G	-4.6517	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmin

07/08/2023

CF
5.24GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2


Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.24G	5.23997188G	5.230385G	5.24955875G	-5.3674	±20	1	-
5.24G	5.23996813G	5.2303775G	5.24955875G	-6.083	±20	2	-

ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5240MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmin

07/08/2023

CF
5.26GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25997188G	5.25039625G	5.2695475G	-5.347	±20	1	-
5.26G	5.25996813G	5.25038125G	5.269555G	-6.0599	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5260MHz_TnomVmax

07/08/2023

CF
5.26GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.26G	5.25997G	5.25038875G	5.26955125G	-5.7034	±20	1	-
5.26G	5.2599625G	5.250385G	5.26954G	-7.1293	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX



Freq. Stability

5280MHz_TnomVnom

07/08/2023

CF
5.28GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1 
Port 2 

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27997938G	5.27039625G	5.2895625G	-3.9062	±20	1	-
5.28G	5.27997188G	5.270385G	5.28955875G	-5.3267	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX



Freq. Stability

5280MHz_TnomVmin

07/08/2023

CF
5.28GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1 
Port 2 


Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.28G	5.27996813G	5.27038125G	5.289555G	-6.0369	±20	1	-
5.28G	5.27996625G	5.27038875G	5.28954375G	-6.392	±20	2	-

ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5280MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmin

07/08/2023

CF
5.32GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31996813G	5.31038125G	5.3295555G	-5.9915	±20	1	-
5.32G	5.31997375G	5.3103925G	5.3295555G	-4.9342	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5320MHz_TnomVmax

07/08/2023

CF
5.32GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.32G	5.31997938G	5.3104G	5.32955875G	-3.8769	±20	1	-
5.32G	5.31997188G	5.31038875G	5.3295555G	-5.2867	±20	2	-


ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVnom

07/08/2023

CF
5.5GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmin

07/08/2023

CF
5.5GHz
Span
30MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5500MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5600MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5720MHz_TnomVmax

07/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmin

08/08/2023

CF
5.19GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.189925G	5.170965G	5.208885G	-14.4509	±20	1	-
5.19G	5.190045G	5.171085G	5.209005G	8.6705	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5190MHz_TnomVmax

08/08/2023

CF
5.19GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.19G	5.1900225G	5.171055G	5.20899G	4.3353	±20	1	-
5.19G	5.18999625G	5.1710175G	5.208975G	-0.7225	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVnom

08/08/2023

CF
5.23GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.22998875G	5.2110175G	5.24896G	-2.1511	±20	1	-
5.23G	5.23001875G	5.2110925G	5.248945G	3.5851	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVmin

08/08/2023

CF
5.23GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2


Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.23G	5.22997G	5.211115G	5.248825G	-5.7361	±20	1	-
5.23G	5.2299625G	5.211115G	5.24881G	-7.1702	±20	2	-

ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5230MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmin

08/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5270MHz_TnomVmax

08/08/2023

CF
5.27GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVnom

08/08/2023

CF
5.31GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.30997G	5.2910025G	5.3289375G	-5.6497	±20	1	-
5.31G	5.31001875G	5.2910625G	5.328975G	3.5311	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmin

08/08/2023

CF
5.31GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.31004125G	5.291085G	5.3289975G	7.7684	±20	1	-
5.31G	5.30997G	5.290935G	5.329005G	-5.6497	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5310MHz_TnomVmax

08/08/2023

CF
5.31GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.31G	5.30996625G	5.290965G	5.3289675G	-6.3559	±20	1	-
5.31G	5.30999625G	5.2910175G	5.328975G	-0.7062	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVnom

08/08/2023

CF
5.51GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.509985G	5.490935G	5.529035G	-2.7223	±20	1	-
5.51G	5.50999625G	5.49098G	5.5290125G	-0.6806	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmin

08/08/2023

CF
5.51GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.50997G	5.4911075G	5.5288325G	-5.4446	±20	1	-
5.51G	5.50999625G	5.490995G	5.5289975G	-0.6806	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5510MHz_TnomVmax

08/08/2023

CF
5.51GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.51G	5.50991G	5.4909425G	5.5288775G	-16.3339	±20	1	-
5.51G	5.50999625G	5.4909725G	5.52902G	-0.6806	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVnom

08/08/2023

CF
5.59GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.58992125G	5.570935G	5.6089075G	-14.0877	±20	1	-
5.59G	5.5899775G	5.570935G	5.60902G	-4.025	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmin

08/08/2023

CF
5.59GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.58991375G	5.570935G	5.6088925G	-15.4293	±20	1	-
5.59G	5.59G	5.570995G	5.609005G	0	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5590MHz_TnomVmax

08/08/2023

CF
5.59GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.59G	5.58992875G	5.5710175G	5.60884G	-12.746	±20	1	-
5.59G	5.58998875G	5.5711G	5.6088775G	-2.0125	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVnom

08/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.709955G	5.6909425G	5.7289675G	-7.8809	±20	1	-
5.71G	5.70997375G	5.6909575G	5.72899G	-4.5972	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmin

08/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.709955G	5.6909875G	5.7289225G	-7.8809	±20	1	-
5.71G	5.7099925G	5.69098G	5.729005G	-1.3135	±20	2	-


ax40_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5710MHz_TnomVmax

08/08/2023

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.71G	5.70999625G	5.6909425G	5.72905G	-0.6567	±20	1	-
5.71G	5.71000375G	5.690965G	5.7290425G	0.6567	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVnom

08/08/2023

CF
5.21GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.2100075G	5.17115G	5.248865G	1.4395	±20	1	-
5.21G	5.2100075G	5.171165G	5.248885G	1.4395	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVmin

08/08/2023

CF
5.21GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2


Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.21G	5.2100225G	5.17115G	5.248895G	4.3186	±20	1	-
5.21G	5.2100075G	5.17112G	5.248895G	1.4395	±20	2	-

ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5210MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVmin

08/08/2023

CF
5.29GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.28997G	5.25109G	5.32885G	-5.6711	±20	1	-
5.29G	5.2899625G	5.25109G	5.328835G	-7.0888	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5290MHz_TnomVmax

08/08/2023

CF
5.29GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.29G	5.2899925G	5.25115G	5.328835G	-1.4178	±20	1	-
5.29G	5.28997G	5.25109G	5.32885G	-5.6711	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVnom

08/08/2023

CF
5.53GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.5299475G	5.49106G	5.568835G	-9.4937	±20	1	-
5.53G	5.5299775G	5.49109G	5.568865G	-4.0687	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVmin

08/08/2023

CF
5.53GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.53G	5.5299775G	5.491105G	5.56885G	-4.0687	±20	1	-
5.53G	5.529985G	5.491135G	5.568835G	-2.7125	±20	2	-

ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5530MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVmin

08/08/2023

CF
5.61GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.60997G	5.571105G	5.648835G	-5.3476	±20	1	-
5.61G	5.6099925G	5.57112G	5.648865G	-1.3369	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5610MHz_TnomVmax

08/08/2023

CF
5.61GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Port 1
Port 2

Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.61G	5.609955G	5.571075G	5.648835G	-8.0214	±20	1	-
5.61G	5.6099775G	5.57115G	5.648805G	-4.0107	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVnom

08/08/2023

CF
5.69GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS



Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.6900075G	5.65115G	5.728865G	1.3181	±20	1	-
5.69G	5.68991G	5.650955G	5.728865G	-15.8172	±20	2	-


ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVmin

08/08/2023

CF
5.69GHz
Span
120MHz
RBW
100kHz
VBW
300kHz
Sweep Time
8.01ms
Detector Type
RMS




Ch(Hz)	Center(Hz)	Fl(Hz)	Fh(Hz)	ppm	Limit(ppm)	Port	Remark
5.69G	5.6899325G	5.651045G	5.72882G	-11.8629	±20	1	-
5.69G	5.689985G	5.651135G	5.728835G	-2.6362	±20	2	-

ax80_OFDMA_Nss1,(MCS0)_2TX

Freq. Stability

5690MHz_TnomVmax

08/08/2023



Summary

Mode	Max-OBW (Hz)	ITU-Code	Min-OBW (Hz)
5.15-5.25GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.612M	16M6D1D	16.512M
802.11n HT20_Nss1,(MCS0)_2TX	17.771M	17M8D1D	17.671M
802.11ac VHT20_Nss1,(MCS0)_2TX	17.771M	17M8D1D	17.691M
ax20_OFDMA_Nss1,(MCS0)_2TX	19.05M	19M0D1D	18.991M
802.11n HT40_Nss1,(MCS0)_2TX	36.342M	36M3D1D	36.222M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.382M	36M4D1D	36.182M
ax40_OFDMA_Nss1,(MCS0)_2TX	37.621M	37M6D1D	37.541M
802.11ac VHT80_Nss1,(MCS0)_2TX	75.722M	75M7D1D	75.562M
ax80_OFDMA_Nss1,(MCS0)_2TX	77.001M	77M0D1D	76.922M
5.25-5.35GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.652M	16M7D1D	16.532M
802.11n HT20_Nss1,(MCS0)_2TX	17.791M	17M8D1D	17.711M
802.11ac VHT20_Nss1,(MCS0)_2TX	17.791M	17M8D1D	17.691M
ax20_OFDMA_Nss1,(MCS0)_2TX	19.07M	19M1D1D	18.991M
802.11n HT40_Nss1,(MCS0)_2TX	36.382M	36M4D1D	36.182M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.342M	36M3D1D	36.222M
ax40_OFDMA_Nss1,(MCS0)_2TX	37.661M	37M7D1D	37.541M
802.11ac VHT80_Nss1,(MCS0)_2TX	75.722M	75M7D1D	75.562M
ax80_OFDMA_Nss1,(MCS0)_2TX	77.161M	77M2D1D	76.922M
5.47-5.730GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.792M	16M8D1D	16.692M
802.11n HT20_Nss1,(MCS0)_2TX	17.971M	18M0D1D	17.851M
802.11ac VHT20_Nss1,(MCS0)_2TX	17.971M	18M0D1D	17.851M
ax20_OFDMA_Nss1,(MCS0)_2TX	19.11M	19M1D1D	19.03M
802.11n HT40_Nss1,(MCS0)_2TX	36.502M	36M5D1D	36.302M
802.11ac VHT40_Nss1,(MCS0)_2TX	36.502M	36M5D1D	36.302M
ax40_OFDMA_Nss1,(MCS0)_2TX	37.821M	37M8D1D	37.661M
802.11ac VHT80_Nss1,(MCS0)_2TX	75.882M	75M9D1D	75.642M
ax80_OFDMA_Nss1,(MCS0)_2TX	77.321M	77M3D1D	77.081M

Max-OBW = Maximum 99% occupied bandwidth; Min-OBW = Minimum 99% occupied bandwidth;

Result

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	16.592M	16.532M
5180MHz_TnomVmin	Pass	20M	16.592M	16.512M
5180MHz_TnomVmax	Pass	20M	16.592M	16.532M
5200MHz_TnomVnom	Pass	20M	16.592M	16.532M
5200MHz_TnomVmin	Pass	20M	16.612M	16.532M
5200MHz_TnomVmax	Pass	20M	16.592M	16.532M
5240MHz_TnomVnom	Pass	20M	16.592M	16.532M
5240MHz_TnomVmin	Pass	20M	16.592M	16.532M
5240MHz_TnomVmax	Pass	20M	16.592M	16.532M
5260MHz_TnomVnom	Pass	20M	16.612M	16.552M
5260MHz_TnomVmin	Pass	20M	16.632M	16.532M
5260MHz_TnomVmax	Pass	20M	16.612M	16.532M
5280MHz_TnomVnom	Pass	20M	16.632M	16.552M
5280MHz_TnomVmin	Pass	20M	16.652M	16.552M
5280MHz_TnomVmax	Pass	20M	16.632M	16.552M
5320MHz_TnomVnom	Pass	20M	16.632M	16.532M
5320MHz_TnomVmin	Pass	20M	16.612M	16.532M
5320MHz_TnomVmax	Pass	20M	16.612M	16.552M
5500MHz_TnomVnom	Pass	20M	16.792M	16.732M
5500MHz_TnomVmin	Pass	20M	16.752M	16.752M
5500MHz_TnomVmax	Pass	20M	16.792M	16.712M
5600MHz_TnomVnom	Pass	20M	16.792M	16.732M
5600MHz_TnomVmin	Pass	20M	16.792M	16.772M
5600MHz_TnomVmax	Pass	20M	16.792M	16.772M
5720MHz_TnomVnom	Pass	20M	16.732M	16.712M
5720MHz_TnomVmin	Pass	20M	16.692M	16.692M
5720MHz_TnomVmax	Pass	20M	16.732M	16.692M
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	17.751M	17.711M
5180MHz_TnomVmin	Pass	20M	17.771M	17.691M
5180MHz_TnomVmax	Pass	20M	17.731M	17.711M
5200MHz_TnomVnom	Pass	20M	17.771M	17.671M
5200MHz_TnomVmin	Pass	20M	17.751M	17.691M
5200MHz_TnomVmax	Pass	20M	17.751M	17.671M
5240MHz_TnomVnom	Pass	20M	17.751M	17.691M
5240MHz_TnomVmin	Pass	20M	17.751M	17.711M
5240MHz_TnomVmax	Pass	20M	17.751M	17.711M
5260MHz_TnomVnom	Pass	20M	17.791M	17.711M
5260MHz_TnomVmin	Pass	20M	17.751M	17.711M
5260MHz_TnomVmax	Pass	20M	17.791M	17.711M
5280MHz_TnomVnom	Pass	20M	17.751M	17.711M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5280MHz_TnomVmin	Pass	20M	17.791M	17.731M
5280MHz_TnomVmax	Pass	20M	17.771M	17.731M
5320MHz_TnomVnom	Pass	20M	17.751M	17.731M
5320MHz_TnomVmin	Pass	20M	17.771M	17.731M
5320MHz_TnomVmax	Pass	20M	17.771M	17.731M
5500MHz_TnomVnom	Pass	20M	17.971M	17.911M
5500MHz_TnomVmin	Pass	20M	17.971M	17.871M
5500MHz_TnomVmax	Pass	20M	17.951M	17.891M
5600MHz_TnomVnom	Pass	20M	17.971M	17.911M
5600MHz_TnomVmin	Pass	20M	17.951M	17.891M
5600MHz_TnomVmax	Pass	20M	17.931M	17.931M
5720MHz_TnomVnom	Pass	20M	17.851M	17.871M
5720MHz_TnomVmin	Pass	20M	17.911M	17.851M
5720MHz_TnomVmax	Pass	20M	17.891M	17.871M
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	36.302M	36.262M
5190MHz_TnomVmin	Pass	40M	36.342M	36.222M
5190MHz_TnomVmax	Pass	40M	36.342M	36.222M
5230MHz_TnomVnom	Pass	40M	36.342M	36.262M
5230MHz_TnomVmin	Pass	40M	36.342M	36.262M
5230MHz_TnomVmax	Pass	40M	36.342M	36.222M
5270MHz_TnomVnom	Pass	40M	36.302M	36.222M
5270MHz_TnomVmin	Pass	40M	36.302M	36.262M
5270MHz_TnomVmax	Pass	40M	36.302M	36.182M
5310MHz_TnomVnom	Pass	40M	36.382M	36.262M
5310MHz_TnomVmin	Pass	40M	36.342M	36.262M
5310MHz_TnomVmax	Pass	40M	36.342M	36.222M
5510MHz_TnomVnom	Pass	40M	36.422M	36.342M
5510MHz_TnomVmin	Pass	40M	36.422M	36.342M
5510MHz_TnomVmax	Pass	40M	36.502M	36.342M
5590MHz_TnomVnom	Pass	40M	36.422M	36.302M
5590MHz_TnomVmin	Pass	40M	36.502M	36.342M
5590MHz_TnomVmax	Pass	40M	36.422M	36.342M
5710MHz_TnomVnom	Pass	40M	36.462M	36.302M
5710MHz_TnomVmin	Pass	40M	36.462M	36.302M
5710MHz_TnomVmax	Pass	40M	36.462M	36.302M
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	17.751M	17.711M
5180MHz_TnomVmin	Pass	20M	17.751M	17.711M
5180MHz_TnomVmax	Pass	20M	17.731M	17.711M
5200MHz_TnomVnom	Pass	20M	17.731M	17.711M
5200MHz_TnomVmin	Pass	20M	17.771M	17.691M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5200MHz_TnomVmax	Pass	20M	17.731M	17.711M
5240MHz_TnomVnom	Pass	20M	17.731M	17.711M
5240MHz_TnomVmin	Pass	20M	17.751M	17.711M
5240MHz_TnomVmax	Pass	20M	17.771M	17.731M
5260MHz_TnomVnom	Pass	20M	17.751M	17.711M
5260MHz_TnomVmin	Pass	20M	17.771M	17.691M
5260MHz_TnomVmax	Pass	20M	17.731M	17.711M
5280MHz_TnomVnom	Pass	20M	17.791M	17.731M
5280MHz_TnomVmin	Pass	20M	17.771M	17.731M
5280MHz_TnomVmax	Pass	20M	17.791M	17.731M
5320MHz_TnomVnom	Pass	20M	17.751M	17.711M
5320MHz_TnomVmin	Pass	20M	17.751M	17.731M
5320MHz_TnomVmax	Pass	20M	17.751M	17.711M
5500MHz_TnomVnom	Pass	20M	17.951M	17.911M
5500MHz_TnomVmin	Pass	20M	17.931M	17.891M
5500MHz_TnomVmax	Pass	20M	17.951M	17.891M
5600MHz_TnomVnom	Pass	20M	17.951M	17.951M
5600MHz_TnomVmin	Pass	20M	17.951M	17.971M
5600MHz_TnomVmax	Pass	20M	17.951M	17.971M
5720MHz_TnomVnom	Pass	20M	17.891M	17.851M
5720MHz_TnomVmin	Pass	20M	17.891M	17.851M
5720MHz_TnomVmax	Pass	20M	17.871M	17.871M
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	36.342M	36.262M
5190MHz_TnomVmin	Pass	40M	36.382M	36.182M
5190MHz_TnomVmax	Pass	40M	36.342M	36.182M
5230MHz_TnomVnom	Pass	40M	36.382M	36.262M
5230MHz_TnomVmin	Pass	40M	36.342M	36.262M
5230MHz_TnomVmax	Pass	40M	36.302M	36.222M
5270MHz_TnomVnom	Pass	40M	36.302M	36.262M
5270MHz_TnomVmin	Pass	40M	36.342M	36.222M
5270MHz_TnomVmax	Pass	40M	36.342M	36.222M
5310MHz_TnomVnom	Pass	40M	36.342M	36.262M
5310MHz_TnomVmin	Pass	40M	36.342M	36.222M
5310MHz_TnomVmax	Pass	40M	36.342M	36.262M
5510MHz_TnomVnom	Pass	40M	36.462M	36.382M
5510MHz_TnomVmin	Pass	40M	36.422M	36.342M
5510MHz_TnomVmax	Pass	40M	36.502M	36.302M
5590MHz_TnomVnom	Pass	40M	36.462M	36.302M
5590MHz_TnomVmin	Pass	40M	36.422M	36.342M
5590MHz_TnomVmax	Pass	40M	36.502M	36.342M
5710MHz_TnomVnom	Pass	40M	36.422M	36.342M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5710MHz_TnomVmin	Pass	40M	36.462M	36.342M
5710MHz_TnomVmax	Pass	40M	36.462M	36.342M
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	80M	75.562M	75.562M
5210MHz_TnomVmin	Pass	80M	75.722M	75.562M
5210MHz_TnomVmax	Pass	80M	75.642M	75.562M
5290MHz_TnomVnom	Pass	80M	75.722M	75.562M
5290MHz_TnomVmin	Pass	80M	75.722M	75.562M
5290MHz_TnomVmax	Pass	80M	75.642M	75.562M
5530MHz_TnomVnom	Pass	80M	75.802M	75.722M
5530MHz_TnomVmin	Pass	80M	75.882M	75.642M
5530MHz_TnomVmax	Pass	80M	75.882M	75.802M
5610MHz_TnomVnom	Pass	80M	75.882M	75.722M
5610MHz_TnomVmin	Pass	80M	75.882M	75.642M
5610MHz_TnomVmax	Pass	80M	75.802M	75.642M
5690MHz_TnomVnom	Pass	80M	75.882M	75.642M
5690MHz_TnomVmin	Pass	80M	75.882M	75.802M
5690MHz_TnomVmax	Pass	80M	75.882M	75.642M
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	20M	19.03M	19.01M
5180MHz_TnomVmin	Pass	20M	19.03M	19.05M
5180MHz_TnomVmax	Pass	20M	19.03M	19.01M
5200MHz_TnomVnom	Pass	20M	19.01M	18.991M
5200MHz_TnomVmin	Pass	20M	19.01M	19.01M
5200MHz_TnomVmax	Pass	20M	19.03M	18.991M
5240MHz_TnomVnom	Pass	20M	19.03M	19.01M
5240MHz_TnomVmin	Pass	20M	19.03M	19.01M
5240MHz_TnomVmax	Pass	20M	19.03M	19.03M
5260MHz_TnomVnom	Pass	20M	19.03M	19.03M
5260MHz_TnomVmin	Pass	20M	19.03M	19.01M
5260MHz_TnomVmax	Pass	20M	19.03M	19.01M
5280MHz_TnomVnom	Pass	20M	19.07M	18.991M
5280MHz_TnomVmin	Pass	20M	19.05M	19.01M
5280MHz_TnomVmax	Pass	20M	19.05M	19.01M
5320MHz_TnomVnom	Pass	20M	19.01M	18.991M
5320MHz_TnomVmin	Pass	20M	19.03M	19.01M
5320MHz_TnomVmax	Pass	20M	19.05M	19.01M
5500MHz_TnomVnom	Pass	20M	19.09M	19.07M
5500MHz_TnomVmin	Pass	20M	19.07M	19.07M
5500MHz_TnomVmax	Pass	20M	19.09M	19.03M
5600MHz_TnomVnom	Pass	20M	19.07M	19.07M
5600MHz_TnomVmin	Pass	20M	19.11M	19.07M

Mode	Result	Limit (Hz)	P1-OBW (Hz)	P2-OBW (Hz)
5600MHz_TnomVmax	Pass	20M	19.07M	19.05M
5720MHz_TnomVnom	Pass	20M	19.09M	19.07M
5720MHz_TnomVmin	Pass	20M	19.09M	19.07M
5720MHz_TnomVmax	Pass	20M	19.11M	19.05M
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	40M	37.621M	37.621M
5190MHz_TnomVmin	Pass	40M	37.541M	37.541M
5190MHz_TnomVmax	Pass	40M	37.581M	37.581M
5230MHz_TnomVnom	Pass	40M	37.621M	37.581M
5230MHz_TnomVmin	Pass	40M	37.621M	37.581M
5230MHz_TnomVmax	Pass	40M	37.541M	37.581M
5270MHz_TnomVnom	Pass	40M	37.621M	37.581M
5270MHz_TnomVmin	Pass	40M	37.621M	37.541M
5270MHz_TnomVmax	Pass	40M	37.541M	37.661M
5310MHz_TnomVnom	Pass	40M	37.581M	37.581M
5310MHz_TnomVmin	Pass	40M	37.581M	37.581M
5310MHz_TnomVmax	Pass	40M	37.661M	37.581M
5510MHz_TnomVnom	Pass	40M	37.661M	37.741M
5510MHz_TnomVmin	Pass	40M	37.701M	37.701M
5510MHz_TnomVmax	Pass	40M	37.701M	37.661M
5590MHz_TnomVnom	Pass	40M	37.701M	37.661M
5590MHz_TnomVmin	Pass	40M	37.741M	37.661M
5590MHz_TnomVmax	Pass	40M	37.701M	37.661M
5710MHz_TnomVnom	Pass	40M	37.821M	37.741M
5710MHz_TnomVmin	Pass	40M	37.741M	37.781M
5710MHz_TnomVmax	Pass	40M	37.741M	37.741M
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	80M	77.001M	76.922M
5210MHz_TnomVmin	Pass	80M	77.001M	76.922M
5210MHz_TnomVmax	Pass	80M	76.922M	76.922M
5290MHz_TnomVnom	Pass	80M	77.161M	77.081M
5290MHz_TnomVmin	Pass	80M	76.922M	77.161M
5290MHz_TnomVmax	Pass	80M	77.081M	77.081M
5530MHz_TnomVnom	Pass	80M	77.161M	77.081M
5530MHz_TnomVmin	Pass	80M	77.161M	77.081M
5530MHz_TnomVmax	Pass	80M	77.161M	77.081M
5610MHz_TnomVnom	Pass	80M	77.241M	77.241M
5610MHz_TnomVmin	Pass	80M	77.161M	77.161M
5610MHz_TnomVmax	Pass	80M	77.241M	77.081M
5690MHz_TnomVnom	Pass	80M	77.321M	77.241M
5690MHz_TnomVmin	Pass	80M	77.241M	77.241M
5690MHz_TnomVmax	Pass	80M	77.161M	77.161M




P1-OBW = Port 1 99% occupied bandwidth; P2-OBW = Port 2 99% occupied bandwidth; Pn-OBW = Port n 99% occupied bandwidth

802.11a_Nss1,(6Mbps)_2TX

OBW

5180MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5180MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5180MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5200MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5200MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5200MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5240MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5240MHz_TnomVmin

07/08/2023



802.11a_Nss1,(6Mbps)_2TX

OBW

5240MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5260MHz_TnomVnom

07/08/2023



802.11a_Nss1,(6Mbps)_2TX

OBW

5260MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5260MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5280MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5280MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5280MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5320MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5320MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5320MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5500MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5500MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5500MHz_TnomVmax

07/08/2023

CF
5.5GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.491564G	5.508356G	20M	1
16.712M	5.491644G	5.508356G	20M	2


802.11a_Nss1,(6Mbps)_2TX

OBW

5600MHz_TnomVnom

07/08/2023

CF
5.6GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.792M	5.591564G	5.608356G	20M	1
16.732M	5.591644G	5.608376G	20M	2

802.11a_Nss1,(6Mbps)_2TX

OBW

5600MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5600MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5720MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5720MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

OBW

5720MHz_TnomVmax

07/08/2023

CF
5.72GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
16.732M	5.711624G	5.728356G	20M	1
16.692M	5.711684G	5.728376G	20M	2


802.11n HT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/08/2023

CF
5.18GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.171104G	5.188856G	20M	1
17.711M	5.171144G	5.188856G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/08/2023

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.191084G	5.208856G	20M	1
17.671M	5.191144G	5.208816G	20M	2


802.11n HT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.191104G	5.208856G	20M	1
17.691M	5.191124G	5.208816G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/08/2023

CF
5.24GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.231124G	5.248876G	20M	1
17.711M	5.231124G	5.248836G	20M	2


802.11n HT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/08/2023

CF
5.24GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.751M	5.231104G	5.248856G	20M	1
17.711M	5.231124G	5.248836G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/08/2023



802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmax

07/08/2023



802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

07/08/2023

CF
5.6GHz


Span
40MHz

RBW
200kHz

VBW
200kHz

Sweep Time
200ms

Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.971M	5.591004G	5.608976G	20M	1
17.911M	5.591044G	5.608956G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

07/08/2023

CF
5.6GHz


Span
40MHz

RBW
200kHz

VBW
200kHz

Sweep Time
200ms

Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.951M	5.591024G	5.608976G	20M	1
17.891M	5.591044G	5.608936G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

07/08/2023

CF
5.6GHz


Span
40MHz

RBW
200kHz

VBW
200kHz

Sweep Time
200ms

Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.931M	5.591024G	5.608956G	20M	1
17.931M	5.591024G	5.608956G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

07/08/2023

CF
5.72GHz


Span
40MHz

RBW
200kHz

VBW
200kHz

Sweep Time
200ms

Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.851M	5.711084G	5.728936G	20M	1
17.871M	5.711084G	5.728956G	20M	2

802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmin

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmax

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmin

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmax

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmin

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

23/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/08/2023

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.731M	5.191104G	5.208836G	20M	1
17.711M	5.191124G	5.208836G	20M	2


802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
40MHz
RBW
200kHz
VBW
200kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
17.771M	5.191084G	5.208856G	20M	1
17.691M	5.191124G	5.208816G	20M	2

802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/08/2023



802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

07/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

08/08/2023

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.302M	5.251849G	5.288151G	40M	1
36.262M	5.251849G	5.288111G	40M	2


802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

08/08/2023

CF
5.27GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.342M	5.251809G	5.288151G	40M	1
36.222M	5.251849G	5.288071G	40M	2

802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmax

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmax

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5180MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5200MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmin

07/08/2023



ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5240MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5260MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5280MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5320MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5500MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5600MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

OBW

5720MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmin

08/08/2023

CF
5.19GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
200ms
Detector Type
Peak



OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.541M	5.171209G	5.208751G	40M	1
37.541M	5.171209G	5.208751G	40M	2


ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5190MHz_TnomVmax

08/08/2023

CF
5.19GHz
Span
80MHz
RBW
500kHz
VBW
500kHz
Sweep Time
200ms
Detector Type
Peak




OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.581M	5.171209G	5.208791G	40M	1
37.581M	5.171209G	5.208791G	40M	2

ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5230MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmin

08/08/2023



ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5270MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5310MHz_TnomVmax

08/08/2023



ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5510MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmin

23/08/2023



ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5590MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

OBW

5710MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmin

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5210MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmin

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5290MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5530MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5610MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

OBW

5690MHz_TnomVmax

23/08/2023



full RU configuration

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.2667G	26G	1M	19.83962G	-37.04	-36.29	-33.64	0.43266	4.40	-29.24	1.19124	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.85776G	-36.89	-36.30	-33.57	0.43907	4.40	-29.17	1.2106	-26.02	2.5
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.84998G	-36.28	-36.75	-33.50	0.44685	4.40	-29.10	1.23027	-26.02	2.5
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.25G	5.2502G	1M	5.2502G	-10.37	-11.20	-7.75	167.69102	4.40	-3.35	462.38102	-2.01	629.51
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.8405G	-36.41	-36.50	-33.44	0.45243	4.40	-29.04	1.24738	-26.02	2.5
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.83532G	-36.86	-37.04	-33.94	0.40376	4.40	-29.54	1.11173	-26.02	2.5
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2784G	26G	1M	19.84828G	-36.24	-36.21	-33.21	0.47702	4.40	-28.81	1.31522	-26.02	2.5
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.2967G	26G	1M	19.84336G	-36.02	-36.90	-33.43	0.45421	4.40	-29.03	1.25026	-26.02	2.5
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2967G	26G	1M	19.84853G	-36.29	-35.94	-33.10	0.48965	4.40	-28.70	1.34896	-26.02	2.5
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.35G	26G	1M	19.85146G	-36.67	-36.74	-33.69	0.42711	4.40	-29.29	1.17761	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.35G	26G	1M	19.86695G	-36.56	-36.66	-33.60	0.43657	4.40	-29.20	1.20226	-26.02	2.5
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.35G	26G	1M	19.85663G	-36.33	-36.76	-33.53	0.44367	4.40	-29.13	1.2218	-26.02	2.5
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.2498G	5.25G	1M	5.2498G	-10.11	-10.74	-7.40	181.83244	4.40	-3.00	501.18723	-1.95	638.26
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.84622G	-36.36	-36.45	-33.39	0.45767	4.40	-28.99	1.26183	-26.02	2.5
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.84622G	-36.63	-36.81	-33.71	0.42572	4.40	-29.31	1.1722	-26.02	2.5
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.3584G	26G	1M	19.85138G	-35.86	-36.45	-33.13	0.48588	4.40	-28.73	1.33968	-26.02	2.5
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	5.3768G	26G	1M	19.85171G	-35.68	-36.28	-32.96	0.5059	4.40	-28.56	1.39316	-26.02	2.5
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.3768G	26G	1M	19.85429G	-35.75	-36.98	-33.31	0.46652	4.40	-28.91	1.28529	-26.02	2.5
5.47-5.730GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.765G	26G	1M	19.87132G	-36.49	-36.68	-33.57	0.43917	4.40	-29.17	1.2106	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.84856G	-36.24	-36.94	-33.57	0.43999	4.40	-29.17	1.2106	-26.02	2.5
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.86627G	-37.39	-35.97	-33.61	0.43532	4.40	-29.21	1.1995	-26.02	2.5
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.85362G	-36.58	-36.66	-33.61	0.43556	4.40	-29.21	1.1995	-26.02	2.5
802.11n HT40_Nss1,(MCS0)_2TX	Pass	5.46G	5.47G	1M	5.46999G	-30.04	-31.27	-27.60	1.73728	4.40	-23.20	4.7863	-13.01	50
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.85008G	-36.43	-36.74	-33.57	0.43935	4.40	-29.17	1.2106	-19.03	12.5
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.85261G	-36.38	-36.51	-33.43	0.4535	4.40	-29.03	1.25026	-19.03	12.5
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	30M	5.46G	1M	5.45932G	-29.65	-31.91	-27.62	1.7281	4.40	-23.22	4.76431	-19.03	12.5
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	5.77253G	-32.28	-37.04	-31.03	0.78926	4.40	-26.63	2.1727	-19.03	12.5



Transmitter Spurious Emissions

Appendix D.

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.03657G	-46.52	-46.39	-43.44	0.04525	4.40	-39.04	0.12474	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14968G	-46.15	-46.42	-43.27	0.04707	4.40	-38.87	0.12972	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.70	-46.70	-43.69	0.04276	4.40	-39.29	0.11776	-9.97	100.69
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25992G	-46.53	-46.81	-43.66	0.04308	4.40	-39.26	0.11858	-17.94	16.07
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.2667G	-46.87	-46.86	-43.85	0.04117	4.40	-39.45	0.1135	-26.02	2.5
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84998G	-36.90	-37.30	-34.09	0.39038	4.40	-29.69	1.07399	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.04423G	-45.78	-46.42	-43.08	0.04923	4.40	-38.68	0.13552	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14993G	-46.12	-46.31	-43.20	0.04782	4.40	-38.80	0.13183	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.49	-46.69	-43.58	0.04387	4.40	-39.18	0.12078	-10.00	100
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25997G	-46.76	-46.67	-43.70	0.04261	4.40	-39.30	0.11749	-17.99	15.89
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26668G	-46.96	-46.87	-43.90	0.0407	4.40	-39.50	0.1122	-26.00	2.51
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84739G	-37.57	-36.63	-34.06	0.39225	4.40	-29.66	1.08143	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	4.97139G	-46.38	-46.64	-43.50	0.04469	4.40	-39.10	0.12303	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14982G	-46.08	-46.20	-43.13	0.04865	4.40	-38.73	0.13397	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.63	-46.53	-43.57	0.04396	4.40	-39.17	0.12106	-9.92	101.86
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25999G	-46.53	-47.00	-43.75	0.04219	4.40	-39.35	0.11614	-18.01	15.81
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26663G	-46.87	-46.87	-43.86	0.04112	4.40	-39.46	0.11324	-25.94	2.55
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86035G	-36.93	-36.92	-33.91	0.406	4.40	-29.51	1.11944	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	4.96116G	-46.69	-46.07	-43.36	0.04615	4.40	-38.96	0.12706	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.1494G	-46.96	-46.98	-43.96	0.04018	4.40	-39.56	0.11066	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.41	-46.79	-43.59	0.0438	4.40	-39.19	0.1205	-9.98	100.46
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25995G	-46.75	-46.60	-43.66	0.04301	4.40	-39.26	0.11858	-17.97	15.96
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26665G	-46.87	-46.73	-43.79	0.04179	4.40	-39.39	0.11508	-25.96	2.54
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84998G	-36.84	-37.46	-34.13	0.38649	4.40	-29.73	1.06414	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.03145G	-46.30	-46.51	-43.39	0.04578	4.40	-38.99	0.12618	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14977G	-46.94	-46.92	-43.92	0.04055	4.40	-39.52	0.11169	-18.24	15
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.68	-46.51	-43.58	0.04381	4.40	-39.18	0.12078	-9.97	100.69
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25999G	-46.71	-46.70	-43.69	0.04271	4.40	-39.29	0.11776	-18.01	15.81
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26663G	-46.68	-46.84	-43.75	0.04218	4.40	-39.35	0.11614	-25.94	2.55
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85776G	-36.90	-37.32	-34.09	0.38953	4.40	-29.69	1.07399	-26.02	2.5
5200MHz_TnomVmax	Pass	30M	5.142G	1M	4.99567G	-45.64	-47.43	-43.43	0.04536	4.40	-39.03	0.12503	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14997G	-46.91	-47.06	-43.97	0.04005	4.40	-39.57	0.11041	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.55	-46.63	-43.58	0.04386	4.40	-39.18	0.12078	-9.99	100.23
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25994G	-46.62	-46.64	-43.62	0.04345	4.40	-39.22	0.11967	-17.96	16
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.2667G	-46.75	-46.95	-43.84	0.04132	4.40	-39.44	0.11376	-26.02	2.5
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83962G	-37.04	-36.29	-33.64	0.43266	4.40	-29.24	1.19124	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.03848G	-46.16	-46.66	-43.39	0.04579	4.40	-38.99	0.12618	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14862G	-47.14	-47.05	-44.08	0.03904	4.40	-39.68	0.10765	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25094G	-27.03	-27.73	-24.36	3.66808	4.40	-19.96	10.09253	-9.44	113.76
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25101G	-27.84	-28.41	-25.11	3.08649	4.40	-20.71	8.4918	-10.01	99.77
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26668G	-46.19	-46.11	-43.14	0.04853	4.40	-38.74	0.13366	-26.00	2.51
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85776G	-36.42	-36.97	-33.68	0.42894	4.40	-29.28	1.18032	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.05446G	-45.96	-46.82	-43.36	0.04615	4.40	-38.96	0.12706	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14722G	-47.03	-47.18	-44.09	0.03896	4.40	-39.69	0.1074	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-27.46	-28.29	-24.84	3.27725	4.40	-20.44	9.03649	-9.95	101.16
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.251G	-27.51	-28.63	-25.02	3.14507	4.40	-20.62	8.66962	-10.00	100
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.2667G	-46.19	-46.12	-43.14	0.04848	4.40	-38.74	0.13366	-26.02	2.5
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85517G	-36.41	-37.19	-33.77	0.41955	4.40	-29.37	1.15611	-26.02	2.5
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.03273G	-46.54	-46.45	-43.48	0.04483	4.40	-39.08	0.12359	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14938G	-47.14	-47.04	-44.08	0.03909	4.40	-39.68	0.10765	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-27.20	-28.02	-24.58	3.48307	4.40	-20.18	9.59401	-9.75	105.93
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25102G	-27.67	-28.86	-25.21	3.01018	4.40	-20.81	8.29851	-10.02	99.54
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26669G	-46.12	-46.06	-43.08	0.04921	4.40	-38.68	0.13552	-26.00	2.51
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.83703G	-37.34	-36.43	-33.85	0.41201	4.40	-29.45	1.13501	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23135G	-45.17	-45.76	-42.44	0.05695	4.40	-38.04	0.15704	-26.02	2.5
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23331G	-45.56	-45.73	-42.63	0.05453	4.40	-38.23	0.15031	-26.00	2.51
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.249G	-26.77	-27.37	-24.05	3.93609	4.40	-19.65	10.83927	-10.00	100
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24906G	-25.82	-26.74	-23.25	4.73654	4.40	-18.85	13.03167	-9.45	113.5
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.83339G	-36.75	-37.21	-33.96	0.40146	4.40	-29.56	1.10662	-26.02	2.5
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23265G	-45.35	-45.34	-42.33	0.05842	4.40	-37.93	0.16106	-26.02	2.5
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-45.63	-45.71	-42.66	0.05421	4.40	-38.26	0.14928	-26.01	2.51
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-26.70	-27.41	-24.03	3.95348	4.40	-19.63	10.8893	-10.01	99.77
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24903G	-26.06	-27.10	-23.54	4.42727	4.40	-19.14	12.1899	-9.69	107.4
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.83081G	-36.71	-36.88	-33.78	0.41842	4.40	-29.38	1.15345	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2333G	-45.44	-45.72	-42.57	0.05537	4.40	-38.17	0.15241	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-45.34	-45.90	-42.60	0.05495	4.40	-38.20	0.15136	-26.02	2.5
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.249G	-26.36	-27.72	-23.98	4.00251	4.40	-19.58	11.01539	-10.00	100
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24903G	-26.09	-26.93	-23.48	4.48805	4.40	-19.08	12.35947	-9.74	106.17
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.85146G	-37.06	-36.39	-33.70	0.4264	4.40	-29.30	1.1749	-26.02	2.5
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22875G	-45.42	-46.25	-42.80	0.05242	4.40	-38.40	0.14454	-26.02	2.5
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.2333G	-46.29	-46.35	-43.31	0.04667	4.40	-38.91	0.12853	-26.02	2.5
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24004G	-46.44	-46.40	-43.41	0.04561	4.40	-39.01	0.1256	-17.98	15.92
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-45.88	-46.36	-43.10	0.04894	4.40	-38.70	0.1349	-9.95	101.16
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.84114G	-36.88	-36.73	-33.79	0.41744	4.40	-29.39	1.1508	-26.02	2.5
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.21444G	-45.96	-45.72	-42.83	0.05214	4.40	-38.43	0.14355	-26.02	2.5
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23335G	-46.44	-46.38	-43.40	0.04571	4.40	-39.00	0.12589	-25.96	2.54
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24G	-46.35	-46.60	-43.46	0.04505	4.40	-39.06	0.12417	-18.01	15.81
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-46.01	-46.24	-43.11	0.04883	4.40	-38.71	0.13459	-9.93	101.62
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.85146G	-36.67	-36.74	-33.69	0.42711	4.40	-29.29	1.17761	-26.02	2.5
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23265G	-45.64	-45.98	-42.80	0.05252	4.40	-38.40	0.14454	-26.02	2.5
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23333G	-46.36	-46.42	-43.38	0.04592	4.40	-38.98	0.12647	-25.98	2.52
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24011G	-46.28	-46.39	-43.32	0.04651	4.40	-38.92	0.12823	-17.92	16.14
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.16	-46.19	-43.16	0.04825	4.40	-38.76	0.13305	-9.99	100.23
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.84888G	-36.38	-37.09	-33.71	0.42558	4.40	-29.31	1.1722	-26.02	2.5
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.22224G	-45.99	-45.96	-42.96	0.05053	4.40	-38.56	0.13932	-26.02	2.5
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23331G	-46.32	-46.55	-43.42	0.04547	4.40	-39.02	0.12531	-26.00	2.51
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24002G	-46.59	-46.49	-43.53	0.04437	4.40	-39.13	0.12218	-18.00	15.85
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.58	-46.64	-43.60	0.04366	4.40	-39.20	0.12023	-9.96	100.93
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.86179G	-36.61	-37.22	-33.89	0.40794	4.40	-29.49	1.1246	-26.02	2.5
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22419G	-45.49	-45.66	-42.56	0.05541	4.40	-38.16	0.15276	-26.02	2.5
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-46.50	-46.50	-43.49	0.04477	4.40	-39.09	0.12331	-26.01	2.51
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24005G	-46.31	-46.52	-43.40	0.04567	4.40	-39.00	0.12589	-17.97	15.96
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-46.65	-46.58	-43.60	0.04361	4.40	-39.20	0.12023	-9.93	101.62
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.85146G	-37.47	-36.52	-33.96	0.4019	4.40	-29.56	1.10662	-26.02	2.5
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2294G	-45.60	-46.23	-42.89	0.05137	4.40	-38.49	0.14158	-26.02	2.5
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-46.49	-46.58	-43.52	0.04442	4.40	-39.12	0.12246	-26.01	2.51
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24001G	-46.39	-46.61	-43.49	0.04479	4.40	-39.09	0.12331	-18.01	15.81
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.53	-46.74	-43.62	0.04342	4.40	-39.22	0.11967	-9.98	100.46
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.86437G	-37.42	-36.63	-34.00	0.3984	4.40	-29.60	1.09648	-26.02	2.5
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.25502G	-45.30	-46.32	-42.77	0.05285	4.40	-38.37	0.14555	-26.02	2.5
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46999G	-42.17	-42.79	-39.46	0.11328	4.40	-35.06	0.31189	-19.03	12.5
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75286G	-46.81	-47.30	-44.04	0.03947	4.40	-39.64	0.10864	-19.03	12.5
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.83338G	-36.95	-36.80	-33.86	0.41077	4.40	-29.46	1.1324	-26.02	2.5
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-45.66	-45.65	-42.64	0.05439	4.40	-38.24	0.14997	-26.02	2.5
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46987G	-41.94	-42.84	-39.36	0.11597	4.40	-34.96	0.31915	-19.03	12.5
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75612G	-46.88	-47.23	-44.04	0.03944	4.40	-39.64	0.10864	-19.03	12.5
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.85615G	-36.91	-36.52	-33.70	0.42655	4.40	-29.30	1.1749	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.25502G	-45.80	-45.97	-42.87	0.0516	4.40	-38.47	0.14223	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46998G	-41.91	-42.72	-39.29	0.11787	4.40	-34.89	0.32434	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74644G	-47.09	-47.09	-44.08	0.03909	4.40	-39.68	0.10765	-19.03	12.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.85868G	-37.02	-36.62	-33.81	0.41638	4.40	-29.41	1.14551	-26.02	2.5
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.23669G	-45.70	-46.17	-42.92	0.05107	4.40	-38.52	0.1406	-26.02	2.5
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4636G	-46.31	-47.57	-43.88	0.04089	4.40	-39.48	0.11272	-19.03	12.5
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75134G	-46.18	-47.11	-43.61	0.04355	4.40	-39.21	0.11995	-19.03	12.5
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.8435G	-37.24	-36.29	-33.73	0.42376	4.40	-29.33	1.16681	-26.02	2.5
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.26113G	-46.03	-45.82	-42.91	0.05113	4.40	-38.51	0.14093	-26.02	2.5
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46495G	-46.50	-47.45	-43.94	0.04038	4.40	-39.54	0.11117	-19.03	12.5
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74732G	-46.40	-47.15	-43.75	0.04218	4.40	-39.35	0.11614	-19.03	12.5
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.84097G	-36.72	-36.90	-33.80	0.41699	4.40	-29.40	1.14815	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.22787G	-45.86	-46.19	-43.01	0.04999	4.40	-38.61	0.13772	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46922G	-46.49	-47.58	-43.99	0.0399	4.40	-39.59	0.1099	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.7529G	-46.43	-47.04	-43.71	0.04252	4.40	-39.31	0.11722	-19.03	12.5
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.83591G	-37.42	-36.39	-33.86	0.41075	4.40	-29.46	1.1324	-26.02	2.5
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.23737G	-46.33	-45.68	-42.98	0.05032	4.40	-38.58	0.13868	-26.02	2.5
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46888G	-47.13	-47.62	-44.36	0.03666	4.40	-39.96	0.10093	-19.03	12.5
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.745G	-38.74	-39.21	-35.96	0.25361	4.40	-31.56	0.69823	-19.03	12.5
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.87132G	-36.49	-36.68	-33.57	0.43917	4.40	-29.17	1.2106	-26.02	2.5
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.2333G	-46.03	-46.05	-43.03	0.04978	4.40	-38.63	0.13709	-26.02	2.5
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46873G	-47.26	-47.46	-44.35	0.03674	4.40	-39.95	0.10116	-19.03	12.5
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74506G	-39.13	-39.15	-36.13	0.2438	4.40	-31.73	0.67143	-19.03	12.5
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.83844G	-36.84	-36.64	-33.73	0.42378	4.40	-29.33	1.16681	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.22176G	-46.31	-45.64	-42.95	0.05068	4.40	-38.55	0.13964	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.4673G	-47.25	-47.46	-44.34	0.03678	4.40	-39.94	0.10139	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74504G	-38.82	-39.19	-35.99	0.25172	4.40	-31.59	0.69343	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.83844G	-36.90	-36.86	-33.87	0.41024	4.40	-29.47	1.1298	-26.02	2.5
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.04487G	-45.57	-46.60	-43.04	0.04961	4.40	-38.64	0.13677	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14998G	-45.53	-45.94	-42.72	0.05346	4.40	-38.32	0.14723	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.50	-46.48	-43.48	0.04488	4.40	-39.08	0.12359	-9.96	100.93
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25995G	-46.67	-46.38	-43.51	0.04454	4.40	-39.11	0.12274	-17.97	15.96
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26669G	-46.83	-46.68	-43.74	0.04223	4.40	-39.34	0.11641	-26.01	2.51
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84739G	-36.69	-37.02	-33.84	0.4129	4.40	-29.44	1.13763	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.142G	-46.18	-46.20	-43.18	0.04809	4.40	-38.78	0.13243	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14998G	-45.51	-46.02	-42.75	0.05312	4.40	-38.35	0.14622	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.58	-46.51	-43.53	0.04431	4.40	-39.13	0.12218	-9.95	101.16
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25998G	-46.47	-46.83	-43.64	0.04329	4.40	-39.24	0.11912	-18.00	15.85
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26667G	-46.45	-46.90	-43.66	0.04306	4.40	-39.26	0.11858	-25.99	2.52
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84739G	-36.36	-37.13	-33.72	0.42485	4.40	-29.32	1.1695	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.05957G	-46.52	-46.04	-43.26	0.04717	4.40	-38.86	0.13002	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14999G	-45.70	-45.87	-42.77	0.0528	4.40	-38.37	0.14555	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-46.42	-46.49	-43.44	0.04524	4.40	-39.04	0.12474	-9.93	101.62
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25994G	-46.38	-46.76	-43.56	0.0441	4.40	-39.16	0.12134	-17.96	16
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26669G	-46.78	-46.77	-43.76	0.04203	4.40	-39.36	0.11588	-26.01	2.51
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84998G	-36.59	-36.97	-33.77	0.42019	4.40	-29.37	1.15611	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	4.97842G	-46.29	-46.25	-43.26	0.04721	4.40	-38.86	0.13002	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14784G	-47.00	-46.75	-43.86	0.04109	4.40	-39.46	0.11324	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.48	-46.47	-43.46	0.04503	4.40	-39.06	0.12417	-9.97	100.69
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25996G	-46.37	-46.75	-43.55	0.0442	4.40	-39.15	0.12162	-17.98	15.92
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26661G	-46.58	-46.69	-43.62	0.04341	4.40	-39.22	0.11967	-25.92	2.56
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.83703G	-36.90	-36.38	-33.62	0.43432	4.40	-29.22	1.19674	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.02123G	-46.01	-46.58	-43.28	0.04704	4.40	-38.88	0.12942	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14935G	-46.81	-46.96	-43.87	0.04098	4.40	-39.47	0.11298	-18.24	15
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.43	-46.62	-43.51	0.04453	4.40	-39.11	0.12274	-9.96	100.93
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25998G	-46.51	-46.62	-43.55	0.04411	4.40	-39.15	0.12162	-18.00	15.85
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26667G	-46.74	-46.55	-43.63	0.04331	4.40	-39.23	0.1194	-25.98	2.52
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.8448G	-36.30	-36.92	-33.59	0.43766	4.40	-29.19	1.20504	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.05701G	-45.94	-46.56	-43.23	0.04755	4.40	-38.83	0.13092	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14907G	-46.77	-46.94	-43.84	0.04127	4.40	-39.44	0.11376	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.34	-46.47	-43.39	0.04577	4.40	-38.99	0.12618	-9.97	100.69
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25999G	-46.51	-46.60	-43.54	0.04421	4.40	-39.14	0.1219	-18.01	15.81
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26665G	-46.64	-46.72	-43.67	0.04296	4.40	-39.27	0.1183	-25.96	2.54
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85776G	-36.89	-36.30	-33.57	0.43907	4.40	-29.17	1.2106	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.06085G	-46.37	-46.26	-43.30	0.04673	4.40	-38.90	0.12882	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14949G	-47.04	-47.01	-44.01	0.03968	4.40	-39.61	0.1094	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25092G	-25.12	-25.60	-22.34	5.83033	4.40	-17.94	16.06941	-9.16	121.34
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25102G	-26.00	-27.14	-23.52	4.44385	4.40	-19.12	12.24616	-10.02	99.54
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26663G	-45.85	-45.85	-42.84	0.052	4.40	-38.44	0.14322	-25.93	2.55
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.86294G	-36.93	-36.70	-33.80	0.41656	4.40	-29.40	1.14815	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.0519G	-46.48	-46.14	-43.30	0.04681	4.40	-38.90	0.12882	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14816G	-47.00	-46.93	-43.95	0.04023	4.40	-39.55	0.11092	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25087G	-24.72	-25.09	-21.89	6.47029	4.40	-17.49	17.82379	-8.74	133.66
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.251G	-26.35	-26.93	-23.62	4.34508	4.40	-19.22	11.96741	-10.00	100
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26668G	-45.87	-45.55	-42.70	0.05374	4.40	-38.30	0.14791	-26.00	2.51
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.85517G	-36.53	-36.74	-33.62	0.43417	4.40	-29.22	1.19674	-26.02	2.5
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.02634G	-45.73	-46.58	-43.12	0.04871	4.40	-38.72	0.13428	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14927G	-46.78	-47.25	-44.00	0.03983	4.40	-39.60	0.10965	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25091G	-24.90	-25.76	-22.30	5.89054	4.40	-17.90	16.2181	-9.05	124.45
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25101G	-26.27	-26.86	-23.54	4.42111	4.40	-19.14	12.1899	-10.01	99.77
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26661G	-46.13	-45.52	-42.80	0.05243	4.40	-38.40	0.14454	-25.91	2.56
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84998G	-37.30	-36.41	-33.82	0.41477	4.40	-29.42	1.14288	-26.02	2.5
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23265G	-44.85	-45.55	-42.18	0.0606	4.40	-37.78	0.16672	-26.02	2.5
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23346G	-44.98	-45.20	-42.08	0.06197	4.40	-37.68	0.17061	-25.83	2.61
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.249G	-25.81	-26.19	-22.99	5.02858	4.40	-18.59	13.83566	-10.00	100
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24903G	-24.82	-25.14	-21.97	6.35806	4.40	-17.57	17.49847	-9.66	108.14
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.84888G	-36.90	-36.63	-33.75	0.42144	4.40	-29.35	1.16145	-26.02	2.5
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23265G	-44.89	-45.51	-42.18	0.06055	4.40	-37.78	0.16672	-26.02	2.5
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23336G	-44.86	-45.46	-42.14	0.0611	4.40	-37.74	0.16827	-25.95	2.54
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-25.53	-25.91	-22.71	5.36347	4.40	-18.31	14.75707	-10.01	99.77
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-25.76	-25.15	-22.43	5.70953	4.40	-18.03	15.73983	-9.94	101.39
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.8463G	-36.58	-37.10	-33.82	0.41477	4.40	-29.42	1.14288	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23265G	-44.99	-44.81	-41.89	0.06473	4.40	-37.49	0.17824	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23335G	-45.19	-45.38	-42.27	0.05924	4.40	-37.87	0.16331	-25.96	2.54
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24897G	-25.76	-26.07	-22.90	5.12633	4.40	-18.50	14.12538	-10.02	99.54
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24906G	-24.70	-24.99	-21.83	6.55801	4.40	-17.43	18.07174	-9.42	114.29
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.86695G	-36.56	-36.66	-33.60	0.43657	4.40	-29.20	1.20226	-26.02	2.5
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.21054G	-45.61	-46.03	-42.80	0.05242	4.40	-38.40	0.14454	-26.02	2.5
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.2333G	-46.28	-46.55	-43.40	0.04568	4.40	-39.00	0.12589	-26.02	2.5
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24003G	-46.32	-46.35	-43.32	0.04651	4.40	-38.92	0.12823	-17.99	15.89
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-45.70	-46.19	-42.93	0.05096	4.40	-38.53	0.14028	-9.94	101.39
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.85146G	-36.78	-36.82	-33.79	0.41786	4.40	-29.39	1.1508	-26.02	2.5
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23265G	-45.95	-45.69	-42.81	0.05239	4.40	-38.41	0.14421	-26.02	2.5
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.2333G	-46.22	-46.26	-43.23	0.04754	4.40	-38.83	0.13092	-26.02	2.5
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24003G	-46.32	-46.39	-43.34	0.0463	4.40	-38.94	0.12764	-17.99	15.89
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-45.99	-45.91	-42.94	0.05082	4.40	-38.54	0.13996	-9.97	100.69
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.83856G	-37.30	-36.62	-33.94	0.40398	4.40	-29.54	1.11173	-26.02	2.5
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22094G	-45.93	-45.91	-42.91	0.05117	4.40	-38.51	0.14093	-26.02	2.5
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-46.35	-46.46	-43.39	0.04577	4.40	-38.99	0.12618	-26.00	2.51
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24001G	-46.42	-46.32	-43.36	0.04614	4.40	-38.96	0.12706	-18.01	15.81
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-45.98	-46.03	-42.99	0.05018	4.40	-38.59	0.13836	-10.00	100
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.85921G	-36.54	-36.88	-33.70	0.42694	4.40	-29.30	1.1749	-26.02	2.5
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.20143G	-45.47	-45.98	-42.71	0.05361	4.40	-38.31	0.14757	-26.02	2.5
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.2333G	-46.10	-46.64	-43.35	0.04622	4.40	-38.95	0.12735	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24006G	-46.14	-46.41	-43.26	0.04718	4.40	-38.86	0.13002	-17.96	16
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-46.35	-46.60	-43.46	0.04505	4.40	-39.06	0.12417	-9.94	101.39
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.84888G	-36.80	-36.79	-33.78	0.41834	4.40	-29.38	1.15345	-26.02	2.5
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.19428G	-45.59	-46.00	-42.78	0.05272	4.40	-38.38	0.14521	-26.02	2.5
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23337G	-46.36	-46.38	-43.36	0.04614	4.40	-38.96	0.12706	-25.94	2.55
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24001G	-46.34	-46.53	-43.42	0.04546	4.40	-39.02	0.12531	-18.01	15.81
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.37	-46.70	-43.52	0.04445	4.40	-39.12	0.12246	-9.97	100.69
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.8463G	-37.01	-36.91	-33.95	0.40277	4.40	-29.55	1.10917	-26.02	2.5
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22224G	-45.45	-46.34	-42.86	0.05174	4.40	-38.46	0.14256	-26.02	2.5
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23336G	-46.48	-46.21	-43.33	0.04642	4.40	-38.93	0.12794	-25.95	2.54
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24002G	-46.43	-46.45	-43.43	0.0454	4.40	-39.03	0.12503	-18.00	15.85
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.38	-46.79	-43.57	0.04396	4.40	-39.17	0.12106	-9.99	100.23
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.84888G	-36.91	-36.92	-33.90	0.40694	4.40	-29.50	1.12202	-26.02	2.5
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45864G	-44.94	-45.27	-42.09	0.06178	4.40	-37.69	0.17022	-26.02	2.5
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.47G	-40.54	-41.29	-37.89	0.16261	4.40	-33.49	0.44771	-19.03	12.5
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75488G	-46.98	-47.07	-44.01	0.03968	4.40	-39.61	0.1094	-19.03	12.5
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.84856G	-36.24	-36.94	-33.57	0.43999	4.40	-29.17	1.2106	-26.02	2.5
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-45.02	-45.45	-42.22	0.05999	4.40	-37.82	0.1652	-26.02	2.5
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46993G	-40.81	-41.50	-38.13	0.15378	4.40	-33.73	0.42364	-19.03	12.5
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.76082G	-46.79	-47.21	-43.98	0.03995	4.40	-39.58	0.11015	-19.03	12.5
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.85868G	-36.64	-36.94	-33.78	0.41907	4.40	-29.38	1.15345	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-44.55	-45.33	-41.91	0.06438	4.40	-37.51	0.17742	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46997G	-40.80	-41.40	-38.08	0.15562	4.40	-33.68	0.42855	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74706G	-47.11	-46.82	-43.95	0.04025	4.40	-39.55	0.11092	-19.03	12.5
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.84603G	-36.63	-36.55	-33.58	0.43858	4.40	-29.18	1.20781	-26.02	2.5
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.25841G	-45.86	-46.25	-43.04	0.04966	4.40	-38.64	0.13677	-26.02	2.5
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46902G	-46.54	-47.39	-43.93	0.04042	4.40	-39.53	0.11143	-19.03	12.5
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.76144G	-46.12	-47.22	-43.62	0.0434	4.40	-39.22	0.11967	-19.03	12.5
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.85109G	-36.70	-36.73	-33.70	0.42612	4.40	-29.30	1.1749	-26.02	2.5
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.24619G	-46.41	-45.64	-43.00	0.05015	4.40	-38.60	0.13804	-26.02	2.5
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46125G	-46.62	-47.44	-44.00	0.03981	4.40	-39.60	0.10965	-19.03	12.5
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75344G	-46.28	-47.21	-43.71	0.04256	4.40	-39.31	0.11722	-19.03	12.5
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.85109G	-36.72	-37.06	-33.88	0.4096	4.40	-29.48	1.1272	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.22719G	-45.85	-45.96	-42.89	0.05135	4.40	-38.49	0.14158	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46937G	-46.63	-47.40	-43.99	0.03992	4.40	-39.59	0.1099	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.7597G	-46.33	-47.11	-43.69	0.04273	4.40	-39.29	0.11776	-19.03	12.5
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.83844G	-36.97	-36.49	-33.71	0.4253	4.40	-29.31	1.1722	-26.02	2.5
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.22651G	-46.10	-45.84	-42.96	0.05061	4.40	-38.56	0.13932	-26.02	2.5
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46786G	-47.32	-47.29	-44.29	0.0372	4.40	-39.89	0.10257	-19.03	12.5
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.745G	-36.34	-36.53	-33.42	0.4546	4.40	-29.02	1.25314	-19.03	12.5
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.8435G	-36.88	-36.91	-33.88	0.40882	4.40	-29.48	1.1272	-26.02	2.5
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.21633G	-45.57	-46.26	-42.89	0.05139	4.40	-38.49	0.14158	-26.02	2.5
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46862G	-47.04	-47.43	-44.22	0.03784	4.40	-39.82	0.10423	-19.03	12.5
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.7451G	-36.37	-36.75	-33.55	0.44202	4.40	-29.15	1.21619	-19.03	12.5
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.8435G	-36.22	-37.25	-33.69	0.42715	4.40	-29.29	1.17761	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.22923G	-45.58	-46.05	-42.80	0.0525	4.40	-38.40	0.14454	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46781G	-46.94	-47.60	-44.25	0.03761	4.40	-39.85	0.10351	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74512G	-36.55	-36.48	-33.50	0.44621	4.40	-29.10	1.23027	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.84097G	-36.72	-36.71	-33.70	0.42612	4.40	-29.30	1.1749	-26.02	2.5
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.05598G	-45.78	-46.35	-43.05	0.0496	4.40	-38.65	0.13646	-26.02	2.5
5190MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14959G	-46.21	-46.34	-43.26	0.04716	4.40	-38.86	0.13002	-18.24	15
5190MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.11	-46.35	-43.22	0.04766	4.40	-38.82	0.13122	-12.98	50.35
5190MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.26991G	-46.57	-46.51	-43.53	0.04436	4.40	-39.13	0.12218	-20.98	7.98
5190MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27837G	-46.64	-46.74	-43.68	0.04286	4.40	-39.28	0.11803	-26.01	2.51
5190MHz_TnomVnom	Pass	5.2784G	26G	1M	19.8405G	-36.49	-36.61	-33.54	0.44266	4.40	-29.14	1.21899	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.0432G	-45.89	-46.02	-42.94	0.05077	4.40	-38.54	0.13996	-26.02	2.5
5190MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14918G	-46.10	-46.44	-43.26	0.04725	4.40	-38.86	0.13002	-18.24	15
5190MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-46.08	-46.28	-43.17	0.04821	4.40	-38.77	0.13274	-12.89	51.4
5190MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26979G	-46.45	-46.49	-43.46	0.04509	4.40	-39.06	0.12417	-20.94	8.05
5190MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27839G	-46.68	-46.78	-43.72	0.04247	4.40	-39.32	0.11695	-26.02	2.5
5190MHz_TnomVmin	Pass	5.2784G	26G	1M	19.83532G	-36.42	-36.73	-33.56	0.44036	4.40	-29.16	1.21339	-26.02	2.5
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.08985G	-45.80	-46.46	-43.11	0.0489	4.40	-38.71	0.13459	-26.02	2.5
5190MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14966G	-46.22	-46.30	-43.25	0.04732	4.40	-38.85	0.13032	-18.24	15
5190MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-45.97	-46.38	-43.16	0.04831	4.40	-38.76	0.13305	-12.94	50.82
5190MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26996G	-46.48	-46.61	-43.53	0.04432	4.40	-39.13	0.12218	-21.01	7.93
5190MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27838G	-46.55	-46.76	-43.64	0.04322	4.40	-39.24	0.11912	-26.01	2.51
5190MHz_TnomVmax	Pass	5.2784G	26G	1M	19.84828G	-36.49	-36.66	-33.56	0.44016	4.40	-29.16	1.21339	-26.02	2.5
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	4.96397G	-46.14	-45.88	-43.00	0.05014	4.40	-38.60	0.13804	-26.02	2.5
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14982G	-46.63	-46.70	-43.65	0.04311	4.40	-39.25	0.11885	-18.24	15
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-31.15	-32.46	-28.75	1.33491	4.40	-24.35	3.67282	-12.82	52.24
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.251G	-31.15	-33.30	-29.08	1.2351	4.40	-24.68	3.40408	-13.01	50
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.2784G	-46.48	-46.49	-43.47	0.04493	4.40	-39.07	0.12388	-26.02	2.5
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.8405G	-36.41	-36.50	-33.44	0.45243	4.40	-29.04	1.24738	-26.02	2.5
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	5.04384G	-46.77	-45.61	-43.14	0.04852	4.40	-38.74	0.13366	-26.02	2.5
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14544G	-46.56	-46.77	-43.65	0.04312	4.40	-39.25	0.11885	-18.24	15
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-31.40	-32.37	-28.85	1.30386	4.40	-24.45	3.58922	-12.96	50.58
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.25102G	-31.54	-32.57	-29.01	1.25481	4.40	-24.61	3.45939	-13.02	49.89
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27834G	-46.21	-46.52	-43.35	0.04622	4.40	-38.95	0.12735	-25.99	2.52
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.85087G	-36.67	-36.42	-33.53	0.44331	4.40	-29.13	1.2218	-26.02	2.5
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	5.05981G	-46.17	-45.92	-43.03	0.04974	4.40	-38.63	0.13709	-26.02	2.5
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14994G	-46.72	-46.74	-43.72	0.04247	4.40	-39.32	0.11695	-18.24	15
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-31.33	-32.05	-28.66	1.35994	4.40	-24.26	3.74973	-12.92	51.05
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.251G	-31.25	-32.59	-28.86	1.3007	4.40	-24.46	3.58096	-13.01	50
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27822G	-46.46	-46.22	-43.33	0.04647	4.40	-38.93	0.12794	-25.91	2.56
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.84568G	-36.12	-37.16	-33.60	0.43665	4.40	-29.20	1.20226	-26.02	2.5
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.20871G	-45.26	-46.10	-42.65	0.05433	4.40	-38.25	0.14962	-26.02	2.5
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.2216G	-44.52	-45.02	-41.75	0.0668	4.40	-37.35	0.18408	-26.02	2.5
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22163G	-44.61	-44.89	-41.74	0.06703	4.40	-37.34	0.1845	-26.01	2.51
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23281G	-39.42	-40.12	-36.75	0.21156	4.40	-32.35	0.5821	-19.84	10.38
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24902G	-32.60	-32.80	-29.69	1.07435	4.40	-25.29	2.95801	-12.86	51.76
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35284G	-46.52	-46.35	-43.42	0.04546	4.40	-39.02	0.12531	-18.24	15
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.84364G	-36.27	-36.66	-33.45	0.45182	4.40	-29.05	1.24451	-26.02	2.5
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.20223G	-45.76	-46.16	-42.95	0.05076	4.40	-38.55	0.13964	-26.02	2.5
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.22145G	-44.73	-45.00	-41.85	0.06527	4.40	-37.45	0.17989	-26.02	2.5
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22217G	-44.03	-45.01	-41.48	0.07109	4.40	-37.08	0.19588	-25.68	2.7
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23257G	-39.41	-40.15	-36.75	0.21116	4.40	-32.35	0.5821	-19.94	10.14
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-32.68	-33.23	-29.94	1.01485	4.40	-25.54	2.79254	-12.96	50.58
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.3558G	-46.52	-46.53	-43.51	0.04452	4.40	-39.11	0.12274	-18.24	15
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.84106G	-36.04	-36.93	-33.45	0.45165	4.40	-29.05	1.24451	-26.02	2.5
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.20029G	-46.21	-45.29	-42.72	0.05351	4.40	-38.32	0.14723	-26.02	2.5
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.22144G	-44.62	-45.03	-41.81	0.06592	4.40	-37.41	0.18155	-26.02	2.5
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22177G	-44.32	-44.90	-41.59	0.06934	4.40	-37.19	0.19099	-25.92	2.56
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23226G	-39.28	-40.79	-36.96	0.2014	4.40	-32.56	0.55463	-20.07	9.84
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-32.64	-33.09	-29.85	1.03541	4.40	-25.45	2.85102	-12.99	50.23
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35559G	-46.43	-46.68	-43.54	0.04423	4.40	-39.14	0.1219	-18.24	15
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.84622G	-36.36	-36.45	-33.39	0.45767	4.40	-28.99	1.26183	-26.02	2.5
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.20806G	-46.20	-45.42	-42.78	0.0527	4.40	-38.38	0.14521	-26.02	2.5
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.22035G	-46.31	-46.10	-43.19	0.04794	4.40	-38.79	0.13213	-26.02	2.5
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22162G	-46.20	-46.29	-43.23	0.04748	4.40	-38.83	0.13092	-26.01	2.51
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.2301G	-46.06	-46.24	-43.14	0.04854	4.40	-38.74	0.13366	-20.98	7.98
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-45.98	-46.16	-43.06	0.04945	4.40	-38.66	0.13614	-12.95	50.7



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35011G	-41.38	-41.88	-38.61	0.13764	4.40	-34.21	0.37931	-18.24	15
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.84622G	-37.13	-36.27	-33.67	0.42969	4.40	-29.27	1.18304	-26.02	2.5
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.16014G	-46.27	-45.61	-42.92	0.05108	4.40	-38.52	0.1406	-26.02	2.5
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.21909G	-46.17	-46.13	-43.14	0.04853	4.40	-38.74	0.13366	-26.02	2.5
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22161G	-46.24	-46.29	-43.25	0.04726	4.40	-38.85	0.13032	-26.02	2.5
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23G	-46.09	-46.28	-43.17	0.04815	4.40	-38.77	0.13274	-21.02	7.91
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-45.93	-46.09	-43.00	0.05013	4.40	-38.60	0.13804	-12.89	51.4
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35003G	-41.34	-41.67	-38.49	0.14153	4.40	-34.09	0.38994	-18.24	15
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.83848G	-36.59	-36.43	-33.50	0.44679	4.40	-29.10	1.23027	-26.02	2.5
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.15691G	-45.51	-46.13	-42.80	0.0525	4.40	-38.40	0.14454	-26.02	2.5
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21864G	-45.86	-46.39	-43.11	0.0489	4.40	-38.71	0.13459	-26.02	2.5
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22173G	-46.21	-46.16	-43.17	0.04814	4.40	-38.77	0.13274	-25.95	2.54
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23013G	-45.97	-46.27	-43.11	0.0489	4.40	-38.71	0.13459	-20.97	8
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-45.98	-46.23	-43.09	0.04906	4.40	-38.69	0.13521	-12.99	50.23
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35001G	-41.24	-42.26	-38.71	0.13459	4.40	-34.31	0.37068	-18.24	15
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.8488G	-37.06	-36.23	-33.61	0.43502	4.40	-29.21	1.1995	-26.02	2.5
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-37.71	-37.33	-34.51	0.35436	4.40	-30.11	0.97499	-19.03	12.5
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46999G	-30.04	-31.27	-27.60	1.73728	4.40	-23.20	4.7863	-13.01	50
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.84755G	-36.66	-37.36	-33.99	0.39943	4.40	-29.59	1.09901	-19.03	12.5
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-36.70	-38.75	-34.59	0.34715	4.40	-30.19	0.95719	-19.03	12.5
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46997G	-30.39	-30.84	-27.60	1.73825	4.40	-23.20	4.7863	-13.01	50
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.86525G	-36.58	-37.56	-34.03	0.39517	4.40	-29.63	1.08893	-19.03	12.5
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-38.57	-38.31	-35.43	0.28657	4.40	-31.03	0.78886	-19.03	12.5
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46988G	-30.50	-30.88	-27.68	1.70783	4.40	-23.28	4.69894	-13.01	50
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-36.98	-36.78	-33.87	0.41034	4.40	-29.47	1.1298	-19.03	12.5
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.23398G	-46.52	-45.96	-43.22	0.04764	4.40	-38.82	0.13122	-19.03	12.5
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46986G	-46.70	-47.55	-44.09	0.03896	4.40	-39.69	0.1074	-13.01	50
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.84249G	-37.37	-37.05	-34.20	0.38047	4.40	-29.80	1.04713	-19.03	12.5
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.23601G	-46.51	-45.59	-43.02	0.04994	4.40	-38.62	0.1374	-19.03	12.5
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46921G	-46.61	-47.64	-44.08	0.03905	4.40	-39.68	0.10765	-13.01	50
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.85767G	-36.74	-37.17	-33.94	0.4037	4.40	-29.54	1.11173	-19.03	12.5
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.21701G	-46.48	-45.73	-43.08	0.04922	4.40	-38.68	0.13552	-19.03	12.5
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46138G	-46.58	-47.51	-44.01	0.03972	4.40	-39.61	0.1094	-13.01	50
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.84502G	-36.98	-36.75	-33.85	0.4118	4.40	-29.45	1.13501	-19.03	12.5
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.25095G	-46.09	-46.10	-43.08	0.04915	4.40	-38.68	0.13552	-19.03	12.5
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46977G	-47.06	-47.91	-44.45	0.03586	4.40	-40.05	0.09886	-13.01	50
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.84502G	-36.66	-37.33	-33.97	0.4007	4.40	-29.57	1.10408	-19.03	12.5
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.23058G	-46.29	-45.91	-43.09	0.04914	4.40	-38.69	0.13521	-19.03	12.5
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.4698G	-47.04	-47.99	-44.48	0.03566	4.40	-40.08	0.09817	-13.01	50
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.86525G	-37.68	-36.59	-34.09	0.38989	4.40	-29.69	1.07399	-19.03	12.5
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.24009G	-46.36	-46.01	-43.17	0.04818	4.40	-38.77	0.13274	-19.03	12.5
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46553G	-47.19	-47.81	-44.48	0.03566	4.40	-40.08	0.09817	-13.01	50
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.85514G	-36.85	-36.89	-33.86	0.41118	4.40	-29.46	1.1324	-19.03	12.5
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.01484G	-45.70	-46.77	-43.19	0.04795	4.40	-38.79	0.13213	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14917G	-46.40	-46.52	-43.45	0.04519	4.40	-39.05	0.12445	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-46.45	-46.46	-43.44	0.04524	4.40	-39.04	0.12474	-9.91	102.09
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25996G	-46.55	-46.53	-43.53	0.04436	4.40	-39.13	0.12218	-17.98	15.92
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26669G	-46.70	-46.74	-43.71	0.04256	4.40	-39.31	0.11722	-26.01	2.51
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85258G	-37.24	-36.58	-33.89	0.40859	4.40	-29.49	1.1246	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.03145G	-46.53	-46.10	-43.30	0.04678	4.40	-38.90	0.12882	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14947G	-46.45	-46.42	-43.42	0.04545	4.40	-39.02	0.12531	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.49	-46.61	-43.54	0.04427	4.40	-39.14	0.1219	-9.99	100.23
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.26G	-46.39	-46.83	-43.59	0.04371	4.40	-39.19	0.1205	-18.01	15.81
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26667G	-46.62	-46.81	-43.70	0.04262	4.40	-39.30	0.11749	-25.98	2.52



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84998G	-36.96	-36.75	-33.84	0.41272	4.40	-29.44	1.13763	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.13944G	-46.00	-46.54	-43.25	0.0473	4.40	-38.85	0.13032	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.15G	-46.59	-46.32	-43.44	0.04526	4.40	-39.04	0.12474	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.33	-46.72	-43.51	0.04456	4.40	-39.11	0.12274	-9.97	100.69
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25993G	-46.41	-46.69	-43.54	0.04428	4.40	-39.14	0.1219	-17.95	16.03
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26669G	-46.67	-46.82	-43.73	0.04232	4.40	-39.33	0.11668	-26.01	2.51
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84998G	-36.28	-36.75	-33.50	0.44685	4.40	-29.10	1.23027	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.05637G	-45.86	-46.25	-43.04	0.04966	4.40	-38.64	0.13677	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14952G	-46.73	-46.98	-43.84	0.04128	4.40	-39.44	0.11376	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-46.56	-46.42	-43.48	0.04488	4.40	-39.08	0.12359	-9.97	100.69
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25999G	-46.64	-46.50	-43.56	0.04406	4.40	-39.16	0.12134	-18.01	15.81
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26665G	-46.73	-46.65	-43.68	0.04286	4.40	-39.28	0.11803	-25.96	2.54
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.85258G	-36.49	-37.22	-33.83	0.41406	4.40	-29.43	1.14025	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.02634G	-46.23	-46.36	-43.28	0.04694	4.40	-38.88	0.12942	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14962G	-46.65	-47.12	-43.87	0.04104	4.40	-39.47	0.11298	-18.24	15
5200MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-46.33	-46.63	-43.47	0.04501	4.40	-39.07	0.12388	-9.98	100.46
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25989G	-46.35	-46.74	-43.53	0.04436	4.40	-39.13	0.12218	-17.92	16.14
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26669G	-46.43	-46.69	-43.55	0.04418	4.40	-39.15	0.12162	-26.01	2.51
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84221G	-36.42	-36.67	-33.53	0.44331	4.40	-29.13	1.2218	-26.02	2.5
5200MHz_TnomVmax	Pass	30M	5.142G	1M	4.95158G	-45.86	-46.67	-43.24	0.04747	4.40	-38.84	0.13062	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14532G	-46.71	-47.05	-43.87	0.04105	4.40	-39.47	0.11298	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.19	-46.44	-43.30	0.04674	4.40	-38.90	0.12882	-9.98	100.46
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.26G	-46.60	-46.52	-43.55	0.04416	4.40	-39.15	0.12162	-18.01	15.81
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26667G	-46.73	-46.51	-43.61	0.04357	4.40	-39.21	0.11995	-25.99	2.52
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.84998G	-36.49	-36.63	-33.55	0.44166	4.40	-29.15	1.21619	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.04743G	-45.91	-46.57	-43.22	0.04767	4.40	-38.82	0.13122	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14522G	-46.91	-47.00	-43.94	0.04032	4.40	-39.54	0.11117	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25085G	-24.03	-25.12	-21.53	7.02976	4.40	-17.13	19.36422	-8.53	140.28
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25101G	-25.97	-26.62	-23.27	4.70701	4.40	-18.87	12.97179	-10.01	99.77
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26661G	-45.04	-45.19	-42.10	0.0616	4.40	-37.70	0.16982	-25.92	2.56
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84739G	-36.58	-36.61	-33.58	0.43806	4.40	-29.18	1.20781	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.00014G	-46.20	-46.46	-43.32	0.04658	4.40	-38.92	0.12823	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14802G	-46.84	-47.18	-44.00	0.03984	4.40	-39.60	0.10965	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25097G	-25.34	-26.08	-22.68	5.39019	4.40	-18.28	14.85936	-9.67	107.89
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25102G	-26.09	-26.87	-23.45	4.51626	4.40	-19.05	12.44515	-10.02	99.54
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26669G	-45.00	-45.24	-42.11	0.06155	4.40	-37.71	0.16943	-26.01	2.51
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84739G	-37.12	-36.56	-33.82	0.41489	4.40	-29.42	1.14288	-26.02	2.5
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.04423G	-46.06	-46.53	-43.28	0.04701	4.40	-38.88	0.12942	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14501G	-46.68	-47.36	-44.00	0.03984	4.40	-39.60	0.10965	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-25.61	-26.44	-22.99	5.01776	4.40	-18.59	13.83566	-9.97	100.69
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25103G	-25.80	-26.43	-23.09	4.90537	4.40	-18.69	13.52073	-10.02	99.54
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26668G	-44.98	-45.31	-42.13	0.06121	4.40	-37.73	0.16866	-26.00	2.51
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85517G	-36.95	-36.89	-33.91	0.40648	4.40	-29.51	1.11944	-26.02	2.5
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.2333G	-44.96	-45.38	-42.15	0.06089	4.40	-37.75	0.16788	-26.02	2.5
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23339G	-45.10	-45.31	-42.19	0.06035	4.40	-37.79	0.16634	-25.92	2.56
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24896G	-25.84	-25.26	-22.53	5.58467	4.40	-18.13	15.38155	-10.04	99.08
5260MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24903G	-25.26	-24.67	-21.94	6.39045	4.40	-17.54	17.61976	-9.66	108.14
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.84888G	-36.71	-36.65	-33.67	0.42958	4.40	-29.27	1.18304	-26.02	2.5
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.2333G	-44.45	-44.96	-41.69	0.06781	4.40	-37.29	0.18664	-26.02	2.5
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23331G	-45.03	-45.51	-42.25	0.05952	4.40	-37.85	0.16406	-26.00	2.51
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.249G	-25.51	-26.06	-22.77	5.28932	4.40	-18.37	14.55459	-10.00	100
5260MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.2491G	-25.09	-23.93	-21.46	7.14318	4.40	-17.06	19.67886	-9.02	125.31
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.86695G	-36.66	-36.70	-33.67	0.42957	4.40	-29.27	1.18304	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2333G	-44.39	-45.23	-41.78	0.06638	4.40	-37.38	0.18281	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23333G	-45.05	-45.49	-42.25	0.05951	4.40	-37.85	0.16406	-25.98	2.52
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24898G	-25.98	-25.05	-22.48	5.64956	4.40	-18.08	15.55966	-10.02	99.54



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-25.26	-25.44	-22.34	5.83611	4.40	-17.94	16.06941	-9.93	101.62
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.85663G	-36.33	-36.76	-33.53	0.44367	4.40	-29.13	1.2218	-26.02	2.5
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.21834G	-45.55	-45.82	-42.67	0.05404	4.40	-38.27	0.14894	-26.02	2.5
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23333G	-46.26	-46.41	-43.32	0.04652	4.40	-38.92	0.12823	-25.98	2.52
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24003G	-46.15	-46.51	-43.32	0.0466	4.40	-38.92	0.12823	-17.99	15.89
5280MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-45.75	-45.93	-42.83	0.05213	4.40	-38.43	0.14355	-9.90	102.33
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.86695G	-36.95	-36.46	-33.69	0.42778	4.40	-29.29	1.17761	-26.02	2.5
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.21379G	-45.84	-45.87	-42.84	0.05194	4.40	-38.44	0.14322	-26.02	2.5
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23334G	-46.33	-46.29	-43.30	0.04678	4.40	-38.90	0.12882	-25.97	2.53
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24001G	-46.49	-46.27	-43.37	0.04604	4.40	-38.97	0.12677	-18.01	15.81
5280MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-45.68	-46.22	-42.93	0.05092	4.40	-38.53	0.14028	-9.90	102.33
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.84372G	-36.72	-36.73	-33.71	0.42514	4.40	-29.31	1.1722	-26.02	2.5
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.23265G	-45.25	-46.42	-42.79	0.05266	4.40	-38.39	0.14488	-26.02	2.5
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23332G	-46.36	-46.47	-43.40	0.04566	4.40	-39.00	0.12589	-26.00	2.51
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24G	-46.35	-46.40	-43.36	0.04608	4.40	-38.96	0.12706	-18.01	15.81
5280MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-45.94	-45.85	-42.88	0.05147	4.40	-38.48	0.14191	-10.00	100
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.84888G	-36.79	-36.35	-33.55	0.44115	4.40	-29.15	1.21619	-26.02	2.5
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23005G	-45.83	-46.24	-43.02	0.04989	4.40	-38.62	0.1374	-26.02	2.5
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23332G	-46.36	-46.22	-43.28	0.047	4.40	-38.88	0.12942	-26.00	2.51
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24001G	-46.32	-46.47	-43.38	0.04588	4.40	-38.98	0.12647	-18.01	15.81
5320MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.49	-46.61	-43.54	0.04427	4.40	-39.14	0.1219	-9.99	100.23
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.85663G	-36.75	-36.93	-33.83	0.41412	4.40	-29.43	1.14025	-26.02	2.5
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.2307G	-45.65	-46.05	-42.84	0.05206	4.40	-38.44	0.14322	-26.02	2.5
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23333G	-46.39	-46.33	-43.35	0.04624	4.40	-38.95	0.12735	-25.98	2.52
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24004G	-46.24	-46.66	-43.43	0.04535	4.40	-39.03	0.12503	-17.98	15.92
5320MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-46.41	-46.57	-43.48	0.04489	4.40	-39.08	0.12359	-9.96	100.93
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.85663G	-36.81	-36.40	-33.59	0.43754	4.40	-29.19	1.20504	-26.02	2.5
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22615G	-45.41	-45.76	-42.57	0.05532	4.40	-38.17	0.15241	-26.02	2.5
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-46.40	-46.52	-43.45	0.04519	4.40	-39.05	0.12445	-26.02	2.5
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24G	-46.38	-46.31	-43.33	0.0464	4.40	-38.93	0.12794	-18.01	15.81
5320MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-46.44	-46.40	-43.41	0.04561	4.40	-39.01	0.1256	-9.91	102.09
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.84888G	-36.53	-37.09	-33.79	0.41776	4.40	-29.39	1.1508	-26.02	2.5
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45932G	-44.67	-45.34	-41.98	0.06336	4.40	-37.58	0.17458	-26.02	2.5
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46982G	-40.78	-41.50	-38.11	0.15435	4.40	-33.71	0.4256	-19.03	12.5
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.7502G	-47.18	-46.88	-44.02	0.03965	4.40	-39.62	0.10914	-19.03	12.5
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.87132G	-36.88	-36.55	-33.70	0.42643	4.40	-29.30	1.1749	-26.02	2.5
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.45864G	-45.30	-45.35	-42.31	0.05869	4.40	-37.91	0.16181	-26.02	2.5
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46998G	-40.79	-41.06	-37.91	0.16171	4.40	-33.51	0.44566	-19.03	12.5
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74534G	-47.01	-47.06	-44.02	0.03959	4.40	-39.62	0.10914	-19.03	12.5
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.85615G	-36.96	-36.82	-33.88	0.40934	4.40	-29.48	1.1272	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-44.76	-44.98	-41.86	0.06519	4.40	-37.46	0.17947	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46985G	-40.89	-41.28	-38.07	0.15594	4.40	-33.67	0.42954	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74746G	-46.77	-47.22	-43.98	0.04	4.40	-39.58	0.11015	-19.03	12.5
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.85362G	-37.23	-36.46	-33.82	0.41518	4.40	-29.42	1.14288	-26.02	2.5
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.23669G	-45.73	-46.02	-42.86	0.05173	4.40	-38.46	0.14256	-26.02	2.5
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4616G	-46.19	-47.47	-43.77	0.04195	4.40	-39.37	0.11561	-19.03	12.5
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74984G	-46.19	-47.15	-43.63	0.04332	4.40	-39.23	0.1194	-19.03	12.5
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.8435G	-37.03	-36.74	-33.87	0.40999	4.40	-29.47	1.1298	-26.02	2.5
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.23194G	-45.50	-46.57	-42.99	0.05021	4.40	-38.59	0.13836	-26.02	2.5
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46525G	-46.46	-47.25	-43.83	0.04143	4.40	-39.43	0.11402	-19.03	12.5
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74892G	-46.25	-47.07	-43.63	0.04335	4.40	-39.23	0.1194	-19.03	12.5
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.83844G	-37.07	-36.78	-33.91	0.40623	4.40	-29.51	1.11944	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.2333G	-45.53	-46.25	-42.86	0.0517	4.40	-38.46	0.14256	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46424G	-46.30	-47.61	-43.90	0.04078	4.40	-39.50	0.1122	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74698G	-46.44	-46.84	-43.63	0.0434	4.40	-39.23	0.1194	-19.03	12.5
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.86627G	-37.39	-35.97	-33.61	0.43532	4.40	-29.21	1.1995	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.22651G	-45.93	-46.01	-42.96	0.05059	4.40	-38.56	0.13932	-26.02	2.5
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46823G	-46.97	-47.57	-44.25	0.03759	4.40	-39.85	0.10351	-19.03	12.5
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74508G	-36.02	-36.72	-33.35	0.46285	4.40	-28.95	1.2735	-19.03	12.5
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.84603G	-36.91	-36.80	-33.84	0.41263	4.40	-29.44	1.13763	-26.02	2.5
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.22855G	-45.77	-45.81	-42.78	0.05273	4.40	-38.38	0.14521	-26.02	2.5
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46584G	-46.96	-47.65	-44.28	0.03732	4.40	-39.88	0.1028	-19.03	12.5
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74512G	-36.47	-36.44	-33.44	0.45241	4.40	-29.04	1.24738	-19.03	12.5
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.83085G	-36.69	-36.98	-33.82	0.41474	4.40	-29.42	1.14288	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.24144G	-46.02	-45.86	-42.93	0.05095	4.40	-38.53	0.14028	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46992G	-47.04	-47.49	-44.25	0.03759	4.40	-39.85	0.10351	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.745G	-36.55	-36.35	-33.44	0.45305	4.40	-29.04	1.24738	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.85109G	-36.59	-36.68	-33.62	0.43406	4.40	-29.22	1.19674	-26.02	2.5
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.0464G	-46.25	-46.70	-43.46	0.04509	4.40	-39.06	0.12417	-26.02	2.5
5190MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14972G	-46.75	-47.06	-43.89	0.04081	4.40	-39.49	0.11246	-18.24	15
5190MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-46.71	-46.68	-43.68	0.04281	4.40	-39.28	0.11803	-12.91	51.17
5190MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.26996G	-47.14	-47.08	-44.10	0.03891	4.40	-39.70	0.10715	-21.01	7.93
5190MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27837G	-47.12	-47.38	-44.24	0.03769	4.40	-39.84	0.10375	-26.00	2.51
5190MHz_TnomVnom	Pass	5.2784G	26G	1M	19.84828G	-37.43	-36.59	-33.98	0.4	4.40	-29.58	1.10154	-26.02	2.5
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.13904G	-46.16	-47.10	-43.59	0.04371	4.40	-39.19	0.1205	-26.02	2.5
5190MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14996G	-46.77	-47.00	-43.87	0.04099	4.40	-39.47	0.11298	-18.24	15
5190MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-46.55	-46.75	-43.64	0.04327	4.40	-39.24	0.11912	-12.94	50.82
5190MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26991G	-47.06	-47.08	-44.06	0.03927	4.40	-39.66	0.10814	-20.98	7.98
5190MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.2783G	-47.15	-47.28	-44.20	0.03798	4.40	-39.80	0.10471	-25.96	2.54
5190MHz_TnomVmin	Pass	5.2784G	26G	1M	19.83532G	-36.86	-37.04	-33.94	0.40376	4.40	-29.54	1.11173	-26.02	2.5
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.03873G	-46.37	-46.55	-43.45	0.0452	4.40	-39.05	0.12445	-26.02	2.5
5190MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14981G	-46.56	-46.98	-43.75	0.04212	4.40	-39.35	0.11614	-18.24	15
5190MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-46.55	-46.72	-43.62	0.04341	4.40	-39.22	0.11967	-13.01	50
5190MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26989G	-46.88	-47.13	-43.99	0.03988	4.40	-39.59	0.1099	-20.98	7.98
5190MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.2784G	-47.11	-47.44	-44.26	0.03748	4.40	-39.86	0.10328	-26.02	2.5
5190MHz_TnomVmax	Pass	5.2784G	26G	1M	19.86641G	-37.34	-36.62	-33.95	0.40227	4.40	-29.55	1.10917	-26.02	2.5
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	4.9972G	-46.01	-47.10	-43.51	0.04456	4.40	-39.11	0.12274	-26.02	2.5
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14981G	-47.12	-47.34	-44.22	0.03786	4.40	-39.82	0.10423	-18.24	15
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25099G	-31.16	-31.04	-28.09	1.55264	4.40	-23.69	4.27563	-12.95	50.7
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.25104G	-31.23	-31.75	-28.47	1.4217	4.40	-24.07	3.91742	-13.03	49.77
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27812G	-46.05	-46.35	-43.19	0.04801	4.40	-38.79	0.13213	-25.86	2.59
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.86123G	-37.18	-37.07	-34.11	0.38776	4.40	-29.71	1.06905	-26.02	2.5
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	5.0464G	-46.83	-46.43	-43.62	0.0435	4.40	-39.22	0.11967	-26.02	2.5
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.1474G	-47.07	-47.39	-44.22	0.03787	4.40	-39.82	0.10423	-18.24	15
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25097G	-30.81	-30.80	-27.79	1.66161	4.40	-23.39	4.58142	-12.67	54.08
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.25102G	-31.15	-31.89	-28.49	1.4145	4.40	-24.09	3.89942	-13.02	49.89
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.2784G	-46.25	-46.50	-43.36	0.0461	4.40	-38.96	0.12706	-26.02	2.5
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.84309G	-37.45	-36.91	-34.16	0.38359	4.40	-29.76	1.05682	-26.02	2.5
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	5.05854G	-46.51	-46.81	-43.65	0.04318	4.40	-39.25	0.11885	-26.02	2.5
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14823G	-47.26	-47.23	-44.23	0.03772	4.40	-39.83	0.10399	-18.24	15
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.251G	-31.18	-31.38	-28.27	1.48986	4.40	-23.87	4.10204	-12.99	50.23
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.25106G	-31.46	-31.61	-28.52	1.40474	4.40	-24.12	3.87258	-13.03	49.77
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27831G	-46.20	-46.40	-43.29	0.0469	4.40	-38.89	0.12912	-25.97	2.53
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.85346G	-37.05	-37.04	-34.03	0.39494	4.40	-29.63	1.08893	-26.02	2.5
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.20676G	-46.21	-45.77	-42.97	0.05042	4.40	-38.57	0.139	-26.02	2.5
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.2215G	-45.16	-45.00	-42.07	0.0621	4.40	-37.67	0.171	-26.02	2.5
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22161G	-45.05	-45.17	-42.10	0.06167	4.40	-37.70	0.16982	-26.02	2.5
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23253G	-40.42	-39.61	-36.99	0.20018	4.40	-32.59	0.55081	-19.96	10.09
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.24901G	-33.32	-32.82	-30.05	0.98798	4.40	-25.65	2.7227	-12.95	50.7
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35691G	-47.13	-47.07	-44.09	0.039	4.40	-39.69	0.1074	-18.24	15



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.84622G	-36.63	-36.81	-33.71	0.42572	4.40	-29.31	1.1722	-26.02	2.5
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.19899G	-46.24	-45.75	-42.98	0.05038	4.40	-38.58	0.13868	-26.02	2.5
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.2214G	-44.91	-45.23	-42.06	0.06228	4.40	-37.66	0.1714	-26.02	2.5
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22186G	-44.71	-45.00	-41.84	0.06543	4.40	-37.44	0.1803	-25.87	2.59
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23234G	-39.84	-40.14	-36.98	0.20058	4.40	-32.58	0.55208	-20.04	9.91
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24904G	-33.21	-32.19	-29.66	1.08148	4.40	-25.26	2.97852	-12.61	54.83
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35039G	-47.02	-47.10	-44.05	0.03936	4.40	-39.65	0.10839	-18.24	15
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.84106G	-37.14	-37.31	-34.21	0.37898	4.40	-29.81	1.04472	-26.02	2.5
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.18669G	-46.90	-45.81	-43.31	0.04666	4.40	-38.91	0.12853	-26.02	2.5
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.22158G	-45.19	-44.97	-42.07	0.06211	4.40	-37.67	0.171	-26.02	2.5
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22167G	-44.89	-45.33	-42.09	0.06174	4.40	-37.69	0.17022	-25.98	2.52
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23236G	-40.30	-39.71	-36.98	0.20023	4.40	-32.58	0.55208	-20.03	9.93
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-33.55	-32.65	-30.07	0.98482	4.40	-25.67	2.71019	-12.94	50.82
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35113G	-46.98	-47.17	-44.06	0.03923	4.40	-39.66	0.10814	-18.24	15
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.8359G	-36.94	-37.17	-34.04	0.39417	4.40	-29.64	1.08643	-26.02	2.5
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.20935G	-46.18	-46.60	-43.37	0.04598	4.40	-38.97	0.12677	-26.02	2.5
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.22143G	-46.43	-46.93	-43.66	0.04303	4.40	-39.26	0.11858	-26.02	2.5
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22189G	-46.52	-46.72	-43.61	0.04357	4.40	-39.21	0.11995	-25.85	2.6
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23G	-46.59	-46.98	-43.77	0.04197	4.40	-39.37	0.11561	-21.02	7.91
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-46.57	-46.58	-43.56	0.04401	4.40	-39.16	0.12134	-12.99	50.23
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35003G	-41.67	-41.29	-38.47	0.14238	4.40	-34.07	0.39174	-18.24	15
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.83074G	-37.38	-36.64	-33.98	0.39958	4.40	-29.58	1.10154	-26.02	2.5
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.20871G	-46.42	-46.30	-43.35	0.04625	4.40	-38.95	0.12735	-26.02	2.5
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.2209G	-46.53	-46.91	-43.71	0.0426	4.40	-39.31	0.11722	-26.02	2.5
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.2216G	-46.80	-46.77	-43.77	0.04193	4.40	-39.37	0.11561	-26.02	2.5
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23G	-46.70	-46.77	-43.72	0.04242	4.40	-39.32	0.11695	-21.02	7.91
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-46.45	-46.58	-43.50	0.04463	4.40	-39.10	0.12303	-12.94	50.82
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35009G	-41.67	-41.50	-38.57	0.13887	4.40	-34.17	0.38282	-18.24	15
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.85912G	-37.02	-36.89	-33.94	0.40325	4.40	-29.54	1.11173	-26.02	2.5
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.20029G	-45.86	-46.49	-43.15	0.04838	4.40	-38.75	0.13335	-26.02	2.5
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.2211G	-46.54	-46.73	-43.62	0.04341	4.40	-39.22	0.11967	-26.02	2.5
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22162G	-46.87	-46.71	-43.78	0.04189	4.40	-39.38	0.11535	-26.01	2.51
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23G	-46.61	-46.65	-43.62	0.04345	4.40	-39.22	0.11967	-21.02	7.91
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-46.43	-46.53	-43.47	0.04498	4.40	-39.07	0.12388	-13.00	50.12
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35009G	-41.70	-41.46	-38.57	0.13906	4.40	-34.17	0.38282	-18.24	15
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.86686G	-36.98	-37.06	-34.01	0.39724	4.40	-29.61	1.09396	-26.02	2.5
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-38.51	-39.06	-35.77	0.26509	4.40	-31.37	0.72946	-19.03	12.5
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46996G	-31.10	-30.89	-27.98	1.59095	4.40	-23.58	4.38531	-13.01	50
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.84502G	-37.01	-36.85	-33.92	0.40561	4.40	-29.52	1.11686	-19.03	12.5
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-38.10	-38.73	-35.39	0.28885	4.40	-30.99	0.79616	-19.03	12.5
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46969G	-30.87	-30.69	-27.77	1.67156	4.40	-23.37	4.60257	-13.01	50
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.83744G	-36.96	-36.74	-33.84	0.41321	4.40	-29.44	1.13763	-19.03	12.5
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.45932G	-38.48	-39.58	-35.98	0.25206	4.40	-31.58	0.69502	-19.03	12.5
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46998G	-31.02	-30.60	-27.79	1.66164	4.40	-23.39	4.58142	-13.01	50
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-36.43	-36.74	-33.57	0.43935	4.40	-29.17	1.2106	-19.03	12.5
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.22312G	-46.40	-45.77	-43.06	0.04939	4.40	-38.66	0.13614	-19.03	12.5
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46844G	-46.80	-47.44	-44.10	0.03892	4.40	-39.70	0.10715	-13.01	50
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.86272G	-36.94	-37.36	-34.13	0.38596	4.40	-29.73	1.06414	-19.03	12.5
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.23805G	-46.44	-45.70	-43.04	0.04961	4.40	-38.64	0.13677	-19.03	12.5
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46749G	-46.63	-47.61	-44.08	0.03907	4.40	-39.68	0.10765	-13.01	50
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.85008G	-36.68	-37.43	-34.03	0.3955	4.40	-29.63	1.08893	-19.03	12.5
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.23669G	-46.18	-46.01	-43.08	0.04916	4.40	-38.68	0.13552	-19.03	12.5
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46396G	-46.50	-47.80	-44.09	0.03898	4.40	-39.69	0.1074	-13.01	50
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.8602G	-37.06	-37.25	-34.14	0.38515	4.40	-29.74	1.0617	-19.03	12.5
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.22923G	-46.51	-46.67	-43.58	0.04386	4.40	-39.18	0.12078	-19.03	12.5
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46706G	-47.40	-48.06	-44.71	0.03383	4.40	-40.31	0.09311	-13.01	50



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.84755G	-37.36	-36.88	-34.10	0.38877	4.40	-29.70	1.07152	-19.03	12.5
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.23126G	-46.46	-46.49	-43.46	0.04503	4.40	-39.06	0.12417	-19.03	12.5
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46848G	-47.52	-47.84	-44.67	0.03414	4.40	-40.27	0.09397	-13.01	50
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.85514G	-37.50	-37.30	-34.39	0.36404	4.40	-29.99	1.00231	-19.03	12.5
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.21701G	-46.27	-46.83	-43.53	0.04435	4.40	-39.13	0.12218	-19.03	12.5
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46594G	-47.30	-48.09	-44.67	0.03414	4.40	-40.27	0.09397	-13.01	50
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.8602G	-37.43	-37.42	-34.41	0.36185	4.40	-30.01	0.9977	-19.03	12.5
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	5.1232G	1M	5.11938G	-44.55	-45.77	-42.11	0.06156	4.40	-37.71	0.16943	-26.02	2.5
5210MHz_TnomVnom	Pass	5.1232G	5.15G	1M	5.14984G	-43.46	-44.32	-40.86	0.08206	4.40	-36.46	0.22594	-18.24	15
5210MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25098G	-31.15	-32.46	-28.75	1.33491	4.40	-24.35	3.67282	-15.83	26.12
5210MHz_TnomVnom	Pass	5.251G	5.29G	1M	5.25116G	-31.59	-33.15	-29.29	1.1776	4.40	-24.89	3.2434	-16.05	24.83
5210MHz_TnomVnom	Pass	5.29G	5.2967G	1M	5.29659G	-44.87	-46.03	-42.40	0.05753	4.40	-38.00	0.15849	-25.99	2.52
5210MHz_TnomVnom	Pass	5.2967G	26G	1M	19.84336G	-36.02	-36.90	-33.43	0.45421	4.40	-29.03	1.25026	-26.02	2.5
5210MHz_TnomVmin	Pass	30M	5.1232G	1M	5.12065G	-44.85	-45.81	-42.29	0.05898	4.40	-37.89	0.16255	-26.02	2.5
5210MHz_TnomVmin	Pass	5.1232G	5.15G	1M	5.14791G	-43.80	-44.39	-41.07	0.07808	4.40	-36.67	0.21528	-18.24	15
5210MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25099G	-31.46	-32.54	-28.96	1.27168	4.40	-24.56	3.49945	-15.94	25.47
5210MHz_TnomVmin	Pass	5.251G	5.29G	1M	5.2511G	-31.86	-32.56	-29.19	1.20625	4.40	-24.79	3.31894	-16.02	25
5210MHz_TnomVmin	Pass	5.29G	5.2967G	1M	5.29641G	-45.04	-45.52	-42.26	0.05939	4.40	-37.86	0.16368	-25.93	2.55
5210MHz_TnomVmin	Pass	5.2967G	26G	1M	19.84336G	-36.69	-36.61	-33.64	0.43256	4.40	-29.24	1.19124	-26.02	2.5
5210MHz_TnomVmax	Pass	30M	5.1232G	1M	5.12256G	-44.93	-45.53	-42.21	0.06013	4.40	-37.81	0.16558	-26.02	2.5
5210MHz_TnomVmax	Pass	5.1232G	5.15G	1M	5.14748G	-44.00	-44.23	-41.10	0.07757	4.40	-36.70	0.2138	-18.24	15
5210MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.2511G	-31.70	-32.70	-29.16	1.21311	4.40	-24.76	3.34195	-16.02	25
5210MHz_TnomVmax	Pass	5.251G	5.29G	1M	5.25104G	-31.92	-32.59	-29.23	1.1935	4.40	-24.83	3.28852	-16.03	24.95
5210MHz_TnomVmax	Pass	5.29G	5.2967G	1M	5.29669G	-45.28	-45.83	-42.54	0.05577	4.40	-38.14	0.15346	-26.02	2.5
5210MHz_TnomVmax	Pass	5.2967G	26G	1M	19.86147G	-36.29	-36.70	-33.48	0.44876	4.40	-29.08	1.23595	-26.02	2.5
5290MHz_TnomVnom	Pass	30M	5.2033G	1M	5.2033G	-41.12	-42.68	-38.82	0.13122	4.40	-34.42	0.36141	-26.02	2.5
5290MHz_TnomVnom	Pass	5.2033G	5.21G	1M	5.20372G	-42.86	-43.30	-40.06	0.09853	4.40	-35.66	0.27164	-25.89	2.58
5290MHz_TnomVnom	Pass	5.21G	5.249G	1M	5.249G	-34.02	-33.99	-30.99	0.7953	4.40	-26.59	2.1928	-16.02	25
5290MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-33.50	-34.01	-30.74	0.84388	4.40	-26.34	2.32274	-15.98	25.23
5290MHz_TnomVnom	Pass	5.35G	5.3768G	1M	5.3507G	-39.69	-40.50	-37.07	0.19652	4.40	-32.67	0.54075	-18.24	15
5290MHz_TnomVnom	Pass	5.3768G	26G	1M	19.85171G	-36.61	-36.04	-33.31	0.46716	4.40	-28.91	1.28529	-26.02	2.5
5290MHz_TnomVmin	Pass	30M	5.2033G	1M	5.20265G	-42.33	-42.47	-39.39	0.1151	4.40	-34.99	0.31696	-26.02	2.5
5290MHz_TnomVmin	Pass	5.2033G	5.21G	1M	5.20373G	-43.37	-43.14	-40.24	0.09455	4.40	-35.84	0.26062	-25.89	2.58
5290MHz_TnomVmin	Pass	5.21G	5.249G	1M	5.249G	-34.04	-34.13	-31.07	0.78082	4.40	-26.67	2.15278	-16.02	25
5290MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.24901G	-33.92	-33.87	-30.88	0.81571	4.40	-26.48	2.24905	-15.93	25.53
5290MHz_TnomVmin	Pass	5.35G	5.3768G	1M	5.35107G	-40.30	-40.17	-37.22	0.18949	4.40	-32.82	0.5224	-18.24	15
5290MHz_TnomVmin	Pass	5.3768G	26G	1M	19.85171G	-35.68	-36.28	-32.96	0.5059	4.40	-28.56	1.39316	-26.02	2.5
5290MHz_TnomVmax	Pass	30M	5.2033G	1M	5.2033G	-42.69	-42.51	-39.59	0.10993	4.40	-35.19	0.30269	-26.02	2.5
5290MHz_TnomVmax	Pass	5.2033G	5.21G	1M	5.2035G	-43.39	-43.32	-40.34	0.09237	4.40	-35.94	0.25468	-25.96	2.54
5290MHz_TnomVmax	Pass	5.21G	5.249G	1M	5.249G	-34.63	-33.97	-31.28	0.74522	4.40	-26.88	2.05116	-16.02	25
5290MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.249G	-34.47	-33.54	-30.97	0.79986	4.40	-26.57	2.20293	-16.02	25
5290MHz_TnomVmax	Pass	5.35G	5.3768G	1M	5.35019G	-40.10	-40.44	-37.26	0.18809	4.40	-32.86	0.51761	-18.24	15
5290MHz_TnomVmax	Pass	5.3768G	26G	1M	19.84397G	-36.52	-36.19	-33.34	0.46328	4.40	-28.94	1.27644	-26.02	2.5
5530MHz_TnomVnom	Pass	30M	5.46G	1M	5.45932G	-29.65	-31.91	-27.62	1.7281	4.40	-23.22	4.76431	-19.03	12.5
5530MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46653G	-29.35	-32.11	-27.50	1.77663	4.40	-23.10	4.89779	-13.01	50
5530MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.4699G	-29.15	-32.28	-27.43	1.80775	4.40	-23.03	4.97737	-12.91	51.17
5530MHz_TnomVnom	Pass	5.77G	26G	1M	19.84502G	-37.07	-36.10	-33.55	0.44181	4.40	-29.15	1.21619	-19.03	12.5
5530MHz_TnomVmin	Pass	30M	5.46G	1M	5.45932G	-29.30	-32.71	-27.67	1.71069	4.40	-23.27	4.70977	-19.03	12.5
5530MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46774G	-29.19	-32.22	-27.44	1.80483	4.40	-23.04	4.96592	-13.01	50
5530MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46995G	-29.11	-32.17	-27.37	1.83418	4.40	-22.97	5.04661	-12.91	51.17
5530MHz_TnomVmin	Pass	5.77G	26G	1M	19.84502G	-37.29	-36.26	-33.73	0.42323	4.40	-29.33	1.16681	-19.03	12.5
5530MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-29.52	-32.72	-27.82	1.65143	4.40	-23.42	4.54988	-19.03	12.5
5530MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46625G	-29.19	-32.21	-27.43	1.80621	4.40	-23.03	4.97737	-13.01	50
5530MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46999G	-29.06	-32.46	-27.43	1.8092	4.40	-23.03	4.97737	-12.91	51.17



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5530MHz_TnomVmax	Pass	5.77G	26G	1M	19.87284G	-37.35	-36.05	-33.64	0.43239	4.40	-29.24	1.19124	-19.03	12.5
5610MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-44.21	-46.27	-42.11	0.06154	4.40	-37.71	0.16943	-19.03	12.5
5610MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46358G	-44.64	-46.52	-42.47	0.05664	4.40	-38.07	0.15596	-13.01	50
5610MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46992G	-44.81	-46.33	-42.49	0.05632	4.40	-38.09	0.15524	-12.91	51.17
5610MHz_TnomVnom	Pass	5.77G	26G	1M	19.87284G	-36.72	-36.75	-33.72	0.42416	4.40	-29.32	1.1695	-19.03	12.5
5610MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-44.89	-46.13	-42.46	0.05681	4.40	-38.06	0.15631	-19.03	12.5
5610MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46235G	-44.89	-46.32	-42.54	0.05577	4.40	-38.14	0.15346	-13.01	50
5610MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46972G	-44.77	-46.33	-42.47	0.05662	4.40	-38.07	0.15596	-12.91	51.17
5610MHz_TnomVmin	Pass	5.77G	26G	1M	19.86778G	-36.83	-36.48	-33.64	0.4324	4.40	-29.24	1.19124	-19.03	12.5
5610MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-44.62	-46.12	-42.30	0.05895	4.40	-37.90	0.16218	-19.03	12.5
5610MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46919G	-44.66	-46.56	-42.50	0.05628	4.40	-38.10	0.15488	-13.01	50
5610MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46992G	-44.77	-46.26	-42.44	0.057	4.40	-38.04	0.15704	-12.91	51.17
5610MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-36.58	-36.97	-33.76	0.4207	4.40	-29.36	1.15878	-19.03	12.5
5690MHz_TnomVnom	Pass	30M	5.46G	1M	5.24144G	-45.74	-45.57	-42.64	0.0544	4.40	-38.24	0.14997	-19.03	12.5
5690MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46758G	-46.41	-47.52	-43.92	0.04056	4.40	-39.52	0.11169	-13.01	50
5690MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46993G	-46.42	-47.45	-43.89	0.04079	4.40	-39.49	0.11246	-12.91	51.17
5690MHz_TnomVnom	Pass	5.77G	26G	1M	5.77G	-34.45	-35.86	-32.09	0.61834	4.40	-27.69	1.70216	-19.03	12.5
5690MHz_TnomVmin	Pass	30M	5.46G	1M	5.24144G	-45.44	-46.17	-42.78	0.05273	4.40	-38.38	0.14521	-19.03	12.5
5690MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46565G	-46.57	-47.38	-43.95	0.04031	4.40	-39.55	0.11092	-13.01	50
5690MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46961G	-46.38	-47.56	-43.92	0.04055	4.40	-39.52	0.11169	-12.91	51.17
5690MHz_TnomVmin	Pass	5.77G	26G	1M	5.77G	-34.15	-35.85	-31.91	0.64461	4.40	-27.51	1.77419	-19.03	12.5
5690MHz_TnomVmax	Pass	30M	5.46G	1M	5.23873G	-45.76	-45.31	-42.52	0.05599	4.40	-38.12	0.15417	-19.03	12.5
5690MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46579G	-46.40	-47.56	-43.93	0.04045	4.40	-39.53	0.11143	-13.01	50
5690MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46966G	-46.48	-47.43	-43.92	0.04056	4.40	-39.52	0.11169	-12.91	51.17
5690MHz_TnomVmax	Pass	5.77G	26G	1M	5.77253G	-34.70	-35.99	-32.29	0.59061	4.40	-27.89	1.62555	-19.03	12.5
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	5.142G	1M	5.0027G	-45.21	-46.11	-42.63	0.05462	4.40	-38.23	0.15031	-26.02	2.5
5180MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.1491G	-45.47	-45.60	-42.52	0.05592	4.40	-38.12	0.15417	-18.24	15
5180MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.2502G	-45.86	-45.77	-42.80	0.05243	4.40	-38.40	0.14454	-2.00	630.96
5180MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.25099G	-45.61	-45.93	-42.76	0.05301	4.40	-38.36	0.14588	-9.91	102.09
5180MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25996G	-45.77	-45.93	-42.84	0.05201	4.40	-38.44	0.14322	-17.98	15.92
5180MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26665G	-46.14	-45.95	-43.03	0.04973	4.40	-38.63	0.13709	-25.96	2.54
5180MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84998G	-36.62	-35.95	-33.26	0.47187	4.40	-28.86	1.30017	-26.02	2.5
5180MHz_TnomVmin	Pass	30M	5.142G	1M	5.02634G	-45.61	-45.30	-42.44	0.05699	4.40	-38.04	0.15704	-26.02	2.5
5180MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14931G	-45.63	-45.38	-42.49	0.05633	4.40	-38.09	0.15524	-18.24	15
5180MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.2502G	-45.86	-45.84	-42.84	0.052	4.40	-38.44	0.14322	-1.99	632.41
5180MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.251G	-45.77	-46.00	-42.87	0.0516	4.40	-38.47	0.14223	-9.96	100.93
5180MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25999G	-45.84	-46.04	-42.93	0.05095	4.40	-38.53	0.14028	-18.01	15.81
5180MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26663G	-45.99	-46.03	-43.00	0.05012	4.40	-38.60	0.13804	-25.93	2.55
5180MHz_TnomVmin	Pass	5.2667G	26G	1M	19.84998G	-36.21	-35.99	-33.09	0.4911	4.40	-28.69	1.35207	-26.02	2.5
5180MHz_TnomVmax	Pass	30M	5.142G	1M	5.142G	-45.46	-45.74	-42.59	0.05511	4.40	-38.19	0.15171	-26.02	2.5
5180MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14949G	-45.24	-45.77	-42.49	0.05641	4.40	-38.09	0.15524	-18.24	15
5180MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-45.76	-45.90	-42.82	0.05225	4.40	-38.42	0.14388	-1.99	632.41
5180MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.251G	-45.78	-45.74	-42.75	0.05309	4.40	-38.35	0.14622	-9.99	100.23
5180MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25993G	-45.98	-45.89	-42.92	0.051	4.40	-38.52	0.1406	-17.95	16.03
5180MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26659G	-45.96	-46.10	-43.02	0.0499	4.40	-38.62	0.1374	-25.88	2.58
5180MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85517G	-35.55	-36.82	-33.13	0.48658	4.40	-28.73	1.33968	-26.02	2.5
5200MHz_TnomVnom	Pass	30M	5.142G	1M	5.12986G	-45.43	-45.90	-42.65	0.05435	4.40	-38.25	0.14962	-26.02	2.5
5200MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14981G	-46.03	-46.31	-43.16	0.04833	4.40	-38.76	0.13305	-18.24	15
5200MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.2502G	-45.74	-45.72	-42.72	0.05346	4.40	-38.32	0.14723	-1.96	636.8
5200MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.251G	-45.73	-45.78	-42.74	0.05315	4.40	-38.34	0.14655	-10.00	100
5200MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.25998G	-45.89	-45.78	-42.82	0.05219	4.40	-38.42	0.14388	-18.00	15.85
5200MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26669G	-45.93	-46.10	-43.00	0.05007	4.40	-38.60	0.13804	-26.00	2.51
5200MHz_TnomVnom	Pass	5.2667G	26G	1M	19.84739G	-35.80	-36.29	-33.03	0.49799	4.40	-28.63	1.37088	-26.02	2.5
5200MHz_TnomVmin	Pass	30M	5.142G	1M	5.14965G	-45.22	-46.18	-42.66	0.05416	4.40	-38.26	0.14928	-26.02	2.5
5200MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14964G	-45.98	-46.36	-43.16	0.04836	4.40	-38.76	0.13305	-18.24	15



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5200MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.2502G	-45.82	-45.71	-42.75	0.05304	4.40	-38.35	0.14622	-2.00	630.96
5200MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.25099G	-45.63	-45.80	-42.70	0.05366	4.40	-38.30	0.14791	-9.91	102.09
5200MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.26G	-45.72	-45.96	-42.83	0.05214	4.40	-38.43	0.14355	-18.01	15.81
5200MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26669G	-45.70	-46.18	-42.92	0.05101	4.40	-38.52	0.1406	-26.01	2.51
5200MHz_TnomVmin	Pass	5.2667G	26G	1M	19.83703G	-36.15	-36.26	-33.19	0.47925	4.40	-28.79	1.3213	-26.02	2.5
5200MHz_TnomVmax	Pass	30M	5.142G	1M	5.06085G	-45.47	-45.55	-42.50	0.05624	4.40	-38.10	0.15488	-26.02	2.5
5200MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14944G	-46.17	-46.17	-43.16	0.04831	4.40	-38.76	0.13305	-18.24	15
5200MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-45.75	-45.83	-42.78	0.05273	4.40	-38.38	0.14521	-2.00	630.96
5200MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.251G	-45.84	-45.74	-42.78	0.05273	4.40	-38.38	0.14521	-9.99	100.23
5200MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25999G	-45.76	-45.97	-42.85	0.05184	4.40	-38.45	0.14289	-18.01	15.81
5200MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26667G	-46.01	-46.00	-42.99	0.05018	4.40	-38.59	0.13836	-25.98	2.52
5200MHz_TnomVmax	Pass	5.2667G	26G	1M	19.8448G	-36.01	-36.39	-33.19	0.48023	4.40	-28.79	1.3213	-26.02	2.5
5240MHz_TnomVnom	Pass	30M	5.142G	1M	5.05318G	-45.86	-45.69	-42.76	0.05292	4.40	-38.36	0.14588	-26.02	2.5
5240MHz_TnomVnom	Pass	5.142G	5.15G	1M	5.14577G	-46.20	-46.39	-43.28	0.04695	4.40	-38.88	0.12942	-18.24	15
5240MHz_TnomVnom	Pass	5.25G	5.2502G	1M	5.2502G	-10.19	-11.45	-7.76	167.33375	4.40	-3.36	461.31757	-1.89	647.14
5240MHz_TnomVnom	Pass	5.2502G	5.251G	1M	5.2502G	-10.57	-11.28	-7.90	162.17328	4.40	-3.50	446.68359	-2.03	626.61
5240MHz_TnomVnom	Pass	5.251G	5.26G	1M	5.251G	-26.01	-27.56	-23.71	4.25999	4.40	-19.31	11.72195	-10.00	100
5240MHz_TnomVnom	Pass	5.26G	5.2667G	1M	5.26665G	-44.20	-45.10	-41.62	0.06892	4.40	-37.22	0.18967	-25.96	2.54
5240MHz_TnomVnom	Pass	5.2667G	26G	1M	19.86035G	-36.57	-35.62	-33.06	0.49445	4.40	-28.66	1.36144	-26.02	2.5
5240MHz_TnomVmin	Pass	30M	5.142G	1M	5.00334G	-45.51	-46.00	-42.74	0.05324	4.40	-38.34	0.14655	-26.02	2.5
5240MHz_TnomVmin	Pass	5.142G	5.15G	1M	5.14757G	-46.35	-46.29	-43.31	0.04667	4.40	-38.91	0.12853	-18.24	15
5240MHz_TnomVmin	Pass	5.25G	5.2502G	1M	5.2502G	-10.34	-11.27	-7.77	167.11469	4.40	-3.37	460.25657	-1.99	632.41
5240MHz_TnomVmin	Pass	5.2502G	5.251G	1M	5.2502G	-10.43	-11.38	-7.87	163.35124	4.40	-3.47	449.77985	-2.01	629.51
5240MHz_TnomVmin	Pass	5.251G	5.26G	1M	5.25101G	-25.78	-27.17	-23.41	4.56108	4.40	-19.01	12.5603	-10.01	99.77
5240MHz_TnomVmin	Pass	5.26G	5.2667G	1M	5.26669G	-44.48	-45.19	-41.81	0.06591	4.40	-37.41	0.18155	-26.00	2.51
5240MHz_TnomVmin	Pass	5.2667G	26G	1M	19.86813G	-35.86	-36.25	-33.04	0.49656	4.40	-28.64	1.36773	-26.02	2.5
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.06149G	-45.50	-45.74	-42.61	0.05485	4.40	-38.21	0.15101	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14786G	-46.16	-46.47	-43.30	0.04675	4.40	-38.90	0.12882	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-10.37	-11.20	-7.75	167.69102	4.40	-3.35	462.38102	-2.01	629.51
5240MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.2502G	-10.62	-11.27	-7.92	161.34106	4.40	-3.52	444.63127	-2.01	629.51
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.251G	-26.31	-27.53	-23.87	4.10488	4.40	-19.47	11.29796	-10.00	100
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26661G	-44.26	-44.91	-41.56	0.06978	4.40	-37.16	0.19231	-25.91	2.56
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85517G	-36.14	-36.14	-33.13	0.48644	4.40	-28.73	1.33968	-26.02	2.5
5260MHz_TnomVnom	Pass	30M	5.2333G	1M	5.23005G	-44.81	-44.37	-41.57	0.0696	4.40	-37.17	0.19187	-26.02	2.5
5260MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23333G	-45.51	-45.08	-42.28	0.05916	4.40	-37.88	0.16293	-25.99	2.52
5260MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.249G	-26.79	-27.29	-24.02	3.96049	4.40	-19.62	10.9144	-10.00	100
5260MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.24979G	-10.49	-11.20	-7.82	165.18831	4.40	-3.42	454.98806	-2.09	618.02
5260MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.24981G	-10.52	-10.44	-7.47	179.08055	4.40	-3.07	493.1738	-1.83	656.15
5260MHz_TnomVnom	Pass	5.35G	26G	1M	19.86179G	-36.23	-36.26	-33.23	0.47482	4.40	-28.83	1.30918	-26.02	2.5
5260MHz_TnomVmin	Pass	30M	5.2333G	1M	5.23135G	-45.34	-44.68	-41.99	0.06328	4.40	-37.59	0.17418	-26.02	2.5
5260MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23333G	-45.19	-45.24	-42.20	0.06019	4.40	-37.80	0.16596	-25.99	2.52
5260MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24899G	-26.44	-27.80	-24.06	3.92945	4.40	-19.66	10.81434	-10.01	99.77
5260MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24979G	-10.43	-11.02	-7.70	169.64112	4.40	-3.30	467.73514	-2.13	612.35
5260MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-10.10	-10.96	-7.50	177.89153	4.40	-3.10	489.77882	-1.95	638.26
5260MHz_TnomVmin	Pass	5.35G	26G	1M	19.85663G	-36.35	-36.07	-33.20	0.47891	4.40	-28.80	1.31826	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2268G	-44.52	-45.02	-41.75	0.0668	4.40	-37.35	0.18408	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-45.49	-45.09	-42.28	0.05922	4.40	-37.88	0.16293	-26.02	2.5
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24898G	-26.46	-28.10	-24.19	3.80825	4.40	-19.79	10.49542	-10.02	99.54
5260MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.2498G	-10.23	-11.02	-7.60	173.90971	4.40	-3.20	478.63009	-2.02	628.06
5260MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.2498G	-10.11	-10.74	-7.40	181.83244	4.40	-3.00	501.18723	-1.95	638.26
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.8463G	-36.31	-35.87	-33.07	0.49271	4.40	-28.67	1.35831	-26.02	2.5
5280MHz_TnomVnom	Pass	30M	5.2333G	1M	5.21054G	-45.00	-45.15	-42.06	0.06217	4.40	-37.66	0.1714	-26.02	2.5
5280MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23331G	-45.41	-45.73	-42.56	0.0555	4.40	-38.16	0.15276	-26.01	2.51
5280MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24007G	-45.45	-45.58	-42.50	0.05618	4.40	-38.10	0.15488	-17.95	16.03
5280MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.24901G	-45.01	-45.21	-42.10	0.06168	4.40	-37.70	0.16982	-9.92	101.86
5280MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.2498G	-45.05	-45.33	-42.18	0.06057	4.40	-37.78	0.16672	-1.98	633.87



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5280MHz_TnomVnom	Pass	5.35G	26G	1M	19.8463G	-36.39	-35.68	-33.01	0.50001	4.40	-28.61	1.37721	-26.02	2.5
5280MHz_TnomVmin	Pass	30M	5.2333G	1M	5.22875G	-44.61	-45.27	-41.92	0.06431	4.40	-37.52	0.17701	-26.02	2.5
5280MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.2333G	-45.38	-45.79	-42.57	0.05534	4.40	-38.17	0.15241	-26.02	2.5
5280MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24002G	-45.55	-45.53	-42.53	0.05585	4.40	-38.13	0.15382	-18.00	15.85
5280MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24901G	-44.86	-45.33	-42.08	0.06197	4.40	-37.68	0.17061	-9.93	101.62
5280MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-45.01	-45.36	-42.17	0.06066	4.40	-37.77	0.16711	-2.01	629.51
5280MHz_TnomVmin	Pass	5.35G	26G	1M	19.85921G	-35.96	-36.05	-32.99	0.50183	4.40	-28.59	1.38357	-26.02	2.5
5280MHz_TnomVmax	Pass	30M	5.2333G	1M	5.232G	-44.79	-45.54	-42.14	0.06111	4.40	-37.74	0.16827	-26.02	2.5
5280MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.2333G	-45.54	-45.60	-42.56	0.05547	4.40	-38.16	0.15276	-26.02	2.5
5280MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24002G	-45.39	-45.53	-42.45	0.0569	4.40	-38.05	0.15668	-18.00	15.85
5280MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.249G	-45.13	-45.27	-42.19	0.06041	4.40	-37.79	0.16634	-10.00	100
5280MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.2498G	-45.17	-45.08	-42.11	0.06145	4.40	-37.71	0.16943	-2.00	630.96
5280MHz_TnomVmax	Pass	5.35G	26G	1M	19.84888G	-36.55	-36.11	-33.31	0.46622	4.40	-28.91	1.28529	-26.02	2.5
5320MHz_TnomVnom	Pass	30M	5.2333G	1M	5.2281G	-45.05	-45.51	-42.26	0.05938	4.40	-37.86	0.16368	-26.02	2.5
5320MHz_TnomVnom	Pass	5.2333G	5.24G	1M	5.23331G	-45.63	-45.76	-42.68	0.0539	4.40	-38.28	0.14859	-26.01	2.51
5320MHz_TnomVnom	Pass	5.24G	5.249G	1M	5.24006G	-45.74	-45.61	-42.66	0.05415	4.40	-38.26	0.14928	-17.96	16
5320MHz_TnomVnom	Pass	5.249G	5.2498G	1M	5.24901G	-45.64	-45.85	-42.73	0.05329	4.40	-38.33	0.14689	-9.94	101.39
5320MHz_TnomVnom	Pass	5.2498G	5.25G	1M	5.2498G	-45.72	-45.93	-42.81	0.05232	4.40	-38.41	0.14421	-1.97	635.33
5320MHz_TnomVnom	Pass	5.35G	26G	1M	19.85404G	-35.56	-36.07	-32.80	0.52514	4.40	-28.40	1.44544	-26.02	2.5
5320MHz_TnomVmin	Pass	30M	5.2333G	1M	5.2307G	-45.09	-45.50	-42.28	0.05916	4.40	-37.88	0.16293	-26.02	2.5
5320MHz_TnomVmin	Pass	5.2333G	5.24G	1M	5.23334G	-45.74	-45.69	-42.70	0.05365	4.40	-38.30	0.14791	-25.97	2.53
5320MHz_TnomVmin	Pass	5.24G	5.249G	1M	5.24005G	-45.65	-45.87	-42.75	0.05311	4.40	-38.35	0.14622	-17.97	15.96
5320MHz_TnomVmin	Pass	5.249G	5.2498G	1M	5.24901G	-45.87	-45.70	-42.77	0.0528	4.40	-38.37	0.14555	-9.92	101.86
5320MHz_TnomVmin	Pass	5.2498G	5.25G	1M	5.2498G	-45.59	-46.15	-42.85	0.05187	4.40	-38.45	0.14289	-2.00	630.96
5320MHz_TnomVmin	Pass	5.35G	26G	1M	19.85404G	-36.11	-36.19	-33.14	0.48534	4.40	-28.74	1.3366	-26.02	2.5
5320MHz_TnomVmax	Pass	30M	5.2333G	1M	5.20663G	-45.73	-44.84	-42.25	0.05954	4.40	-37.85	0.16406	-26.02	2.5
5320MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23332G	-45.58	-45.76	-42.66	0.05422	4.40	-38.26	0.14928	-26.00	2.51
5320MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24001G	-45.99	-45.61	-42.79	0.05266	4.40	-38.39	0.14488	-18.01	15.81
5320MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.249G	-45.60	-46.09	-42.83	0.05215	4.40	-38.43	0.14355	-9.97	100.69
5320MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.2498G	-45.66	-45.82	-42.73	0.05335	4.40	-38.33	0.14689	-1.99	632.41
5320MHz_TnomVmax	Pass	5.35G	26G	1M	19.85146G	-36.24	-36.40	-33.31	0.46677	4.40	-28.91	1.28529	-26.02	2.5
5500MHz_TnomVnom	Pass	30M	5.46G	1M	5.45864G	-40.31	-40.51	-37.40	0.18203	4.40	-33.00	0.50119	-26.02	2.5
5500MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46983G	-36.41	-34.96	-32.61	0.54771	4.40	-28.21	1.51008	-19.03	12.5
5500MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.7465G	-46.78	-47.45	-44.09	0.03898	4.40	-39.69	0.1074	-19.03	12.5
5500MHz_TnomVnom	Pass	5.765G	26G	1M	19.86627G	-37.44	-36.53	-33.95	0.40263	4.40	-29.55	1.10917	-26.02	2.5
5500MHz_TnomVmin	Pass	30M	5.46G	1M	5.46G	-40.67	-38.85	-36.66	0.21602	4.40	-32.26	0.59429	-26.02	2.5
5500MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46993G	-36.31	-35.19	-32.70	0.53658	4.40	-28.30	1.47911	-19.03	12.5
5500MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.75332G	-46.99	-47.30	-44.13	0.03862	4.40	-39.73	0.10641	-19.03	12.5
5500MHz_TnomVmin	Pass	5.765G	26G	1M	19.85362G	-36.59	-36.83	-33.70	0.42677	4.40	-29.30	1.1749	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-41.01	-40.20	-37.58	0.17475	4.40	-33.18	0.48084	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46994G	-36.25	-35.15	-32.65	0.54263	4.40	-28.25	1.49624	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74826G	-46.93	-47.43	-44.16	0.03835	4.40	-39.76	0.10568	-19.03	12.5
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.84603G	-36.60	-36.80	-33.69	0.42771	4.40	-29.29	1.17761	-26.02	2.5
5600MHz_TnomVnom	Pass	30M	5.46G	1M	5.38262G	-45.90	-45.92	-42.90	0.05129	4.40	-38.50	0.14125	-26.02	2.5
5600MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4692G	-46.41	-47.23	-43.79	0.04178	4.40	-39.39	0.11508	-19.03	12.5
5600MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.75352G	-46.30	-46.98	-43.62	0.04349	4.40	-39.22	0.11967	-19.03	12.5
5600MHz_TnomVnom	Pass	5.765G	26G	1M	19.85362G	-36.58	-36.66	-33.61	0.43556	4.40	-29.21	1.1995	-26.02	2.5
5600MHz_TnomVmin	Pass	30M	5.46G	1M	5.42674G	-45.46	-46.72	-43.03	0.04973	4.40	-38.63	0.13709	-26.02	2.5
5600MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46683G	-46.27	-47.41	-43.79	0.04176	4.40	-39.39	0.11508	-19.03	12.5
5600MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.7495G	-46.21	-46.97	-43.56	0.04402	4.40	-39.16	0.12134	-19.03	12.5
5600MHz_TnomVmin	Pass	5.765G	26G	1M	19.84097G	-37.15	-36.41	-33.75	0.42131	4.40	-29.35	1.16145	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.44507G	-45.19	-46.91	-42.96	0.05064	4.40	-38.56	0.13932	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46862G	-46.24	-47.37	-43.76	0.04209	4.40	-39.36	0.11588	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.7556G	-46.16	-47.08	-43.59	0.0438	4.40	-39.19	0.1205	-19.03	12.5
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.85109G	-36.63	-37.06	-33.83	0.41406	4.40	-29.43	1.14025	-26.02	2.5
5720MHz_TnomVnom	Pass	30M	5.46G	1M	5.25773G	-45.83	-46.25	-43.02	0.04984	4.40	-38.62	0.1374	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5720MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46788G	-47.21	-47.60	-44.39	0.03639	4.40	-39.99	0.10023	-19.03	12.5
5720MHz_TnomVnom	Pass	5.745G	5.765G	1M	5.74502G	-30.43	-31.61	-27.97	1.59597	4.40	-23.57	4.39542	-19.03	12.5
5720MHz_TnomVnom	Pass	5.765G	26G	1M	19.83844G	-37.08	-36.35	-33.69	0.42762	4.40	-29.29	1.17761	-26.02	2.5
5720MHz_TnomVmin	Pass	30M	5.46G	1M	5.23669G	-46.18	-46.29	-43.22	0.0476	4.40	-38.82	0.13122	-26.02	2.5
5720MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46718G	-47.01	-47.76	-44.36	0.03666	4.40	-39.96	0.10093	-19.03	12.5
5720MHz_TnomVmin	Pass	5.745G	5.765G	1M	5.74508G	-30.35	-31.63	-27.93	1.60964	4.40	-23.53	4.43609	-19.03	12.5
5720MHz_TnomVmin	Pass	5.765G	26G	1M	19.8688G	-37.20	-36.47	-33.81	0.41597	4.40	-29.41	1.14551	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.23533G	-45.98	-46.28	-43.12	0.04879	4.40	-38.72	0.13428	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46949G	-47.05	-47.65	-44.33	0.0369	4.40	-39.93	0.10162	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74514G	-30.02	-31.73	-27.78	1.66683	4.40	-23.38	4.59198	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.85615G	-37.26	-36.82	-34.02	0.3959	4.40	-29.62	1.09144	-26.02	2.5
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	5.1416G	1M	5.1416G	-44.30	-45.51	-41.85	0.06527	4.40	-37.45	0.17989	-26.02	2.5
5190MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14757G	-43.21	-43.75	-40.46	0.08992	4.40	-36.06	0.24774	-18.24	15
5190MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.251G	-45.23	-45.49	-42.35	0.05824	4.40	-37.95	0.16032	-13.00	50.12
5190MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.26979G	-46.13	-46.06	-43.08	0.04915	4.40	-38.68	0.13552	-20.94	8.05
5190MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.27839G	-46.49	-46.53	-43.50	0.04467	4.40	-39.10	0.12303	-26.02	2.5
5190MHz_TnomVnom	Pass	5.2784G	26G	1M	19.83791G	-36.26	-36.33	-33.28	0.4694	4.40	-28.88	1.2942	-26.02	2.5
5190MHz_TnomVmin	Pass	30M	5.1416G	1M	5.1416G	-44.60	-45.03	-41.80	0.06608	4.40	-37.40	0.18197	-26.02	2.5
5190MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14741G	-43.32	-43.43	-40.36	0.09195	4.40	-35.96	0.25351	-18.24	15
5190MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.251G	-45.24	-45.50	-42.36	0.05811	4.40	-37.96	0.15996	-13.01	50
5190MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26983G	-46.02	-46.29	-43.14	0.0485	4.40	-38.74	0.13366	-20.95	8.04
5190MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27832G	-46.46	-46.38	-43.41	0.04561	4.40	-39.01	0.1256	-25.98	2.52
5190MHz_TnomVmin	Pass	5.2784G	26G	1M	19.83532G	-36.78	-36.33	-33.54	0.4427	4.40	-29.14	1.21899	-26.02	2.5
5190MHz_TnomVmax	Pass	30M	5.1416G	1M	5.14096G	-44.78	-45.22	-41.98	0.06333	4.40	-37.58	0.17458	-26.02	2.5
5190MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14753G	-43.56	-43.49	-40.51	0.08883	4.40	-36.11	0.24491	-18.24	15
5190MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25099G	-45.04	-45.72	-42.36	0.05812	4.40	-37.96	0.15996	-12.95	50.7
5190MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26977G	-46.20	-46.05	-43.11	0.04882	4.40	-38.71	0.13459	-20.93	8.07
5190MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.2783G	-46.30	-46.67	-43.47	0.04497	4.40	-39.07	0.12388	-25.96	2.54
5190MHz_TnomVmax	Pass	5.2784G	26G	1M	19.84828G	-36.24	-36.21	-33.21	0.47702	4.40	-28.81	1.31522	-26.02	2.5
5230MHz_TnomVnom	Pass	30M	5.1416G	1M	4.994G	-45.80	-46.18	-42.98	0.0504	4.40	-38.58	0.13868	-26.02	2.5
5230MHz_TnomVnom	Pass	5.1416G	5.15G	1M	5.14724G	-46.34	-46.64	-43.48	0.0449	4.40	-39.08	0.12359	-18.24	15
5230MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25G	-23.23	-23.59	-20.40	9.12857	4.40	-16.00	25.11886	-3.02	498.88
5230MHz_TnomVnom	Pass	5.251G	5.27G	1M	5.26753G	-40.99	-42.32	-38.59	0.13823	4.40	-34.19	0.38107	-19.98	10.05
5230MHz_TnomVnom	Pass	5.27G	5.2784G	1M	5.2754G	-42.89	-43.50	-40.17	0.09607	4.40	-35.77	0.26485	-24.24	3.77
5230MHz_TnomVnom	Pass	5.2784G	26G	1M	19.85346G	-36.61	-36.05	-33.31	0.46659	4.40	-28.91	1.28529	-26.02	2.5
5230MHz_TnomVmin	Pass	30M	5.1416G	1M	5.05981G	-45.26	-46.59	-42.86	0.05171	4.40	-38.46	0.14256	-26.02	2.5
5230MHz_TnomVmin	Pass	5.1416G	5.15G	1M	5.14768G	-46.43	-46.43	-43.42	0.0455	4.40	-39.02	0.12531	-18.24	15
5230MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25G	-22.97	-23.67	-20.30	9.34198	4.40	-15.90	25.70396	-3.01	500.03
5230MHz_TnomVmin	Pass	5.251G	5.27G	1M	5.26719G	-39.60	-41.96	-37.61	0.17333	4.40	-33.21	0.47753	-19.84	10.38
5230MHz_TnomVmin	Pass	5.27G	5.2784G	1M	5.27532G	-42.16	-43.75	-39.87	0.10298	4.40	-35.47	0.28379	-24.19	3.81
5230MHz_TnomVmin	Pass	5.2784G	26G	1M	19.84568G	-36.39	-36.32	-33.34	0.46296	4.40	-28.94	1.27644	-26.02	2.5
5230MHz_TnomVmax	Pass	30M	5.1416G	1M	5.13841G	-45.54	-46.45	-42.96	0.05057	4.40	-38.56	0.13932	-26.02	2.5
5230MHz_TnomVmax	Pass	5.1416G	5.15G	1M	5.14772G	-46.57	-46.48	-43.51	0.04452	4.40	-39.11	0.12274	-18.24	15
5230MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25001G	-23.22	-23.72	-20.45	9.01051	4.40	-16.05	24.83133	-3.07	493.17
5230MHz_TnomVmax	Pass	5.251G	5.27G	1M	5.26696G	-40.31	-42.30	-38.18	0.152	4.40	-33.78	0.41879	-19.74	10.62
5230MHz_TnomVmax	Pass	5.27G	5.2784G	1M	5.27548G	-42.16	-43.96	-39.96	0.10099	4.40	-35.56	0.27797	-24.28	3.73
5230MHz_TnomVmax	Pass	5.2784G	26G	1M	19.87159G	-37.03	-36.07	-33.51	0.44533	4.40	-29.11	1.22744	-26.02	2.5
5270MHz_TnomVnom	Pass	30M	5.21G	1M	5.20547G	-45.14	-45.62	-42.36	0.05804	4.40	-37.96	0.15996	-26.02	2.5
5270MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.22122G	-45.18	-45.68	-42.41	0.05738	4.40	-38.01	0.15812	-26.02	2.5
5270MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.2217G	-45.26	-45.48	-42.36	0.0581	4.40	-37.96	0.15996	-25.96	2.54
5270MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.2326G	-41.95	-44.46	-40.02	0.09964	4.40	-35.62	0.27416	-19.93	10.16
5270MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.25G	-22.00	-21.31	-18.63	13.70563	4.40	-14.23	37.75722	-3.02	498.88
5270MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35011G	-46.20	-46.43	-43.30	0.04674	4.40	-38.90	0.12882	-18.24	15
5270MHz_TnomVnom	Pass	5.3584G	26G	1M	19.85138G	-35.86	-36.45	-33.13	0.48588	4.40	-28.73	1.33968	-26.02	2.5
5270MHz_TnomVmin	Pass	30M	5.21G	1M	5.20094G	-44.84	-46.00	-42.37	0.05793	4.40	-37.97	0.15959	-26.02	2.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5270MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.22134G	-45.10	-45.65	-42.36	0.05813	4.40	-37.96	0.15996	-26.02	2.5
5270MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22168G	-45.09	-45.71	-42.38	0.05783	4.40	-37.98	0.15922	-25.98	2.52
5270MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.23247G	-41.84	-44.45	-39.94	0.10136	4.40	-35.54	0.27925	-19.98	10.05
5270MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.25G	-21.58	-21.14	-18.34	14.64155	4.40	-13.94	40.36454	-3.04	496.59
5270MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.3517G	-46.32	-46.34	-43.32	0.04656	4.40	-38.92	0.12823	-18.24	15
5270MHz_TnomVmin	Pass	5.3584G	26G	1M	19.85396G	-36.18	-36.51	-33.33	0.46435	4.40	-28.93	1.27938	-26.02	2.5
5270MHz_TnomVmax	Pass	30M	5.21G	1M	5.18993G	-45.47	-45.59	-42.52	0.05598	4.40	-38.12	0.15417	-26.02	2.5
5270MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.22152G	-44.91	-45.97	-42.40	0.05758	4.40	-38.00	0.15849	-26.02	2.5
5270MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22161G	-45.08	-45.74	-42.39	0.05771	4.40	-37.99	0.15885	-26.02	2.5
5270MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23232G	-42.24	-44.35	-40.16	0.09643	4.40	-35.76	0.26546	-20.05	9.89
5270MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.25G	-22.04	-21.39	-18.69	13.51279	4.40	-14.29	37.23917	-3.02	498.88
5270MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35037G	-46.30	-46.37	-43.32	0.04651	4.40	-38.92	0.12823	-18.24	15
5270MHz_TnomVmax	Pass	5.3584G	26G	1M	19.83848G	-36.83	-35.82	-33.29	0.46931	4.40	-28.89	1.29122	-26.02	2.5
5310MHz_TnomVnom	Pass	30M	5.21G	1M	5.04359G	-46.00	-45.45	-42.71	0.05363	4.40	-38.31	0.14757	-26.02	2.5
5310MHz_TnomVnom	Pass	5.21G	5.2216G	1M	5.21887G	-45.96	-46.01	-42.97	0.05041	4.40	-38.57	0.139	-26.02	2.5
5310MHz_TnomVnom	Pass	5.2216G	5.23G	1M	5.22163G	-46.08	-46.06	-43.06	0.04943	4.40	-38.66	0.13614	-26.01	2.51
5310MHz_TnomVnom	Pass	5.23G	5.249G	1M	5.23006G	-45.76	-45.89	-42.81	0.05231	4.40	-38.41	0.14421	-21.00	7.94
5310MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.249G	-45.56	-45.37	-42.45	0.05684	4.40	-38.05	0.15668	-13.00	50.12
5310MHz_TnomVnom	Pass	5.35G	5.3584G	1M	5.35257G	-43.55	-42.92	-40.21	0.09521	4.40	-35.81	0.26242	-18.24	15
5310MHz_TnomVnom	Pass	5.3584G	26G	1M	19.86428G	-36.75	-36.04	-33.37	0.46023	4.40	-28.97	1.26765	-26.02	2.5
5310MHz_TnomVmin	Pass	30M	5.21G	1M	5.20935G	-45.64	-45.75	-42.68	0.0539	4.40	-38.28	0.14859	-26.02	2.5
5310MHz_TnomVmin	Pass	5.21G	5.2216G	1M	5.22117G	-45.85	-46.02	-42.92	0.05101	4.40	-38.52	0.1406	-26.02	2.5
5310MHz_TnomVmin	Pass	5.2216G	5.23G	1M	5.22162G	-45.95	-46.16	-43.04	0.04962	4.40	-38.64	0.13677	-26.01	2.51
5310MHz_TnomVmin	Pass	5.23G	5.249G	1M	5.2301G	-46.00	-45.90	-42.94	0.05082	4.40	-38.54	0.13996	-20.98	7.98
5310MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.249G	-45.24	-45.52	-42.37	0.05798	4.40	-37.97	0.15959	-13.01	50
5310MHz_TnomVmin	Pass	5.35G	5.3584G	1M	5.35262G	-43.39	-42.81	-40.08	0.09817	4.40	-35.68	0.2704	-18.24	15
5310MHz_TnomVmin	Pass	5.3584G	26G	1M	19.84622G	-36.40	-36.72	-33.55	0.4419	4.40	-29.15	1.21619	-26.02	2.5
5310MHz_TnomVmax	Pass	30M	5.21G	1M	5.20288G	-45.18	-45.96	-42.54	0.05569	4.40	-38.14	0.15346	-26.02	2.5
5310MHz_TnomVmax	Pass	5.21G	5.2216G	1M	5.21902G	-46.04	-45.92	-42.97	0.05047	4.40	-38.57	0.139	-26.02	2.5
5310MHz_TnomVmax	Pass	5.2216G	5.23G	1M	5.22173G	-46.07	-45.98	-43.01	0.04995	4.40	-38.61	0.13772	-25.95	2.54
5310MHz_TnomVmax	Pass	5.23G	5.249G	1M	5.23008G	-45.72	-46.05	-42.87	0.05162	4.40	-38.47	0.14223	-20.99	7.96
5310MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-45.18	-45.36	-42.26	0.05945	4.40	-37.86	0.16368	-12.93	50.93
5310MHz_TnomVmax	Pass	5.35G	5.3584G	1M	5.35249G	-43.10	-42.86	-39.97	0.10074	4.40	-35.57	0.27733	-18.24	15
5310MHz_TnomVmax	Pass	5.3584G	26G	1M	19.84364G	-36.53	-36.62	-33.56	0.4401	4.40	-29.16	1.21339	-26.02	2.5
5510MHz_TnomVnom	Pass	30M	5.46G	1M	5.46G	-36.12	-38.36	-34.09	0.39022	4.40	-29.69	1.07399	-19.03	12.5
5510MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46748G	-33.94	-33.43	-30.67	0.85759	4.40	-26.27	2.36048	-13.01	50
5510MHz_TnomVnom	Pass	5.77G	26G	1M	19.85261G	-36.37	-36.56	-33.45	0.45148	4.40	-29.05	1.24451	-19.03	12.5
5510MHz_TnomVmin	Pass	30M	5.46G	1M	5.45932G	-37.50	-36.69	-34.07	0.39212	4.40	-29.67	1.07895	-19.03	12.5
5510MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46728G	-33.88	-33.53	-30.69	0.85287	4.40	-26.29	2.34963	-13.01	50
5510MHz_TnomVmin	Pass	5.77G	26G	1M	19.85261G	-36.22	-36.83	-33.50	0.44627	4.40	-29.10	1.23027	-19.03	12.5
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.45932G	-37.70	-36.92	-34.28	0.37306	4.40	-29.88	1.02802	-19.03	12.5
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46764G	-33.57	-33.78	-30.66	0.85834	4.40	-26.26	2.36592	-13.01	50
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-36.35	-37.07	-33.68	0.42808	4.40	-29.28	1.18032	-19.03	12.5
5590MHz_TnomVnom	Pass	30M	5.46G	1M	5.2333G	-45.91	-45.86	-42.87	0.05159	4.40	-38.47	0.14223	-19.03	12.5
5590MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.4675G	-46.12	-46.58	-43.33	0.04641	4.40	-38.93	0.12794	-13.01	50
5590MHz_TnomVnom	Pass	5.77G	26G	1M	19.85008G	-36.66	-36.64	-33.64	0.43254	4.40	-29.24	1.19124	-19.03	12.5
5590MHz_TnomVmin	Pass	30M	5.46G	1M	5.45864G	-45.18	-46.75	-42.88	0.05147	4.40	-38.48	0.14191	-19.03	12.5
5590MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46769G	-46.02	-46.64	-43.31	0.04668	4.40	-38.91	0.12853	-13.01	50
5590MHz_TnomVmin	Pass	5.77G	26G	1M	19.84755G	-36.38	-36.76	-33.56	0.44101	4.40	-29.16	1.21339	-19.03	12.5
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.23058G	-45.45	-45.76	-42.59	0.05506	4.40	-38.19	0.15171	-19.03	12.5
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46753G	-45.87	-46.67	-43.24	0.04741	4.40	-38.84	0.13062	-13.01	50
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-36.46	-36.75	-33.59	0.43729	4.40	-29.19	1.20504	-19.03	12.5
5710MHz_TnomVnom	Pass	30M	5.46G	1M	5.2557G	-45.26	-46.48	-42.82	0.05228	4.40	-38.42	0.14388	-19.03	12.5
5710MHz_TnomVnom	Pass	5.46G	5.47G	1M	5.46748G	-46.84	-47.42	-44.11	0.03881	4.40	-39.71	0.10691	-13.01	50
5710MHz_TnomVnom	Pass	5.77G	26G	1M	19.88043G	-36.37	-37.07	-33.70	0.42701	4.40	-29.30	1.1749	-19.03	12.5
5710MHz_TnomVmin	Pass	30M	5.46G	1M	5.23669G	-45.63	-45.87	-42.74	0.05323	4.40	-38.34	0.14655	-19.03	12.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5710MHz_TnomVmin	Pass	5.46G	5.47G	1M	5.46812G	-46.94	-47.34	-44.13	0.03868	4.40	-39.73	0.10641	-13.01	50
5710MHz_TnomVmin	Pass	5.77G	26G	1M	19.85261G	-36.38	-36.51	-33.43	0.4535	4.40	-29.03	1.25026	-19.03	12.5
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.23262G	-45.20	-46.41	-42.75	0.05306	4.40	-38.35	0.14622	-19.03	12.5
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46615G	-47.00	-47.31	-44.14	0.03853	4.40	-39.74	0.10617	-13.01	50
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.83491G	-36.63	-36.57	-33.59	0.43756	4.40	-29.19	1.20504	-19.03	12.5
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	5.1232G	1M	5.12256G	-44.60	-46.13	-42.29	0.05905	4.40	-37.89	0.16255	-26.02	2.5
5210MHz_TnomVnom	Pass	5.1232G	5.15G	1M	5.14451G	-42.54	-45.96	-40.91	0.08107	4.40	-36.51	0.22336	-18.24	15
5210MHz_TnomVnom	Pass	5.25G	5.251G	1M	5.25G	-23.77	-25.48	-21.53	7.02898	4.40	-17.13	19.36422	-6.02	250.03
5210MHz_TnomVnom	Pass	5.251G	5.29G	1M	5.28825G	-41.32	-45.02	-39.78	0.10527	4.40	-35.38	0.28973	-23.62	4.35
5210MHz_TnomVnom	Pass	5.29G	5.2967G	1M	5.29566G	-42.35	-45.38	-40.60	0.08718	4.40	-36.20	0.23988	-25.70	2.69
5210MHz_TnomVnom	Pass	5.2967G	26G	1M	19.86147G	-36.09	-36.19	-33.13	0.48647	4.40	-28.73	1.33968	-26.02	2.5
5210MHz_TnomVmin	Pass	30M	5.1232G	1M	5.11556G	-44.77	-45.79	-42.24	0.05971	4.40	-37.84	0.16444	-26.02	2.5
5210MHz_TnomVmin	Pass	5.1232G	5.15G	1M	5.14435G	-42.45	-45.84	-40.81	0.08295	4.40	-36.41	0.22856	-18.24	15
5210MHz_TnomVmin	Pass	5.25G	5.251G	1M	5.25G	-23.93	-25.49	-21.63	6.87064	4.40	-17.23	18.92344	-6.03	249.46
5210MHz_TnomVmin	Pass	5.251G	5.29G	1M	5.28809G	-41.08	-44.95	-39.59	0.10997	4.40	-35.19	0.30269	-23.59	4.38
5210MHz_TnomVmin	Pass	5.29G	5.2967G	1M	5.29581G	-42.41	-45.19	-40.57	0.08768	4.40	-36.17	0.24155	-25.75	2.66
5210MHz_TnomVmin	Pass	5.2967G	26G	1M	19.84853G	-36.29	-35.94	-33.10	0.48965	4.40	-28.70	1.34896	-26.02	2.5
5210MHz_TnomVmax	Pass	30M	5.1232G	1M	5.12256G	-44.70	-45.45	-42.05	0.06239	4.40	-37.65	0.17179	-26.02	2.5
5210MHz_TnomVmax	Pass	5.1232G	5.15G	1M	5.14459G	-42.46	-45.77	-40.80	0.08324	4.40	-36.40	0.22909	-18.24	15
5210MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25G	-23.91	-25.36	-21.56	6.97515	4.40	-17.16	19.23092	-6.02	250.03
5210MHz_TnomVmax	Pass	5.251G	5.29G	1M	5.28832G	-41.45	-44.75	-39.78	0.10511	4.40	-35.38	0.28973	-23.64	4.33
5210MHz_TnomVmax	Pass	5.29G	5.2967G	1M	5.29563G	-42.41	-45.10	-40.54	0.08831	4.40	-36.14	0.24322	-25.70	2.69
5210MHz_TnomVmax	Pass	5.2967G	26G	1M	19.85888G	-36.55	-36.16	-33.34	0.46341	4.40	-28.94	1.27644	-26.02	2.5
5290MHz_TnomVnom	Pass	30M	5.2033G	1M	5.20265G	-43.77	-45.37	-41.49	0.07102	4.40	-37.09	0.19543	-26.02	2.5
5290MHz_TnomVnom	Pass	5.2033G	5.21G	1M	5.20351G	-45.05	-45.30	-42.16	0.06077	4.40	-37.76	0.16749	-25.96	2.54
5290MHz_TnomVnom	Pass	5.21G	5.249G	1M	5.21176G	-43.81	-45.33	-41.49	0.0709	4.40	-37.09	0.19543	-23.62	4.35
5290MHz_TnomVnom	Pass	5.249G	5.25G	1M	5.25G	-24.59	-24.47	-21.52	7.04809	4.40	-17.12	19.40886	-6.03	249.46
5290MHz_TnomVnom	Pass	5.35G	5.3768G	1M	5.35809G	-41.61	-43.57	-39.47	0.11298	4.40	-35.07	0.31117	-18.24	15
5290MHz_TnomVnom	Pass	5.3768G	26G	1M	19.85429G	-35.75	-36.98	-33.31	0.46652	4.40	-28.91	1.28529	-26.02	2.5
5290MHz_TnomVmin	Pass	30M	5.2033G	1M	5.20265G	-44.34	-44.54	-41.43	0.07197	4.40	-37.03	0.19815	-26.02	2.5
5290MHz_TnomVmin	Pass	5.2033G	5.21G	1M	5.20335G	-45.03	-45.34	-42.17	0.06065	4.40	-37.77	0.16711	-26.01	2.51
5290MHz_TnomVmin	Pass	5.21G	5.249G	1M	5.21226G	-44.00	-44.84	-41.39	0.07262	4.40	-36.99	0.19999	-23.52	4.45
5290MHz_TnomVmin	Pass	5.249G	5.25G	1M	5.25G	-24.51	-24.62	-21.55	6.99141	4.40	-17.15	19.27525	-6.04	248.89
5290MHz_TnomVmin	Pass	5.35G	5.3768G	1M	5.35804G	-41.63	-43.52	-39.46	0.11317	4.40	-35.06	0.31189	-18.24	15
5290MHz_TnomVmin	Pass	5.3768G	26G	1M	19.84913G	-36.44	-36.31	-33.36	0.46087	4.40	-28.96	1.27057	-26.02	2.5
5290MHz_TnomVmax	Pass	30M	5.2033G	1M	5.20265G	-43.86	-44.83	-41.31	0.074	4.40	-36.91	0.2037	-26.02	2.5
5290MHz_TnomVmax	Pass	5.2033G	5.21G	1M	5.2035G	-45.05	-45.37	-42.20	0.0603	4.40	-37.80	0.16596	-25.96	2.54
5290MHz_TnomVmax	Pass	5.21G	5.249G	1M	5.21164G	-44.25	-45.35	-41.75	0.06676	4.40	-37.35	0.18408	-23.65	4.32
5290MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.25G	-23.90	-24.93	-21.37	7.28746	4.40	-16.97	20.09093	-6.07	247.17
5290MHz_TnomVmax	Pass	5.35G	5.3768G	1M	5.35807G	-42.34	-43.63	-39.93	0.1017	4.40	-35.53	0.2799	-18.24	15
5290MHz_TnomVmax	Pass	5.3768G	26G	1M	19.82851G	-36.46	-36.29	-33.36	0.46091	4.40	-28.96	1.27057	-26.02	2.5
5530MHz_TnomVnom	Pass	30M	5.46G	1M	5.45525G	-32.86	-36.35	-31.25	0.74935	4.40	-26.85	2.06538	-19.03	12.5
5530MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46467G	-31.41	-36.60	-30.26	0.94155	4.40	-25.86	2.59418	-13.01	50
5530MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46973G	-32.71	-37.25	-31.40	0.72416	4.40	-27.00	1.99526	-12.91	51.17
5530MHz_TnomVnom	Pass	5.77G	26G	1M	19.85767G	-36.64	-36.35	-33.48	0.44851	4.40	-29.08	1.23595	-19.03	12.5
5530MHz_TnomVmin	Pass	30M	5.46G	1M	5.45525G	-32.56	-36.70	-31.14	0.76842	4.40	-26.74	2.11836	-19.03	12.5
5530MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46457G	-31.45	-36.40	-30.24	0.94523	4.40	-25.84	2.60615	-13.01	50
5530MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46969G	-32.76	-36.98	-31.37	0.73011	4.40	-26.97	2.00909	-12.91	51.17
5530MHz_TnomVmin	Pass	5.77G	26G	1M	19.86778G	-36.70	-36.27	-33.47	0.44984	4.40	-29.07	1.2388	-19.03	12.5
5530MHz_TnomVmax	Pass	30M	5.46G	1M	5.45525G	-32.50	-36.70	-31.10	0.77614	4.40	-26.70	2.13796	-19.03	12.5
5530MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.4645G	-31.49	-36.47	-30.29	0.935	4.40	-25.89	2.57632	-13.01	50
5530MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.4696G	-32.86	-36.90	-31.42	0.72178	4.40	-27.02	1.98609	-12.91	51.17
5530MHz_TnomVmax	Pass	5.77G	26G	1M	19.8602G	-36.03	-36.90	-33.43	0.45363	4.40	-29.03	1.25026	-19.03	12.5
5610MHz_TnomVnom	Pass	30M	5.46G	1M	5.43624G	-43.60	-45.18	-41.31	0.07399	4.40	-36.91	0.2037	-19.03	12.5
5610MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46507G	-43.73	-45.79	-41.63	0.06873	4.40	-37.23	0.18923	-13.01	50



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5610MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.4699G	-44.35	-45.54	-41.89	0.06465	4.40	-37.49	0.17824	-12.91	51.17
5610MHz_TnomVnom	Pass	5.77G	26G	1M	19.87284G	-36.89	-36.12	-33.48	0.44899	4.40	-29.08	1.23595	-19.03	12.5
5610MHz_TnomVmin	Pass	30M	5.46G	1M	5.45186G	-43.08	-45.20	-41.00	0.0794	4.40	-36.60	0.21878	-19.03	12.5
5610MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46501G	-43.74	-45.73	-41.61	0.069	4.40	-37.21	0.19011	-13.01	50
5610MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46959G	-44.38	-45.59	-41.93	0.06408	4.40	-37.53	0.1766	-12.91	51.17
5610MHz_TnomVmin	Pass	5.77G	26G	1M	19.85261G	-36.56	-36.46	-33.50	0.44674	4.40	-29.10	1.23027	-19.03	12.5
5610MHz_TnomVmax	Pass	30M	5.46G	1M	5.45253G	-43.69	-45.21	-41.37	0.07289	4.40	-36.97	0.20091	-19.03	12.5
5610MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46485G	-43.73	-45.75	-41.61	0.06897	4.40	-37.21	0.19011	-13.01	50
5610MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46961G	-44.23	-45.76	-41.92	0.0643	4.40	-37.52	0.17701	-12.91	51.17
5610MHz_TnomVmax	Pass	5.77G	26G	1M	19.85514G	-36.44	-36.47	-33.44	0.45241	4.40	-29.04	1.24738	-19.03	12.5
5690MHz_TnomVnom	Pass	30M	5.46G	1M	5.22651G	-45.40	-45.66	-42.52	0.056	4.40	-38.12	0.15417	-19.03	12.5
5690MHz_TnomVnom	Pass	5.46G	5.4695G	1M	5.46216G	-45.86	-46.77	-43.28	0.04698	4.40	-38.88	0.12942	-13.01	50
5690MHz_TnomVnom	Pass	5.4695G	5.47G	1M	5.46985G	-45.80	-46.84	-43.28	0.047	4.40	-38.88	0.12942	-12.91	51.17
5690MHz_TnomVnom	Pass	5.77G	26G	1M	5.77506G	-32.68	-36.84	-31.27	0.74652	4.40	-26.87	2.05589	-19.03	12.5
5690MHz_TnomVmin	Pass	30M	5.46G	1M	5.22583G	-45.32	-45.86	-42.57	0.05532	4.40	-38.17	0.15241	-19.03	12.5
5690MHz_TnomVmin	Pass	5.46G	5.4695G	1M	5.46949G	-45.84	-46.84	-43.30	0.04676	4.40	-38.90	0.12882	-13.01	50
5690MHz_TnomVmin	Pass	5.4695G	5.47G	1M	5.46993G	-45.86	-46.79	-43.29	0.04688	4.40	-38.89	0.12912	-12.91	51.17
5690MHz_TnomVmin	Pass	5.77G	26G	1M	5.77253G	-32.28	-37.04	-31.03	0.78926	4.40	-26.63	2.1727	-19.03	12.5
5690MHz_TnomVmax	Pass	30M	5.46G	1M	5.23737G	-45.62	-45.68	-42.64	0.05446	4.40	-38.24	0.14997	-19.03	12.5
5690MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46932G	-45.88	-46.70	-43.26	0.0472	4.40	-38.86	0.13002	-13.01	50
5690MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46998G	-45.77	-46.89	-43.28	0.04695	4.40	-38.88	0.12942	-12.91	51.17
5690MHz_TnomVmax	Pass	5.77G	26G	1M	5.77253G	-32.77	-36.85	-31.34	0.73498	4.40	-26.94	2.02302	-19.03	12.5




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5180MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5180MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5180MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5200MHz_TnomVnom

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5200MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5200MHz_TnomVmax

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5240MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5240MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5260MHz_TnomVnom

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5260MHz_TnomVmin

07/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.233G	5.23265G	-37.93	-26.02	-11.91	4.40	-42.33	-45.35	-45.34
5.233G	5.24G	5.23331G	-38.26	-26.01	-12.25	4.40	-42.66	-45.63	-45.71
5.24G	5.249G	5.24899G	-19.63	-10.01	-9.62	4.40	-24.03	-26.70	-27.41
5.249G	5.25G	5.24903G	-19.14	-9.69	-9.45	4.40	-23.54	-26.06	-27.10
5.35G	26G	19.83081G	-29.38	-26.02	-3.36	4.40	-33.78	-36.71	-36.88

802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

07/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.233G	5.2333G	-38.17	-26.02	-12.15	4.40	-42.57	-45.44	-45.72
5.233G	5.24G	5.2333G	-38.20	-26.02	-12.18	4.40	-42.60	-45.34	-45.90
5.24G	5.249G	5.249G	-19.58	-10.00	-9.58	4.40	-23.98	-26.36	-27.72
5.249G	5.25G	5.24903G	-19.08	-9.74	-9.34	4.40	-23.48	-26.09	-26.93
5.35G	26G	19.85146G	-29.30	-26.02	-3.28	4.40	-33.70	-37.06	-36.39




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5280MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5280MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5280MHz_TnomVmax

07/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.23265G	-38.40	-26.02	-12.38	4.40	-42.80	-45.64	-45.98
5.2333G	5.24G	5.23333G	-38.98	-25.98	-13.00	4.40	-43.38	-46.36	-46.42
5.24G	5.249G	5.24011G	-38.92	-17.92	-21.00	4.40	-43.32	-46.28	-46.39
5.249G	5.25G	5.249G	-38.76	-9.99	-28.77	4.40	-43.16	-46.16	-46.19
5.35G	26G	19.84888G	-29.31	-26.02	-3.29	4.40	-33.71	-36.38	-37.09

802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5320MHz_TnomVnom

07/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.2333G	5.22224G	-38.56	-26.02	-12.54	4.40	-42.96	-45.99	-45.96
5.2333G	5.24G	5.23331G	-39.02	-26.00	-13.02	4.40	-43.42	-46.32	-46.55
5.24G	5.249G	5.24002G	-39.13	-18.00	-21.13	4.40	-43.53	-46.59	-46.49
5.249G	5.25G	5.249G	-39.20	-9.96	-29.24	4.40	-43.60	-46.58	-46.64
5.35G	26G	19.86179G	-29.49	-26.02	-3.47	4.40	-33.89	-36.61	-37.22




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5320MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5320MHz_TnomVmax

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5500MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5500MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5500MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5600MHz_TnomVnom

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5600MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5600MHz_TnomVmax

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5720MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5720MHz_TnomVmin

07/08/2023






802.11a_Nss1,(6Mbps)_2TX

CSE-TX-EIRP

5720MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmax

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmin

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmin

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmax

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmin

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmax

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmin

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVnom

07/08/2023






802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmax

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmin

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVnom

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmax

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVmin

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVnom

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmax

07/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmin

23/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmax

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVnom

23/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmin

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmax

23/08/2023






802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmin


23/08/2023



802.11n HT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP


5710MHz_TnomVmax



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVnom






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmin

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmin

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmin

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmax

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmin

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVnom

07/08/2023






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmax

07/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmin

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVnom

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmax

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVmin

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP


5270MHz_TnomVmax



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVnom






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmax

08/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmax

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVnom

23/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmax

23/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmin

23/08/2023






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVnom

08/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVmax

08/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVmin

08/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVnom

23/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVmax

23/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVmin

23/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVnom

23/08/2023






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVmax

23/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmin

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5180MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVnom

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5200MHz_TnomVmax

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmin

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP


5240MHz_TnomVmax



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVnom






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmin

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5280MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVnom

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5320MHz_TnomVmax

07/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmin

23/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVnom

23/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5600MHz_TnomVmax

23/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmin

23/08/2023






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVnom

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5190MHz_TnomVmax

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmin

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5230MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVnom

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5270MHz_TnomVmax

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmin

08/08/2023






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5310MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5590MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmax

23/08/2023





ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVnom

08/08/2023



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVmin

08/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5210MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVnom

08/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVmin

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5290MHz_TnomVmax

08/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVmin

23/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVnom

23/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5610MHz_TnomVmax

23/08/2023






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVmax

23/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.23737G	-38.24	-19.03	-19.21	4.40	-42.64	-45.62	-45.68
5.46G	5.4695G	5.46932G	-38.86	-13.01	-25.85	4.40	-43.26	-45.88	-46.70
5.4695G	5.47G	5.46998G	-38.88	-12.91	-25.97	4.40	-43.28	-45.77	-46.89
5.77G	26G	5.77253G	-26.94	-19.03	-7.91	4.40	-31.34	-32.77	-36.85



partial RU configuration

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.85517G	-37.40	-37.05	-34.21	0.37921	4.40	-29.81	1.04472	-26.02	2.5
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.89404G	-37.75	-37.91	-34.82	0.32969	4.40	-30.42	0.90782	-26.02	2.5
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	Pass	5.2667G	26G	1M	19.86035G	-37.46	-37.75	-34.59	0.34735	4.40	-30.19	0.95719	-26.02	2.5
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	5.2498G	5.25G	1M	5.2498G	-9.79	-11.09	-7.38	182.7579	4.40	-2.98	503.50061	-1.92	642.69
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	5.35G	26G	1M	19.83339G	-38.07	-37.67	-34.86	0.32696	4.40	-30.46	0.8995	-26.02	2.5
5.47-5.730GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.85868G	-41.30	-41.01	-38.14	0.15338	4.40	-33.74	0.42267	-26.02	2.5
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	Pass	5.765G	26G	1M	19.85109G	-41.42	-41.68	-38.54	0.14003	4.40	-34.14	0.38548	-26.02	2.5
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.85261G	-40.81	-41.29	-38.03	0.15729	4.40	-33.63	0.43351	-19.03	12.5
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.85008G	-41.93	-40.75	-38.29	0.14826	4.40	-33.89	0.40832	-19.03	12.5
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	Pass	5.77G	26G	1M	19.8602G	-40.75	-40.35	-37.54	0.1764	4.40	-33.14	0.48529	-19.03	12.5



Transmitter Spurious Emissions

Appendix D.

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5240MHz_TnomVmax	Pass	30M	5.142G	1M	5.08002G	-46.91	-47.65	-44.25	0.03755	4.40	-39.85	0.10351	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14574G	-48.27	-48.08	-45.16	0.03045	4.40	-40.76	0.08395	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25098G	-40.73	-42.90	-38.67	0.13581	4.40	-34.27	0.37411	-9.83	103.99
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.2599G	-47.62	-47.77	-44.68	0.03401	4.40	-40.28	0.09376	-17.93	16.11
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.2667G	-47.93	-47.81	-44.86	0.03266	4.40	-40.46	0.08995	-26.02	2.5
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.89404G	-37.75	-37.91	-34.82	0.32969	4.40	-30.42	0.90782	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.22159G	-46.80	-47.31	-44.04	0.03947	4.40	-39.64	0.10864	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-47.41	-47.55	-44.47	0.03573	4.40	-40.07	0.0984	-26.00	2.51
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24002G	-47.62	-47.55	-44.57	0.03488	4.40	-40.17	0.09616	-18.00	15.85
5260MHz_TnomVmax	Pass	5.249G	5.25G	1M	5.24901G	-38.36	-41.26	-36.56	0.2207	4.40	-32.16	0.60814	-9.93	101.62
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.83339G	-38.07	-37.67	-34.86	0.32696	4.40	-30.46	0.8995	-26.02	2.5
5600MHz_TnomVmax	Pass	30M	5.46G	1M	5.35208G	-50.73	-50.87	-47.79	0.01664	4.40	-43.39	0.04581	-26.02	2.5
5600MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.4617G	-51.74	-52.35	-49.02	0.01252	4.40	-44.62	0.03451	-19.03	12.5
5600MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74716G	-51.67	-51.80	-48.72	0.01341	4.40	-44.32	0.03698	-19.03	12.5
5600MHz_TnomVmax	Pass	5.765G	26G	1M	19.85109G	-41.42	-41.68	-38.54	0.14003	4.40	-34.14	0.38548	-26.02	2.5
5720MHz_TnomVmax	Pass	30M	5.46G	1M	5.25095G	-50.34	-50.70	-47.51	0.01776	4.40	-43.11	0.04887	-26.02	2.5
5720MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46873G	-52.14	-52.39	-49.25	0.01188	4.40	-44.85	0.03273	-19.03	12.5
5720MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74546G	-50.82	-50.95	-47.87	0.01631	4.40	-43.47	0.04498	-19.03	12.5
5720MHz_TnomVmax	Pass	5.765G	26G	1M	19.84097G	-41.68	-41.48	-38.57	0.13904	4.40	-34.17	0.38282	-26.02	2.5
ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5240MHz_TnomVmax	Pass	30M	5.142G	1M	4.97267G	-46.31	-48.06	-44.09	0.03902	4.40	-39.69	0.1074	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14732G	-48.00	-47.97	-44.97	0.03181	4.40	-40.57	0.0877	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.251G	1M	5.25097G	-35.21	-39.12	-33.73	0.42376	4.40	-29.33	1.16681	-9.65	108.39
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.251G	-35.71	-40.02	-34.34	0.36807	4.40	-29.94	1.01391	-10.00	100
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26669G	-47.53	-47.51	-44.51	0.0354	4.40	-40.11	0.0975	-26.01	2.51
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.86035G	-37.46	-37.75	-34.59	0.34735	4.40	-30.19	0.95719	-26.02	2.5
ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5240MHz_TnomVmax	Pass	30M	5.142G	1M	4.94263G	-46.90	-47.22	-44.05	0.03938	4.40	-39.65	0.10839	-26.02	2.5
5240MHz_TnomVmax	Pass	5.142G	5.15G	1M	5.14942G	-47.47	-47.87	-44.66	0.03424	4.40	-40.26	0.09419	-18.24	15
5240MHz_TnomVmax	Pass	5.25G	5.2502G	1M	5.2502G	-26.98	-30.02	-25.23	2.99988	4.40	-20.83	8.26038	-1.97	635.33
5240MHz_TnomVmax	Pass	5.2502G	5.251G	1M	5.251G	-33.23	-36.01	-31.39	0.72595	4.40	-26.99	1.99986	-9.98	100.46
5240MHz_TnomVmax	Pass	5.251G	5.26G	1M	5.25101G	-33.44	-36.17	-31.58	0.69444	4.40	-27.18	1.91426	-10.01	99.77
5240MHz_TnomVmax	Pass	5.26G	5.2667G	1M	5.26667G	-46.78	-47.16	-43.96	0.04022	4.40	-39.56	0.11066	-25.98	2.52
5240MHz_TnomVmax	Pass	5.2667G	26G	1M	19.85517G	-37.40	-37.05	-34.21	0.37921	4.40	-29.81	1.04472	-26.02	2.5
5260MHz_TnomVmax	Pass	30M	5.2333G	1M	5.2294G	-46.11	-46.70	-43.38	0.04587	4.40	-38.98	0.12647	-26.02	2.5
5260MHz_TnomVmax	Pass	5.2333G	5.24G	1M	5.23331G	-46.69	-46.96	-43.81	0.04157	4.40	-39.41	0.11455	-26.00	2.51
5260MHz_TnomVmax	Pass	5.24G	5.249G	1M	5.24898G	-27.74	-29.16	-25.38	2.89606	4.40	-20.98	7.97995	-10.02	99.54
5260MHz_TnomVmax	Pass	5.249G	5.2498G	1M	5.24978G	-10.15	-11.23	-7.65	171.94064	4.40	-3.25	473.15126	-2.18	605.34
5260MHz_TnomVmax	Pass	5.2498G	5.25G	1M	5.2498G	-9.79	-11.09	-7.38	182.7579	4.40	-2.98	503.50061	-1.92	642.69
5260MHz_TnomVmax	Pass	5.35G	26G	1M	19.85404G	-37.52	-36.92	-34.20	0.38025	4.40	-29.80	1.04713	-26.02	2.5
5500MHz_TnomVmax	Pass	30M	5.46G	1M	5.45661G	-47.92	-45.67	-43.64	0.04325	4.40	-39.24	0.11912	-26.02	2.5
5500MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46987G	-44.82	-42.99	-40.80	0.0832	4.40	-36.40	0.22909	-19.03	12.5
5500MHz_TnomVmax	Pass	5.745G	5.765G	1M	5.74908G	-51.15	-51.50	-48.31	0.01475	4.40	-43.91	0.04064	-19.03	12.5
5500MHz_TnomVmax	Pass	5.765G	26G	1M	19.85868G	-41.30	-41.01	-38.14	0.15338	4.40	-33.74	0.42267	-26.02	2.5
ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5510MHz_TnomVmax	Pass	30M	5.46G	1M	5.23805G	-50.21	-50.44	-47.31	0.01856	4.40	-42.91	0.05117	-19.03	12.5
5510MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46722G	-52.03	-52.13	-49.07	0.01239	4.40	-44.67	0.03412	-13.01	50
5510MHz_TnomVmax	Pass	5.77G	26G	1M	19.84502G	-40.96	-41.71	-38.31	0.14762	4.40	-33.91	0.40644	-19.03	12.5
5710MHz_TnomVmax	Pass	30M	5.46G	1M	5.23873G	-50.54	-50.93	-47.72	0.0169	4.40	-43.32	0.04656	-19.03	12.5
5710MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46546G	-52.23	-52.36	-49.28	0.01179	4.40	-44.88	0.03251	-13.01	50
5710MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-41.93	-40.75	-38.29	0.14826	4.40	-33.89	0.40832	-19.03	12.5
ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5590MHz_TnomVmax	Pass	30M	5.46G	1M	5.20615G	-49.88	-50.35	-47.10	0.01951	4.40	-42.70	0.0537	-19.03	12.5
5590MHz_TnomVmax	Pass	5.46G	5.47G	1M	5.46605G	-50.83	-51.93	-48.33	0.01467	4.40	-43.93	0.04046	-13.01	50
5590MHz_TnomVmax	Pass	5.77G	26G	1M	19.85261G	-40.81	-41.29	-38.03	0.15729	4.40	-33.63	0.43351	-19.03	12.5
ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5530MHz_TnomVmax	Pass	30M	5.46G	1M	5.46G	-48.31	-49.72	-45.95	0.02542	4.40	-41.55	0.06998	-19.03	12.5
5530MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46861G	-47.90	-48.79	-45.31	0.02943	4.40	-40.91	0.0811	-13.01	50
5530MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46986G	-48.36	-48.25	-45.29	0.02955	4.40	-40.89	0.08147	-12.91	51.17
5530MHz_TnomVmax	Pass	5.77G	26G	1M	19.8602G	-40.75	-40.35	-37.54	0.1764	4.40	-33.14	0.48529	-19.03	12.5



Transmitter Spurious Emissions

Appendix D.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm/MHz)	P2 (dBm/MHz)	Psum (dBm/MHz)	Psum (uW/MHz)	DG (dBi)	EIRP (dBm/MHz)	EIRP (uW/MHz)	Limit (dBm/MHz)	Limit (uW/MHz)
5610MHz_TnomVmax	Pass	30M	5.46G	1M	5.22787G	-49.53	-50.22	-46.85	0.02065	4.40	-42.45	0.05689	-19.03	12.5
5610MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46754G	-50.57	-51.32	-47.92	0.01615	4.40	-43.52	0.04446	-13.01	50
5610MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46988G	-50.59	-51.33	-47.93	0.01609	4.40	-43.53	0.04436	-12.91	51.17
5610MHz_TnomVmax	Pass	5.77G	26G	1M	19.85261G	-40.93	-40.78	-37.84	0.16428	4.40	-33.44	0.4529	-19.03	12.5
5690MHz_TnomVmax	Pass	30M	5.46G	1M	5.22447G	-50.08	-50.04	-47.05	0.01973	4.40	-42.65	0.05433	-19.03	12.5
5690MHz_TnomVmax	Pass	5.46G	5.4695G	1M	5.46924G	-50.60	-51.56	-48.04	0.01569	4.40	-43.64	0.04325	-13.01	50
5690MHz_TnomVmax	Pass	5.4695G	5.47G	1M	5.46985G	-50.64	-51.56	-48.07	0.01561	4.40	-43.67	0.04295	-12.91	51.17
5690MHz_TnomVmax	Pass	5.77G	26G	1M	19.85008G	-41.11	-40.29	-37.67	0.17099	4.40	-33.27	0.47098	-19.03	12.5




ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

10/08/2023




ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

10/08/2023






ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX

CSE-TX-EIRP


5600MHz_TnomVmax



ax20_OFDMA_RU26_Index3_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5720MHz_TnomVmax






ax20_OFDMA_RU52_Index38_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

10/08/2023




ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5240MHz_TnomVmax

10/08/2023






ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5260MHz_TnomVmax

10/08/2023




ax20_OFDMA_RU106_Index53_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5500MHz_TnomVmax

05/09/2023






ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5510MHz_TnomVmax

05/09/2023




ax40_OFDMA_RU26_Index12_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5710MHz_TnomVmax

05/09/2023






ax40_OFDMA_RU106_Index54_Nss1,(MCS0)_2TX

CSE-TX-EIRP


5590MHz_TnomVmax



ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5530MHz_TnomVmax






ax80_OFDMA_RU242_Index62_Nss1,(MCS0)_2TX

CSE-TX-EIRP

5690MHz_TnomVmax

05/09/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
30M	5.46G	5.22447G	-42.65	-19.03	-23.62	4.40	-47.05	-50.08	-50.04
5.46G	5.4695G	5.46924G	-43.64	-13.01	-30.63	4.40	-48.04	-50.60	-51.56
5.4695G	5.47G	5.46985G	-43.67	-12.91	-30.76	4.40	-48.07	-50.64	-51.56
5.77G	26G	19.85008G	-33.27	-19.03	-14.24	4.40	-37.67	-41.11	-40.29

Summary

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5.15-5.25GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	35.85	35.23	25	46.71	46.17	40	2
802.11n HT20_Nss1,(MCS0)_2TX	Pass	35.94	35.70	25	47.06	46.39	40	2
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	35.99	35.75	25	47.09	46.43	40	2
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	37.14	37.27	25	46.96	47.26	40	2
802.11n HT40_Nss1,(MCS0)_2TX	Pass	39.87	39.23	25	44.04	43.55	40	2
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	40.20	39.77	25	44.72	44.20	40	2
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	40.99	39.24	25	45.05	44.46	40	2
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	38.07	37.14	25	-	-	-	2
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	39.33	37.00	25	-	-	-	1
5.25-5.35GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	35.19	35.39	25	46.49	47.16	40	2
802.11n HT20_Nss1,(MCS0)_2TX	Pass	34.00	34.33	25	46.82	47.51	40	2
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	34.08	34.36	25	46.81	47.46	40	2
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	36.89	37.21	25	46.16	46.84	40	2
802.11n HT40_Nss1,(MCS0)_2TX	Pass	37.02	37.17	25	43.46	44.09	40	2
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	36.92	36.93	25	44.04	44.69	40	1
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	40.65	40.91	25	43.96	44.69	40	1
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	36.27	35.99	25	-	-	-	1
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	39.29	38.41	25	-	-	-	1
5.47-5.730GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	30.45	30.53	25	50.21	50.71	40	1
802.11n HT20_Nss1,(MCS0)_2TX	Pass	29.88	29.65	25	49.99	50.48	40	2
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	29.78	29.51	25	50.01	50.51	40	2
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	32.01	30.99	25	47.59	46.59	40	1
802.11n HT40_Nss1,(MCS0)_2TX	Pass	30.85	31.19	25	47.53	48.01	40	1
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	30.94	31.53	25	47.74	48.18	40	1
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	33.68	32.33	25	46.63	45.80	40	1
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	30.39	30.76	25	-	-	-	1
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	33.28	31.47	25	-	-	-	1

Result

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	36.92	37.45	25	48.06	47.43	40	1
5180MHz_TnomVnom	Pass	37.45	36.96	25	47.14	46.46	40	2
5180MHz_TnomVmin	Pass	37.03	37.29	25	48.01	47.36	40	1
5180MHz_TnomVmin	Pass	37.50	36.92	25	47.11	46.43	40	2
5180MHz_TnomVmax	Pass	37.01	37.24	25	47.95	47.32	40	1
5180MHz_TnomVmax	Pass	37.51	36.93	25	47.25	46.58	40	2
5200MHz_TnomVnom	Pass	35.41	35.54	25	47.47	47.00	40	1
5200MHz_TnomVnom	Pass	35.85	35.27	25	46.77	46.22	40	2
5200MHz_TnomVmin	Pass	35.41	35.51	25	47.48	47.01	40	1
5200MHz_TnomVmin	Pass	35.84	35.26	25	46.73	46.20	40	2
5200MHz_TnomVmax	Pass	35.40	35.47	25	47.44	46.96	40	1
5200MHz_TnomVmax	Pass	35.85	35.23	25	46.71	46.17	40	2
5240MHz_TnomVnom	Pass	37.05	37.19	25	47.36	47.68	40	1
5240MHz_TnomVnom	Pass	37.32	36.80	25	46.44	46.74	40	2
5240MHz_TnomVmin	Pass	37.09	37.21	25	47.35	47.68	40	1
5240MHz_TnomVmin	Pass	37.33	36.80	25	46.59	46.90	40	2
5240MHz_TnomVmax	Pass	37.10	37.23	25	47.33	47.66	40	1
5240MHz_TnomVmax	Pass	37.28	36.79	25	46.61	46.92	40	2
5260MHz_TnomVnom	Pass	35.16	35.34	25	47.11	47.82	40	1
5260MHz_TnomVnom	Pass	35.39	35.16	25	46.71	47.40	40	2
5260MHz_TnomVmin	Pass	35.17	35.32	25	47.12	47.82	40	1
5260MHz_TnomVmin	Pass	35.36	35.13	25	46.72	47.42	40	2
5260MHz_TnomVmax	Pass	35.14	35.30	25	47.11	47.82	40	1
5260MHz_TnomVmax	Pass	35.39	35.16	25	46.72	47.42	40	2
5280MHz_TnomVnom	Pass	34.87	35.51	25	47.04	47.77	40	1
5280MHz_TnomVnom	Pass	35.19	35.39	25	46.49	47.16	40	2
5280MHz_TnomVmin	Pass	34.87	35.52	25	47.06	47.77	40	1
5280MHz_TnomVmin	Pass	35.23	35.42	25	46.49	47.17	40	2
5280MHz_TnomVmax	Pass	34.88	35.52	25	47.06	47.75	40	1
5280MHz_TnomVmax	Pass	35.25	35.44	25	46.50	47.17	40	2
5320MHz_TnomVnom	Pass	35.18	35.48	25	47.50	47.44	40	1
5320MHz_TnomVnom	Pass	35.40	35.29	25	47.15	47.06	40	2
5320MHz_TnomVmin	Pass	35.12	35.50	25	47.47	47.44	40	1
5320MHz_TnomVmin	Pass	35.38	35.30	25	47.15	47.06	40	2
5320MHz_TnomVmax	Pass	35.18	35.47	25	47.50	47.45	40	1
5320MHz_TnomVmax	Pass	35.40	35.31	25	47.14	47.06	40	2
5500MHz_TnomVnom	Pass	30.63	30.55	25	50.41	50.70	40	1
5500MHz_TnomVnom	Pass	31.17	31.13	25	50.61	50.70	40	2
5500MHz_TnomVmin	Pass	30.70	30.61	25	50.40	50.67	40	1
5500MHz_TnomVmin	Pass	31.15	31.11	25	50.61	50.70	40	2
5500MHz_TnomVmax	Pass	30.66	30.56	25	50.38	50.68	40	1

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5500MHz_TnomVmax	Pass	31.17	31.16	25	50.61	50.70	40	2
5600MHz_TnomVnom	Pass	30.47	30.51	25	50.24	50.74	40	1
5600MHz_TnomVnom	Pass	30.76	30.53	25	50.38	50.75	40	2
5600MHz_TnomVmin	Pass	30.45	30.53	25	50.21	50.71	40	1
5600MHz_TnomVmin	Pass	30.75	30.51	25	50.38	50.76	40	2
5600MHz_TnomVmax	Pass	30.83	31.00	25	50.02	50.50	40	1
5600MHz_TnomVmax	Pass	30.76	30.52	25	50.39	50.76	40	2
5720MHz_TnomVnom	Pass	31.63	31.37	25	49.53	50.03	40	1
5720MHz_TnomVnom	Pass	31.70	31.35	25	49.60	50.00	40	2
5720MHz_TnomVmin	Pass	31.91	31.64	25	49.51	50.03	40	1
5720MHz_TnomVmin	Pass	31.71	31.35	25	49.59	50.01	40	2
5720MHz_TnomVmax	Pass	31.64	31.37	25	49.52	50.03	40	1
5720MHz_TnomVmax	Pass	31.71	31.36	25	49.59	50.01	40	2
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	35.94	35.78	25	47.92	47.28	40	1
5180MHz_TnomVnom	Pass	35.97	35.65	25	47.06	46.40	40	2
5180MHz_TnomVmin	Pass	35.98	35.77	25	47.92	47.28	40	1
5180MHz_TnomVmin	Pass	35.94	35.61	25	47.08	46.40	40	2
5180MHz_TnomVmax	Pass	35.96	35.84	25	47.90	47.27	40	1
5180MHz_TnomVmax	Pass	35.94	35.70	25	47.06	46.39	40	2
5200MHz_TnomVnom	Pass	35.91	36.15	25	47.95	47.42	40	1
5200MHz_TnomVnom	Pass	36.06	35.90	25	47.11	46.56	40	2
5200MHz_TnomVmin	Pass	35.85	36.07	25	47.72	47.18	40	1
5200MHz_TnomVmin	Pass	35.92	35.84	25	47.11	46.55	40	2
5200MHz_TnomVmax	Pass	35.92	36.13	25	47.90	47.38	40	1
5200MHz_TnomVmax	Pass	35.98	35.88	25	47.10	46.55	40	2
5240MHz_TnomVnom	Pass	36.00	35.92	25	47.41	47.71	40	1
5240MHz_TnomVnom	Pass	35.83	35.75	25	46.76	47.08	40	2
5240MHz_TnomVmin	Pass	35.89	35.86	25	47.39	47.71	40	1
5240MHz_TnomVmin	Pass	35.82	35.78	25	46.75	47.08	40	2
5240MHz_TnomVmax	Pass	35.96	35.96	25	47.43	47.73	40	1
5240MHz_TnomVmax	Pass	35.76	35.80	25	46.77	47.09	40	2
5260MHz_TnomVnom	Pass	34.28	34.18	25	47.19	47.88	40	1
5260MHz_TnomVnom	Pass	34.26	34.11	25	47.01	47.69	40	2
5260MHz_TnomVmin	Pass	34.25	34.14	25	47.21	47.93	40	1
5260MHz_TnomVmin	Pass	34.26	34.12	25	46.99	47.68	40	2
5260MHz_TnomVmax	Pass	34.22	34.13	25	47.21	47.93	40	1
5260MHz_TnomVmax	Pass	34.22	34.15	25	46.99	47.68	40	2
5280MHz_TnomVnom	Pass	33.98	34.37	25	47.16	47.87	40	1
5280MHz_TnomVnom	Pass	34.08	34.45	25	46.83	47.49	40	2
5280MHz_TnomVmin	Pass	33.94	34.39	25	47.18	47.88	40	1
5280MHz_TnomVmin	Pass	34.04	34.35	25	46.83	47.50	40	2

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5280MHz_TnomVmax	Pass	33.92	34.39	25	47.17	47.88	40	1
5280MHz_TnomVmax	Pass	34.00	34.33	25	46.82	47.51	40	2
5320MHz_TnomVnom	Pass	34.24	34.35	25	47.59	47.56	40	1
5320MHz_TnomVnom	Pass	34.27	34.28	25	47.35	47.27	40	2
5320MHz_TnomVmin	Pass	34.30	34.38	25	47.61	47.59	40	1
5320MHz_TnomVmin	Pass	34.19	34.21	25	47.33	47.27	40	2
5320MHz_TnomVmax	Pass	34.23	34.29	25	47.60	47.57	40	1
5320MHz_TnomVmax	Pass	34.28	34.27	25	47.37	47.28	40	2
5500MHz_TnomVnom	Pass	29.99	29.84	25	49.89	50.29	40	1
5500MHz_TnomVnom	Pass	29.98	29.94	25	50.14	50.38	40	2
5500MHz_TnomVmin	Pass	29.95	29.78	25	49.86	50.24	40	1
5500MHz_TnomVmin	Pass	29.98	29.95	25	50.11	50.35	40	2
5500MHz_TnomVmax	Pass	29.99	29.82	25	49.91	50.27	40	1
5500MHz_TnomVmax	Pass	29.96	29.93	25	50.12	50.35	40	2
5600MHz_TnomVnom	Pass	29.92	29.86	25	49.92	50.46	40	1
5600MHz_TnomVnom	Pass	29.88	29.65	25	49.99	50.48	40	2
5600MHz_TnomVmin	Pass	29.87	29.86	25	49.88	50.41	40	1
5600MHz_TnomVmin	Pass	29.88	29.66	25	49.98	50.46	40	2
5600MHz_TnomVmax	Pass	29.96	29.82	25	49.90	50.41	40	1
5600MHz_TnomVmax	Pass	29.96	29.65	25	49.99	50.47	40	2
5720MHz_TnomVnom	Pass	30.73	30.35	25	48.93	49.51	40	1
5720MHz_TnomVnom	Pass	30.71	30.43	25	48.97	49.50	40	2
5720MHz_TnomVmin	Pass	30.77	30.36	25	48.92	49.50	40	1
5720MHz_TnomVmin	Pass	30.75	30.43	25	49.00	49.51	40	2
5720MHz_TnomVmax	Pass	30.73	30.34	25	48.95	49.52	40	1
5720MHz_TnomVmax	Pass	30.74	30.40	25	48.98	49.50	40	2
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	40.02	39.62	25	44.62	44.14	40	1
5190MHz_TnomVnom	Pass	39.90	39.28	25	44.06	43.56	40	2
5190MHz_TnomVmin	Pass	39.96	39.62	25	44.61	44.15	40	1
5190MHz_TnomVmin	Pass	39.87	39.30	25	44.06	43.56	40	2
5190MHz_TnomVmax	Pass	39.98	39.61	25	44.61	44.14	40	1
5190MHz_TnomVmax	Pass	39.87	39.23	25	44.04	43.55	40	2
5230MHz_TnomVnom	Pass	40.14	39.44	25	44.54	44.62	40	1
5230MHz_TnomVnom	Pass	39.73	39.38	25	43.92	43.97	40	2
5230MHz_TnomVmin	Pass	40.17	39.57	25	44.55	44.59	40	1
5230MHz_TnomVmin	Pass	39.71	39.43	25	43.93	43.97	40	2
5230MHz_TnomVmax	Pass	40.28	39.44	25	44.57	44.62	40	1
5230MHz_TnomVmax	Pass	39.71	39.41	25	43.92	43.97	40	2
5270MHz_TnomVnom	Pass	37.28	36.96	25	44.23	44.40	40	1
5270MHz_TnomVnom	Pass	37.36	37.22	25	43.77	43.91	40	2
5270MHz_TnomVmin	Pass	37.29	36.94	25	44.23	44.41	40	1

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5270MHz_TnomVmin	Pass	37.38	37.20	25	43.77	43.92	40	2
5270MHz_TnomVmax	Pass	37.28	36.94	25	44.22	44.41	40	1
5270MHz_TnomVmax	Pass	37.36	37.24	25	43.74	43.91	40	2
5310MHz_TnomVnom	Pass	37.02	36.98	25	43.83	44.49	40	1
5310MHz_TnomVnom	Pass	37.02	37.17	25	43.46	44.09	40	2
5310MHz_TnomVmin	Pass	37.03	36.95	25	43.85	44.48	40	1
5310MHz_TnomVmin	Pass	37.03	37.15	25	43.47	44.09	40	2
5310MHz_TnomVmax	Pass	37.01	36.99	25	43.84	44.47	40	1
5310MHz_TnomVmax	Pass	37.02	37.16	25	43.47	44.09	40	2
5510MHz_TnomVnom	Pass	31.07	31.63	25	47.70	48.09	40	1
5510MHz_TnomVnom	Pass	31.40	32.00	25	48.01	48.19	40	2
5510MHz_TnomVmin	Pass	31.06	31.61	25	47.68	48.09	40	1
5510MHz_TnomVmin	Pass	31.41	32.02	25	48.02	48.19	40	2
5510MHz_TnomVmax	Pass	31.06	31.64	25	47.69	48.08	40	1
5510MHz_TnomVmax	Pass	31.44	32.02	25	48.03	48.20	40	2
5590MHz_TnomVnom	Pass	31.25	31.63	25	47.50	47.91	40	1
5590MHz_TnomVnom	Pass	31.43	31.71	25	47.78	47.95	40	2
5590MHz_TnomVmin	Pass	31.26	31.66	25	47.50	47.92	40	1
5590MHz_TnomVmin	Pass	31.42	31.68	25	47.77	47.95	40	2
5590MHz_TnomVmax	Pass	30.85	31.19	25	47.53	48.01	40	1
5590MHz_TnomVmax	Pass	31.06	31.34	25	47.79	48.03	40	2
5710MHz_TnomVnom	Pass	31.99	32.53	25	46.74	47.28	40	1
5710MHz_TnomVnom	Pass	31.96	32.59	25	47.02	47.41	40	2
5710MHz_TnomVmin	Pass	31.97	32.53	25	46.74	47.28	40	1
5710MHz_TnomVmin	Pass	31.94	32.59	25	47.00	47.38	40	2
5710MHz_TnomVmax	Pass	32.00	32.53	25	46.76	47.29	40	1
5710MHz_TnomVmax	Pass	31.97	32.57	25	47.00	47.39	40	2
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	35.94	35.78	25	47.88	47.25	40	1
5180MHz_TnomVnom	Pass	35.95	35.63	25	47.10	46.44	40	2
5180MHz_TnomVmin	Pass	35.97	35.80	25	47.90	47.29	40	1
5180MHz_TnomVmin	Pass	35.99	35.75	25	47.09	46.43	40	2
5180MHz_TnomVmax	Pass	35.87	35.77	25	47.73	47.09	40	1
5180MHz_TnomVmax	Pass	36.00	35.55	25	47.10	46.44	40	2
5200MHz_TnomVnom	Pass	35.65	36.04	25	47.90	47.37	40	1
5200MHz_TnomVnom	Pass	35.83	35.69	25	47.22	46.67	40	2
5200MHz_TnomVmin	Pass	35.72	36.07	25	47.89	47.37	40	1
5200MHz_TnomVmin	Pass	35.92	35.78	25	47.25	46.67	40	2
5200MHz_TnomVmax	Pass	35.81	36.03	25	47.93	47.39	40	1
5200MHz_TnomVmax	Pass	35.97	35.77	25	47.22	46.66	40	2
5240MHz_TnomVnom	Pass	35.61	35.66	25	47.46	47.81	40	1
5240MHz_TnomVnom	Pass	35.60	35.46	25	46.72	47.04	40	2

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5240MHz_TnomVmin	Pass	35.69	35.42	25	47.51	47.85	40	1
5240MHz_TnomVmin	Pass	35.52	35.53	25	46.68	47.01	40	2
5240MHz_TnomVmax	Pass	35.57	35.60	25	47.49	47.81	40	1
5240MHz_TnomVmax	Pass	35.50	35.46	25	46.69	47.03	40	2
5260MHz_TnomVnom	Pass	33.99	34.11	25	47.48	48.24	40	1
5260MHz_TnomVnom	Pass	34.25	34.09	25	46.98	47.67	40	2
5260MHz_TnomVmin	Pass	34.27	34.15	25	47.19	47.89	40	1
5260MHz_TnomVmin	Pass	34.25	34.05	25	47.00	47.69	40	2
5260MHz_TnomVmax	Pass	34.23	34.16	25	47.20	47.90	40	1
5260MHz_TnomVmax	Pass	34.24	34.14	25	47.01	47.70	40	2
5280MHz_TnomVnom	Pass	33.98	34.33	25	47.10	47.79	40	1
5280MHz_TnomVnom	Pass	34.08	34.36	25	46.81	47.46	40	2
5280MHz_TnomVmin	Pass	33.95	34.41	25	47.18	47.88	40	1
5280MHz_TnomVmin	Pass	34.04	34.40	25	46.82	47.48	40	2
5280MHz_TnomVmax	Pass	33.87	34.37	25	46.95	47.65	40	1
5280MHz_TnomVmax	Pass	34.07	34.42	25	46.82	47.47	40	2
5320MHz_TnomVnom	Pass	34.23	34.32	25	47.63	47.60	40	1
5320MHz_TnomVnom	Pass	34.26	34.28	25	47.36	47.28	40	2
5320MHz_TnomVmin	Pass	34.16	34.39	25	47.61	47.58	40	1
5320MHz_TnomVmin	Pass	34.20	34.28	25	47.37	47.29	40	2
5320MHz_TnomVmax	Pass	34.21	34.30	25	47.41	47.39	40	1
5320MHz_TnomVmax	Pass	34.24	34.28	25	47.36	47.29	40	2
5500MHz_TnomVnom	Pass	29.92	29.80	25	49.91	50.32	40	1
5500MHz_TnomVnom	Pass	30.12	30.00	25	50.17	50.41	40	2
5500MHz_TnomVmin	Pass	29.94	29.73	25	49.91	50.30	40	1
5500MHz_TnomVmin	Pass	30.08	30.05	25	50.19	50.40	40	2
5500MHz_TnomVmax	Pass	29.90	29.71	25	49.88	50.26	40	1
5500MHz_TnomVmax	Pass	30.02	30.00	25	50.18	50.39	40	2
5600MHz_TnomVnom	Pass	29.84	29.79	25	49.92	50.48	40	1
5600MHz_TnomVnom	Pass	29.78	29.51	25	50.01	50.51	40	2
5600MHz_TnomVmin	Pass	29.85	29.74	25	49.91	50.46	40	1
5600MHz_TnomVmin	Pass	29.79	29.54	25	50.01	50.51	40	2
5600MHz_TnomVmax	Pass	29.87	29.79	25	49.92	50.46	40	1
5600MHz_TnomVmax	Pass	29.79	29.56	25	50.01	50.51	40	2
5720MHz_TnomVnom	Pass	30.80	30.41	25	48.91	49.45	40	1
5720MHz_TnomVnom	Pass	30.71	30.38	25	49.05	49.54	40	2
5720MHz_TnomVmin	Pass	30.82	30.43	25	48.90	49.44	40	1
5720MHz_TnomVmin	Pass	30.75	30.36	25	49.02	49.52	40	2
5720MHz_TnomVmax	Pass	30.73	30.35	25	49.00	49.55	40	1
5720MHz_TnomVmax	Pass	30.73	30.38	25	49.03	49.53	40	2
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	40.39	39.54	25	44.97	44.50	40	1

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5190MHz_TnomVnom	Pass	40.24	39.75	25	44.74	44.21	40	2
5190MHz_TnomVmin	Pass	40.35	39.57	25	44.98	44.52	40	1
5190MHz_TnomVmin	Pass	40.20	39.77	25	44.72	44.20	40	2
5190MHz_TnomVmax	Pass	40.39	39.52	25	44.91	44.44	40	1
5190MHz_TnomVmax	Pass	40.24	39.76	25	44.71	44.21	40	2
5230MHz_TnomVnom	Pass	39.51	38.74	25	44.94	45.03	40	1
5230MHz_TnomVnom	Pass	39.13	38.75	25	44.61	44.70	40	2
5230MHz_TnomVmin	Pass	39.48	38.78	25	44.94	45.06	40	1
5230MHz_TnomVmin	Pass	39.16	38.72	25	44.61	44.69	40	2
5230MHz_TnomVmax	Pass	39.51	38.72	25	44.78	44.87	40	1
5230MHz_TnomVmax	Pass	39.16	38.73	25	44.61	44.70	40	2
5270MHz_TnomVnom	Pass	37.40	36.96	25	44.25	44.41	40	1
5270MHz_TnomVnom	Pass	37.08	36.99	25	44.41	44.56	40	2
5270MHz_TnomVmin	Pass	36.99	36.97	25	44.51	44.71	40	1
5270MHz_TnomVmin	Pass	37.08	37.00	25	44.39	44.55	40	2
5270MHz_TnomVmax	Pass	37.43	36.94	25	44.35	44.50	40	1
5270MHz_TnomVmax	Pass	37.07	37.00	25	44.40	44.57	40	2
5310MHz_TnomVnom	Pass	37.00	36.97	25	44.14	44.78	40	1
5310MHz_TnomVnom	Pass	36.87	36.97	25	44.15	44.76	40	2
5310MHz_TnomVmin	Pass	36.98	36.99	25	44.11	44.78	40	1
5310MHz_TnomVmin	Pass	36.83	36.93	25	44.13	44.77	40	2
5310MHz_TnomVmax	Pass	36.92	36.93	25	44.04	44.69	40	1
5310MHz_TnomVmax	Pass	36.84	36.96	25	44.15	44.78	40	2
5510MHz_TnomVnom	Pass	31.51	32.12	25	47.71	48.07	40	1
5510MHz_TnomVnom	Pass	31.66	32.30	25	48.05	48.20	40	2
5510MHz_TnomVmin	Pass	31.52	32.15	25	47.71	48.08	40	1
5510MHz_TnomVmin	Pass	31.65	32.30	25	48.07	48.21	40	2
5510MHz_TnomVmax	Pass	30.94	31.53	25	47.74	48.18	40	1
5510MHz_TnomVmax	Pass	31.68	32.29	25	48.05	48.18	40	2
5590MHz_TnomVnom	Pass	31.73	32.10	25	47.46	47.84	40	1
5590MHz_TnomVnom	Pass	31.64	31.93	25	47.80	47.94	40	2
5590MHz_TnomVmin	Pass	31.76	32.12	25	47.47	47.86	40	1
5590MHz_TnomVmin	Pass	31.70	31.96	25	47.79	47.93	40	2
5590MHz_TnomVmax	Pass	31.80	32.11	25	47.48	47.87	40	1
5590MHz_TnomVmax	Pass	31.69	31.98	25	47.79	47.94	40	2
5710MHz_TnomVnom	Pass	31.87	32.44	25	46.80	47.33	40	1
5710MHz_TnomVnom	Pass	31.87	32.47	25	47.03	47.43	40	2
5710MHz_TnomVmin	Pass	31.84	32.41	25	46.74	47.30	40	1
5710MHz_TnomVmin	Pass	31.81	32.46	25	47.05	47.44	40	2
5710MHz_TnomVmax	Pass	31.89	32.46	25	46.78	47.32	40	1
5710MHz_TnomVmax	Pass	31.86	32.47	25	47.06	47.46	40	2
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5210MHz_TnomVnom	Pass	38.49	37.28	25	-	-	-	1
5210MHz_TnomVnom	Pass	38.07	37.14	25	-	-	-	2
5210MHz_TnomVmin	Pass	38.44	37.29	25	-	-	-	1
5210MHz_TnomVmin	Pass	38.06	37.14	25	-	-	-	2
5210MHz_TnomVmax	Pass	38.44	37.30	25	-	-	-	1
5210MHz_TnomVmax	Pass	38.08	37.18	25	-	-	-	2
5290MHz_TnomVnom	Pass	36.34	36.10	25	-	-	-	1
5290MHz_TnomVnom	Pass	36.10	36.32	25	-	-	-	2
5290MHz_TnomVmin	Pass	36.27	35.99	25	-	-	-	1
5290MHz_TnomVmin	Pass	36.07	36.30	25	-	-	-	2
5290MHz_TnomVmax	Pass	36.32	36.07	25	-	-	-	1
5290MHz_TnomVmax	Pass	36.09	36.32	25	-	-	-	2
5530MHz_TnomVnom	Pass	30.69	31.01	25	-	-	-	1
5530MHz_TnomVnom	Pass	32.41	32.36	25	-	-	-	2
5530MHz_TnomVmin	Pass	30.39	30.76	25	-	-	-	1
5530MHz_TnomVmin	Pass	32.43	32.36	25	-	-	-	2
5530MHz_TnomVmax	Pass	30.39	30.74	25	-	-	-	1
5530MHz_TnomVmax	Pass	32.41	32.36	25	-	-	-	2
5610MHz_TnomVnom	Pass	31.34	32.19	25	-	-	-	1
5610MHz_TnomVnom	Pass	32.55	33.06	25	-	-	-	2
5610MHz_TnomVmin	Pass	31.33	32.18	25	-	-	-	1
5610MHz_TnomVmin	Pass	32.55	33.05	25	-	-	-	2
5610MHz_TnomVmax	Pass	31.31	32.22	25	-	-	-	1
5610MHz_TnomVmax	Pass	32.55	33.06	25	-	-	-	2
5690MHz_TnomVnom	Pass	31.74	32.81	25	-	-	-	1
5690MHz_TnomVnom	Pass	32.56	33.55	25	-	-	-	2
5690MHz_TnomVmin	Pass	31.76	32.82	25	-	-	-	1
5690MHz_TnomVmin	Pass	32.59	33.60	25	-	-	-	2
5690MHz_TnomVmax	Pass	31.76	32.83	25	-	-	-	1
5690MHz_TnomVmax	Pass	32.53	33.60	25	-	-	-	2
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	36.37	36.61	25	48.47	47.71	40	1
5180MHz_TnomVnom	Pass	37.15	37.13	25	47.81	47.14	40	2
5180MHz_TnomVmin	Pass	36.33	36.55	25	48.58	47.83	40	1
5180MHz_TnomVmin	Pass	37.07	37.12	25	47.79	47.13	40	2
5180MHz_TnomVmax	Pass	36.32	36.63	25	48.47	47.71	40	1
5180MHz_TnomVmax	Pass	37.16	37.19	25	47.80	47.12	40	2
5200MHz_TnomVnom	Pass	36.11	37.03	25	48.59	48.03	40	1
5200MHz_TnomVnom	Pass	37.04	37.40	25	47.72	47.14	40	2
5200MHz_TnomVmin	Pass	36.15	36.94	25	48.59	48.03	40	1
5200MHz_TnomVmin	Pass	37.11	37.34	25	47.72	47.15	40	2
5200MHz_TnomVmax	Pass	36.12	36.74	25	48.38	47.77	40	1

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5200MHz_TnomVmax	Pass	37.06	37.55	25	47.73	47.15	40	2
5240MHz_TnomVnom	Pass	36.42	36.99	25	47.81	48.04	40	1
5240MHz_TnomVnom	Pass	37.14	37.27	25	46.96	47.26	40	2
5240MHz_TnomVmin	Pass	36.29	37.06	25	47.82	48.05	40	1
5240MHz_TnomVmin	Pass	37.16	37.28	25	46.98	47.27	40	2
5240MHz_TnomVmax	Pass	36.30	36.97	25	47.83	48.06	40	1
5240MHz_TnomVmax	Pass	37.12	37.35	25	46.96	47.26	40	2
5260MHz_TnomVnom	Pass	36.15	37.28	25	46.54	47.22	40	1
5260MHz_TnomVnom	Pass	36.89	37.21	25	46.16	46.84	40	2
5260MHz_TnomVmin	Pass	36.23	37.27	25	46.67	47.36	40	1
5260MHz_TnomVmin	Pass	36.90	37.29	25	46.19	46.85	40	2
5260MHz_TnomVmax	Pass	36.21	37.30	25	46.71	47.41	40	1
5260MHz_TnomVmax	Pass	36.95	37.43	25	46.19	46.87	40	2
5280MHz_TnomVnom	Pass	36.09	37.27	25	47.68	48.32	40	1
5280MHz_TnomVnom	Pass	36.80	37.23	25	47.44	48.00	40	2
5280MHz_TnomVmin	Pass	36.12	37.22	25	47.63	48.27	40	1
5280MHz_TnomVmin	Pass	36.73	37.35	25	47.44	48.00	40	2
5280MHz_TnomVmax	Pass	36.04	37.21	25	47.55	48.21	40	1
5280MHz_TnomVmax	Pass	36.67	37.33	25	47.44	48.00	40	2
5320MHz_TnomVnom	Pass	35.93	36.83	25	48.14	48.09	40	1
5320MHz_TnomVnom	Pass	36.57	36.92	25	47.78	47.74	40	2
5320MHz_TnomVmin	Pass	35.83	36.77	25	48.12	48.08	40	1
5320MHz_TnomVmin	Pass	36.56	36.94	25	47.78	47.74	40	2
5320MHz_TnomVmax	Pass	35.94	36.87	25	48.12	48.08	40	1
5320MHz_TnomVmax	Pass	36.52	36.94	25	47.79	47.73	40	2
5500MHz_TnomVnom	Pass	32.26	31.59	25	46.94	46.86	40	1
5500MHz_TnomVnom	Pass	32.31	31.96	25	46.02	46.77	40	2
5500MHz_TnomVmin	Pass	32.26	31.61	25	46.90	46.85	40	1
5500MHz_TnomVmin	Pass	32.33	31.92	25	46.01	46.75	40	2
5500MHz_TnomVmax	Pass	32.26	31.57	25	46.92	46.87	40	1
5500MHz_TnomVmax	Pass	32.31	31.94	25	46.00	46.73	40	2
5600MHz_TnomVnom	Pass	32.44	31.42	25	48.16	48.64	40	1
5600MHz_TnomVnom	Pass	33.21	31.91	25	47.64	48.44	40	2
5600MHz_TnomVmin	Pass	32.47	31.41	25	48.15	48.64	40	1
5600MHz_TnomVmin	Pass	33.21	31.92	25	47.63	48.42	40	2
5600MHz_TnomVmax	Pass	32.42	31.43	25	48.14	48.63	40	1
5600MHz_TnomVmax	Pass	33.22	31.92	25	47.66	48.41	40	2
5720MHz_TnomVnom	Pass	32.01	30.99	25	47.59	46.59	40	1
5720MHz_TnomVnom	Pass	33.26	31.78	25	48.24	47.97	40	2
5720MHz_TnomVmin	Pass	32.02	30.99	25	47.58	46.59	40	1
5720MHz_TnomVmin	Pass	33.29	31.79	25	48.24	47.99	40	2
5720MHz_TnomVmax	Pass	32.00	31.02	25	47.59	46.61	40	1

Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5720MHz_TnomVmax	Pass	33.26	31.80	25	48.26	48.02	40	2
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	41.32	39.55	25	45.31	44.66	40	1
5190MHz_TnomVnom	Pass	40.99	39.24	25	45.05	44.46	40	2
5190MHz_TnomVmin	Pass	41.22	39.45	25	45.22	44.57	40	1
5190MHz_TnomVmin	Pass	40.97	39.23	25	45.04	44.48	40	2
5190MHz_TnomVmax	Pass	41.31	39.52	25	45.33	44.68	40	1
5190MHz_TnomVmax	Pass	41.01	39.28	25	45.05	44.47	40	2
5230MHz_TnomVnom	Pass	41.39	40.29	25	45.05	44.95	40	1
5230MHz_TnomVnom	Pass	42.15	41.25	25	44.82	44.80	40	2
5230MHz_TnomVmin	Pass	41.36	40.25	25	45.03	44.91	40	1
5230MHz_TnomVmin	Pass	42.15	41.26	25	44.79	44.78	40	2
5230MHz_TnomVmax	Pass	41.35	40.21	25	45.01	44.89	40	1
5230MHz_TnomVmax	Pass	42.15	41.25	25	44.79	44.79	40	2
5270MHz_TnomVnom	Pass	41.01	40.46	25	44.45	44.60	40	1
5270MHz_TnomVnom	Pass	42.22	41.46	25	44.76	44.83	40	2
5270MHz_TnomVmin	Pass	40.93	40.40	25	44.44	44.58	40	1
5270MHz_TnomVmin	Pass	42.22	41.50	25	44.73	44.81	40	2
5270MHz_TnomVmax	Pass	40.86	40.36	25	44.32	44.46	40	1
5270MHz_TnomVmax	Pass	42.23	41.54	25	44.70	44.78	40	2
5310MHz_TnomVnom	Pass	40.80	41.03	25	44.05	44.76	40	1
5310MHz_TnomVnom	Pass	40.18	40.44	25	44.14	44.89	40	2
5310MHz_TnomVmin	Pass	40.68	40.96	25	44.03	44.73	40	1
5310MHz_TnomVmin	Pass	39.69	40.04	25	44.20	44.95	40	2
5310MHz_TnomVmax	Pass	40.65	40.91	25	43.96	44.69	40	1
5310MHz_TnomVmax	Pass	39.64	39.99	25	44.21	44.94	40	2
5510MHz_TnomVnom	Pass	34.93	32.92	25	46.59	46.61	40	1
5510MHz_TnomVnom	Pass	35.58	33.15	25	46.84	46.87	40	2
5510MHz_TnomVmin	Pass	34.90	32.93	25	46.59	46.63	40	1
5510MHz_TnomVmin	Pass	35.57	33.15	25	46.84	46.87	40	2
5510MHz_TnomVmax	Pass	34.89	32.91	25	46.60	46.62	40	1
5510MHz_TnomVmax	Pass	35.57	33.14	25	46.83	46.88	40	2
5590MHz_TnomVnom	Pass	34.50	32.76	25	46.54	46.74	40	1
5590MHz_TnomVnom	Pass	35.47	33.11	25	46.79	47.07	40	2
5590MHz_TnomVmin	Pass	34.51	32.76	25	46.55	46.74	40	1
5590MHz_TnomVmin	Pass	35.18	32.80	25	46.77	47.04	40	2
5590MHz_TnomVmax	Pass	34.51	32.78	25	46.54	46.74	40	1
5590MHz_TnomVmax	Pass	35.20	32.84	25	46.76	47.04	40	2
5710MHz_TnomVnom	Pass	33.68	32.33	25	46.63	45.80	40	1
5710MHz_TnomVnom	Pass	33.37	31.97	25	47.29	46.31	40	2
5710MHz_TnomVmin	Pass	33.69	32.33	25	46.64	45.82	40	1
5710MHz_TnomVmin	Pass	33.38	31.97	25	47.30	46.32	40	2


Mode	Result	-Adj Ch (dB)	+Adj Ch (dB)	Limit (dB)	-Alt Ch (dB)	+Alt Ch (dB)	Limit (dB)	Port
5710MHz_TnomVmax	Pass	33.69	32.32	25	46.63	45.81	40	1
5710MHz_TnomVmax	Pass	33.36	31.97	25	47.30	46.32	40	2
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	39.45	37.16	25	-	-	-	1
5210MHz_TnomVnom	Pass	40.39	39.22	25	-	-	-	2
5210MHz_TnomVmin	Pass	39.42	37.16	25	-	-	-	1
5210MHz_TnomVmin	Pass	40.35	39.24	25	-	-	-	2
5210MHz_TnomVmax	Pass	39.33	37.00	25	-	-	-	1
5210MHz_TnomVmax	Pass	40.37	39.21	25	-	-	-	2
5290MHz_TnomVnom	Pass	39.36	38.53	25	-	-	-	1
5290MHz_TnomVnom	Pass	39.92	39.34	25	-	-	-	2
5290MHz_TnomVmin	Pass	39.29	38.41	25	-	-	-	1
5290MHz_TnomVmin	Pass	39.89	39.32	25	-	-	-	2
5290MHz_TnomVmax	Pass	39.30	38.42	25	-	-	-	1
5290MHz_TnomVmax	Pass	39.90	39.32	25	-	-	-	2
5530MHz_TnomVnom	Pass	33.28	31.47	25	-	-	-	1
5530MHz_TnomVnom	Pass	36.20	33.74	25	-	-	-	2
5530MHz_TnomVmin	Pass	33.30	31.48	25	-	-	-	1
5530MHz_TnomVmin	Pass	36.21	33.72	25	-	-	-	2
5530MHz_TnomVmax	Pass	33.32	31.49	25	-	-	-	1
5530MHz_TnomVmax	Pass	36.19	33.73	25	-	-	-	2
5610MHz_TnomVnom	Pass	32.47	31.84	25	-	-	-	1
5610MHz_TnomVnom	Pass	36.00	34.57	25	-	-	-	2
5610MHz_TnomVmin	Pass	32.48	31.87	25	-	-	-	1
5610MHz_TnomVmin	Pass	35.99	34.59	25	-	-	-	2
5610MHz_TnomVmax	Pass	32.54	31.92	25	-	-	-	1
5610MHz_TnomVmax	Pass	35.98	34.56	25	-	-	-	2
5690MHz_TnomVnom	Pass	32.90	32.40	25	-	-	-	1
5690MHz_TnomVnom	Pass	35.83	34.80	25	-	-	-	2
5690MHz_TnomVmin	Pass	32.40	31.92	25	-	-	-	1
5690MHz_TnomVmin	Pass	35.84	34.82	25	-	-	-	2
5690MHz_TnomVmax	Pass	32.47	31.95	25	-	-	-	1
5690MHz_TnomVmax	Pass	35.87	34.83	25	-	-	-	2

802.11a_Nss1,(6Mbps)_2TX

ACLR

5180MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5180MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5180MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5200MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.41	35.51	25	47.48	47.01	40	1
35.84	35.26	25	46.73	46.20	40	2


802.11a_Nss1,(6Mbps)_2TX

ACLR

5200MHz_TnomVmax

07/08/2023

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.40	35.47	25	47.44	46.96	40	1
35.85	35.23	25	46.71	46.17	40	2

802.11a_Nss1,(6Mbps)_2TX

ACLR

5240MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5240MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5240MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5260MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5260MHz_TnomVmin

07/08/2023

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.17	35.32	25	47.12	47.82	40	1
35.36	35.13	25	46.72	47.42	40	2


802.11a_Nss1,(6Mbps)_2TX

ACLR

5260MHz_TnomVmax

07/08/2023

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.14	35.30	25	47.11	47.82	40	1
35.39	35.16	25	46.72	47.42	40	2

802.11a_Nss1,(6Mbps)_2TX

ACLR

5280MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5280MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5280MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5320MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5320MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5320MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5500MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5500MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX



ACLR

5500MHz_TnomVmax

07/08/2023

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
30.66	30.56	25	50.38	50.68	40	1
31.17	31.16	25	50.61	50.70	40	2


802.11a_Nss1,(6Mbps)_2TX



ACLR

5600MHz_TnomVnom

07/08/2023

CF
5.6GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
30.47	30.51	25	50.24	50.74	40	1
30.76	30.53	25	50.38	50.75	40	2

802.11a_Nss1,(6Mbps)_2TX

ACLR

5600MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5600MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5720MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

ACLR

5720MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX



ACLR

5720MHz_TnomVmax

07/08/2023

CF
5.72GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.64	31.37	25	49.52	50.03	40	1
31.71	31.36	25	49.59	50.01	40	2


802.11n HT20_Nss1,(MCS0)_2TX



ACLR

5180MHz_TnomVnom

07/08/2023

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.94	35.78	25	47.92	47.28	40	1
35.97	35.65	25	47.06	46.40	40	2


802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmin

07/08/2023

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.98	35.77	25	47.92	47.28	40	1
35.94	35.61	25	47.08	46.40	40	2


802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmax

07/08/2023

CF
5.18GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.96	35.84	25	47.90	47.27	40	1
35.94	35.70	25	47.06	46.39	40	2

802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmin

07/08/2023

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
33.94	34.39	25	47.18	47.88	40	1
34.04	34.35	25	46.83	47.50	40	2


802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmax

07/08/2023

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
33.92	34.39	25	47.17	47.88	40	1
34.00	34.33	25	46.82	47.51	40	2

802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX



ACLR

5270MHz_TnomVnom

07/08/2023

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
37.28	36.96	25	44.23	44.40	40	1
37.36	37.22	25	43.77	43.91	40	2


802.11n HT40_Nss1,(MCS0)_2TX



ACLR

5270MHz_TnomVmin

07/08/2023

CF
5.27GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
37.29	36.94	25	44.23	44.41	40	1
37.38	37.20	25	43.77	43.92	40	2

802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

07/08/2023

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
37.03	36.95	25	43.85	44.48	40	1
37.03	37.15	25	43.47	44.09	40	2


802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

07/08/2023

CF
5.31GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
37.01	36.99	25	43.84	44.47	40	1
37.02	37.16	25	43.47	44.09	40	2


802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

23/08/2023

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.07	31.63	25	47.70	48.09	40	1
31.40	32.00	25	48.01	48.19	40	2


802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

23/08/2023

CF
5.51GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.06	31.61	25	47.68	48.09	40	1
31.41	32.02	25	48.02	48.19	40	2

802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

23/08/2023




802.11n HT40_Nss1,(MCS0)_2TX



ACLR

5590MHz_TnomVmin

23/08/2023

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.26	31.66	25	47.50	47.92	40	1
31.42	31.68	25	47.77	47.95	40	2


802.11n HT40_Nss1,(MCS0)_2TX


ACLR

5590MHz_TnomVmax

23/08/2023

CF
5.59GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
30.85	31.19	25	47.53	48.01	40	1
31.06	31.34	25	47.79	48.03	40	2


802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

23/08/2023

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1
Port 2

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.99	32.53	25	46.74	47.28	40	1
31.96	32.59	25	47.02	47.41	40	2


802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

23/08/2023

CF
5.71GHz
Span
240MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1
Port 2


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
31.97	32.53	25	46.74	47.28	40	1
31.94	32.59	25	47.00	47.38	40	2

802.11n HT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

23/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5200MHz_TnomVnom

07/08/2023

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.65	36.04	25	47.90	47.37	40	1
35.83	35.69	25	47.22	46.67	40	2


802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5200MHz_TnomVmin

07/08/2023

CF
5.2GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
35.72	36.07	25	47.89	47.37	40	1
35.92	35.78	25	47.25	46.67	40	2

802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5260MHz_TnomVnom

07/08/2023

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
33.99	34.11	25	47.48	48.24	40	1
34.25	34.09	25	46.98	47.67	40	2


802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5260MHz_TnomVmin

07/08/2023

CF
5.26GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
34.27	34.15	25	47.19	47.89	40	1
34.25	34.05	25	47.00	47.69	40	2

802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5280MHz_TnomVmin

07/08/2023

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 

-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
33.95	34.41	25	47.18	47.88	40	1
34.04	34.40	25	46.82	47.48	40	2


802.11ac VHT20_Nss1,(MCS0)_2TX



ACLR

5280MHz_TnomVmax

07/08/2023

CF
5.28GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



Port 1 
Port 2 


-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
33.87	34.37	25	46.95	47.65	40	1
34.07	34.42	25	46.82	47.47	40	2

802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/08/2023

CF
5.32GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS



-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
34.21	34.30	25	47.41	47.39	40	1
34.24	34.28	25	47.36	47.29	40	2


802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

07/08/2023

CF
5.5GHz
Span
120MHz
RBW
300kHz
VBW
300kHz
Sweep Time
100ms
Detector Type
RMS




-Adj Ch(dB)	+Adj Ch(dB)	Limit(dB)	-Alt Ch(dB)	+Alt Ch(dB)	Limit(dB)	Port
29.92	29.80	25	49.91	50.32	40	1
30.12	30.00	25	50.17	50.41	40	2

802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

07/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmax

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

23/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmax

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVnom

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmin

23/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5180MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5200MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5240MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5260MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5280MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVnom

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmin

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5320MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5500MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5600MHz_TnomVmax

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVnom

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmin

23/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

ACLR

5720MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5190MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5230MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5270MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5310MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5510MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5590MHz_TnomVmax

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVnom

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmin

23/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

ACLR

5710MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmin

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5210MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmin

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5290MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5530MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5610MHz_TnomVmax

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVnom

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmin

23/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

ACLR

5690MHz_TnomVmax

23/08/2023



Summary

Mode	Max-Dwell (s)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	1.429687m
802.11n HT20_Nss1,(MCS0)_2TX	1.3375m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.346875m
ax20_OFDMA_Nss1,(MCS0)_2TX	121.875u
802.11n HT40_Nss1,(MCS0)_2TX	665.625u
802.11ac VHT40_Nss1,(MCS0)_2TX	670.3125u
ax40_OFDMA_Nss1,(MCS0)_2TX	95.3125u
802.11ac VHT80_Nss1,(MCS0)_2TX	334.375u
ax80_OFDMA_Nss1,(MCS0)_2TX	82.8125u
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	1.429687m
802.11n HT20_Nss1,(MCS0)_2TX	1.339062m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.346875m
ax20_OFDMA_Nss1,(MCS0)_2TX	121.875u
802.11n HT40_Nss1,(MCS0)_2TX	665.625u
802.11ac VHT40_Nss1,(MCS0)_2TX	670.3125u
ax40_OFDMA_Nss1,(MCS0)_2TX	95.3125u
802.11ac VHT80_Nss1,(MCS0)_2TX	334.375u
ax80_OFDMA_Nss1,(MCS0)_2TX	82.8125u
5.47-5.730GHz	-
802.11a_Nss1,(6Mbps)_2TX	1.429687m
802.11n HT20_Nss1,(MCS0)_2TX	1.339062m
802.11ac VHT20_Nss1,(MCS0)_2TX	1.346875m
ax20_OFDMA_Nss1,(MCS0)_2TX	121.875u
802.11n HT40_Nss1,(MCS0)_2TX	665.625u
802.11ac VHT40_Nss1,(MCS0)_2TX	670.3125u
ax40_OFDMA_Nss1,(MCS0)_2TX	95.3125u
802.11ac VHT80_Nss1,(MCS0)_2TX	334.375u
ax80_OFDMA_Nss1,(MCS0)_2TX	82.8125u

Result

Mode	Result	TX Burst Time (s)	Limit (s)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5180MHz_TnomVnom	Pass	1.429687m	8m
5180MHz_TnomVmin	Pass	1.429687m	8m
5180MHz_TnomVmax	Pass	1.429687m	8m
5200MHz_TnomVnom	Pass	1.429687m	8m
5200MHz_TnomVmin	Pass	1.429687m	8m
5200MHz_TnomVmax	Pass	1.429687m	8m
5240MHz_TnomVnom	Pass	1.429687m	8m
5240MHz_TnomVmin	Pass	1.429687m	8m
5240MHz_TnomVmax	Pass	1.429687m	8m
5260MHz_TnomVnom	Pass	1.429687m	8m
5260MHz_TnomVmin	Pass	1.429687m	8m
5260MHz_TnomVmax	Pass	1.429687m	8m
5280MHz_TnomVnom	Pass	1.429687m	8m
5280MHz_TnomVmin	Pass	1.429687m	8m
5280MHz_TnomVmax	Pass	1.429687m	8m
5320MHz_TnomVnom	Pass	1.429687m	8m
5320MHz_TnomVmin	Pass	1.429687m	8m
5320MHz_TnomVmax	Pass	1.429687m	8m
5500MHz_TnomVnom	Pass	1.429687m	8m
5500MHz_TnomVmin	Pass	1.429687m	8m
5500MHz_TnomVmax	Pass	1.429687m	8m
5600MHz_TnomVnom	Pass	1.429687m	8m
5600MHz_TnomVmin	Pass	1.429687m	8m
5600MHz_TnomVmax	Pass	1.429687m	8m
5720MHz_TnomVnom	Pass	1.429687m	8m
5720MHz_TnomVmin	Pass	1.429687m	8m
5720MHz_TnomVmax	Pass	1.429687m	8m
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	1.3375m	8m
5180MHz_TnomVmin	Pass	1.3375m	8m
5180MHz_TnomVmax	Pass	1.3375m	8m
5200MHz_TnomVnom	Pass	1.3375m	8m
5200MHz_TnomVmin	Pass	1.3375m	8m
5200MHz_TnomVmax	Pass	1.3375m	8m
5240MHz_TnomVnom	Pass	1.3375m	8m
5240MHz_TnomVmin	Pass	1.3375m	8m
5240MHz_TnomVmax	Pass	1.3375m	8m
5260MHz_TnomVnom	Pass	1.3375m	8m
5260MHz_TnomVmin	Pass	1.3375m	8m
5260MHz_TnomVmax	Pass	1.3375m	8m
5280MHz_TnomVnom	Pass	1.3375m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5280MHz_TnomVmin	Pass	1.3375m	8m
5280MHz_TnomVmax	Pass	1.3375m	8m
5320MHz_TnomVnom	Pass	1.3375m	8m
5320MHz_TnomVmin	Pass	1.339062m	8m
5320MHz_TnomVmax	Pass	1.339062m	8m
5500MHz_TnomVnom	Pass	1.339062m	8m
5500MHz_TnomVmin	Pass	1.3375m	8m
5500MHz_TnomVmax	Pass	1.3375m	8m
5600MHz_TnomVnom	Pass	1.3375m	8m
5600MHz_TnomVmin	Pass	1.339062m	8m
5600MHz_TnomVmax	Pass	1.3375m	8m
5720MHz_TnomVnom	Pass	1.339062m	8m
5720MHz_TnomVmin	Pass	1.3375m	8m
5720MHz_TnomVmax	Pass	1.3375m	8m
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	665.625u	8m
5190MHz_TnomVmin	Pass	665.625u	8m
5190MHz_TnomVmax	Pass	665.625u	8m
5230MHz_TnomVnom	Pass	665.625u	8m
5230MHz_TnomVmin	Pass	665.625u	8m
5230MHz_TnomVmax	Pass	665.625u	8m
5270MHz_TnomVnom	Pass	665.625u	8m
5270MHz_TnomVmin	Pass	665.625u	8m
5270MHz_TnomVmax	Pass	665.625u	8m
5310MHz_TnomVnom	Pass	665.625u	8m
5310MHz_TnomVmin	Pass	665.625u	8m
5310MHz_TnomVmax	Pass	665.625u	8m
5510MHz_TnomVnom	Pass	665.625u	8m
5510MHz_TnomVmin	Pass	665.625u	8m
5510MHz_TnomVmax	Pass	665.625u	8m
5590MHz_TnomVnom	Pass	665.625u	8m
5590MHz_TnomVmin	Pass	665.625u	8m
5590MHz_TnomVmax	Pass	665.625u	8m
5710MHz_TnomVnom	Pass	665.625u	8m
5710MHz_TnomVmin	Pass	665.625u	8m
5710MHz_TnomVmax	Pass	665.625u	8m
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	1.346875m	8m
5180MHz_TnomVmin	Pass	1.346875m	8m
5180MHz_TnomVmax	Pass	1.346875m	8m
5200MHz_TnomVnom	Pass	1.346875m	8m
5200MHz_TnomVmin	Pass	1.346875m	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5200MHz_TnomVmax	Pass	1.346875m	8m
5240MHz_TnomVnom	Pass	1.346875m	8m
5240MHz_TnomVmin	Pass	1.346875m	8m
5240MHz_TnomVmax	Pass	1.346875m	8m
5260MHz_TnomVnom	Pass	1.346875m	8m
5260MHz_TnomVmin	Pass	1.346875m	8m
5260MHz_TnomVmax	Pass	1.346875m	8m
5280MHz_TnomVnom	Pass	1.346875m	8m
5280MHz_TnomVmin	Pass	1.346875m	8m
5280MHz_TnomVmax	Pass	1.346875m	8m
5320MHz_TnomVnom	Pass	1.346875m	8m
5320MHz_TnomVmin	Pass	1.346875m	8m
5320MHz_TnomVmax	Pass	1.346875m	8m
5500MHz_TnomVnom	Pass	1.346875m	8m
5500MHz_TnomVmin	Pass	1.346875m	8m
5500MHz_TnomVmax	Pass	1.346875m	8m
5600MHz_TnomVnom	Pass	1.346875m	8m
5600MHz_TnomVmin	Pass	1.346875m	8m
5600MHz_TnomVmax	Pass	1.346875m	8m
5720MHz_TnomVnom	Pass	1.346875m	8m
5720MHz_TnomVmin	Pass	1.346875m	8m
5720MHz_TnomVmax	Pass	1.346875m	8m
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	670.3125u	8m
5190MHz_TnomVmin	Pass	670.3125u	8m
5190MHz_TnomVmax	Pass	670.3125u	8m
5230MHz_TnomVnom	Pass	670.3125u	8m
5230MHz_TnomVmin	Pass	670.3125u	8m
5230MHz_TnomVmax	Pass	670.3125u	8m
5270MHz_TnomVnom	Pass	670.3125u	8m
5270MHz_TnomVmin	Pass	670.3125u	8m
5270MHz_TnomVmax	Pass	670.3125u	8m
5310MHz_TnomVnom	Pass	670.3125u	8m
5310MHz_TnomVmin	Pass	670.3125u	8m
5310MHz_TnomVmax	Pass	670.3125u	8m
5510MHz_TnomVnom	Pass	670.3125u	8m
5510MHz_TnomVmin	Pass	670.3125u	8m
5510MHz_TnomVmax	Pass	670.3125u	8m
5590MHz_TnomVnom	Pass	670.3125u	8m
5590MHz_TnomVmin	Pass	670.3125u	8m
5590MHz_TnomVmax	Pass	670.3125u	8m
5710MHz_TnomVnom	Pass	670.3125u	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5710MHz_TnomVmin	Pass	670.3125u	8m
5710MHz_TnomVmax	Pass	670.3125u	8m
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	334.375u	8m
5210MHz_TnomVmin	Pass	334.375u	8m
5210MHz_TnomVmax	Pass	334.375u	8m
5290MHz_TnomVnom	Pass	334.375u	8m
5290MHz_TnomVmin	Pass	334.375u	8m
5290MHz_TnomVmax	Pass	334.375u	8m
5530MHz_TnomVnom	Pass	334.375u	8m
5530MHz_TnomVmin	Pass	334.375u	8m
5530MHz_TnomVmax	Pass	334.375u	8m
5610MHz_TnomVnom	Pass	334.375u	8m
5610MHz_TnomVmin	Pass	334.375u	8m
5610MHz_TnomVmax	Pass	334.375u	8m
5690MHz_TnomVnom	Pass	334.375u	8m
5690MHz_TnomVmin	Pass	334.375u	8m
5690MHz_TnomVmax	Pass	334.375u	8m
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	121.875u	8m
5180MHz_TnomVmin	Pass	121.875u	8m
5180MHz_TnomVmax	Pass	121.875u	8m
5200MHz_TnomVnom	Pass	121.875u	8m
5200MHz_TnomVmin	Pass	121.875u	8m
5200MHz_TnomVmax	Pass	121.875u	8m
5240MHz_TnomVnom	Pass	121.875u	8m
5240MHz_TnomVmin	Pass	121.875u	8m
5240MHz_TnomVmax	Pass	121.875u	8m
5260MHz_TnomVnom	Pass	121.875u	8m
5260MHz_TnomVmin	Pass	121.875u	8m
5260MHz_TnomVmax	Pass	121.875u	8m
5280MHz_TnomVnom	Pass	121.875u	8m
5280MHz_TnomVmin	Pass	121.875u	8m
5280MHz_TnomVmax	Pass	121.875u	8m
5320MHz_TnomVnom	Pass	121.875u	8m
5320MHz_TnomVmin	Pass	121.875u	8m
5320MHz_TnomVmax	Pass	121.875u	8m
5500MHz_TnomVnom	Pass	121.875u	8m
5500MHz_TnomVmin	Pass	121.875u	8m
5500MHz_TnomVmax	Pass	121.875u	8m
5600MHz_TnomVnom	Pass	121.875u	8m
5600MHz_TnomVmin	Pass	121.875u	8m

Mode	Result	TX Burst Time (s)	Limit (s)
5600MHz_TnomVmax	Pass	121.875u	8m
5720MHz_TnomVnom	Pass	121.875u	8m
5720MHz_TnomVmin	Pass	121.875u	8m
5720MHz_TnomVmax	Pass	121.875u	8m
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	95.3125u	8m
5190MHz_TnomVmin	Pass	95.3125u	8m
5190MHz_TnomVmax	Pass	95.3125u	8m
5230MHz_TnomVnom	Pass	95.3125u	8m
5230MHz_TnomVmin	Pass	95.3125u	8m
5230MHz_TnomVmax	Pass	95.3125u	8m
5270MHz_TnomVnom	Pass	95.3125u	8m
5270MHz_TnomVmin	Pass	95.3125u	8m
5270MHz_TnomVmax	Pass	95.3125u	8m
5310MHz_TnomVnom	Pass	95.3125u	8m
5310MHz_TnomVmin	Pass	95.3125u	8m
5310MHz_TnomVmax	Pass	95.3125u	8m
5510MHz_TnomVnom	Pass	95.3125u	8m
5510MHz_TnomVmin	Pass	95.3125u	8m
5510MHz_TnomVmax	Pass	95.3125u	8m
5590MHz_TnomVnom	Pass	95.3125u	8m
5590MHz_TnomVmin	Pass	95.3125u	8m
5590MHz_TnomVmax	Pass	95.3125u	8m
5710MHz_TnomVnom	Pass	95.3125u	8m
5710MHz_TnomVmin	Pass	95.3125u	8m
5710MHz_TnomVmax	Pass	95.3125u	8m
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	82.8125u	8m
5210MHz_TnomVmin	Pass	82.8125u	8m
5210MHz_TnomVmax	Pass	82.8125u	8m
5290MHz_TnomVnom	Pass	82.8125u	8m
5290MHz_TnomVmin	Pass	82.8125u	8m
5290MHz_TnomVmax	Pass	82.8125u	8m
5530MHz_TnomVnom	Pass	82.8125u	8m
5530MHz_TnomVmin	Pass	82.8125u	8m
5530MHz_TnomVmax	Pass	82.8125u	8m
5610MHz_TnomVnom	Pass	82.8125u	8m
5610MHz_TnomVmin	Pass	82.8125u	8m
5610MHz_TnomVmax	Pass	82.8125u	8m
5690MHz_TnomVnom	Pass	82.8125u	8m
5690MHz_TnomVmin	Pass	82.8125u	8m
5690MHz_TnomVmax	Pass	82.8125u	8m




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5180MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5180MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5180MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5200MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5200MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5200MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5240MHz_TnomVnom

07/08/2023



Port 1 

CF
5.24GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5240MHz_TnomVmin

07/08/2023



Port 1 

CF
5.24GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5240MHz_TnomVmax

07/08/2023



Port 1 

CF
5.24GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5260MHz_TnomVnom

07/08/2023



Port 1 

CF
5.26GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m

802.11a_Nss1,(6Mbps)_2TX

TX Burst

5260MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5260MHz_TnomVmax

07/08/2023





802.11a_Nss1,(6Mbps)_2TX

TX Burst

5280MHz_TnomVnom

07/08/2023



Port 1 

CF
5.28GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5280MHz_TnomVmin

07/08/2023



Port 1 

CF
5.28GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5280MHz_TnomVmax

07/08/2023



Port 1 

CF
5.28GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m


802.11a_Nss1,(6Mbps)_2TX

TX Burst

5320MHz_TnomVnom

07/08/2023



Port 1 

CF
5.32GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.429687ms


TX Burst Time(s)	Limit(s)
1.429687m	8m

802.11a_Nss1,(6Mbps)_2TX

TX Burst

5320MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5320MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5500MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5500MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5500MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5600MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5600MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5600MHz_TnomVmax

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5720MHz_TnomVnom

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5720MHz_TnomVmin

07/08/2023




802.11a_Nss1,(6Mbps)_2TX

TX Burst

5720MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVnom

07/08/2023





802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmin

07/08/2023



Port 1 

CF
5.18GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.3375ms


TX Burst Time(s)	Limit(s)
1.3375m	8m


802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmax

07/08/2023



Port 1 

CF
5.18GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.3375ms


TX Burst Time(s)	Limit(s)
1.3375m	8m

802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVnom

07/08/2023



Port 1 

CF
5.32GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.3375ms


TX Burst Time(s)	Limit(s)
1.3375m	8m


802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmin

07/08/2023



Port 1 

CF
5.32GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
1.339062ms


TX Burst Time(s)	Limit(s)
1.339062m	8m

802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmax

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVnom

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmin

07/08/2023




802.11n HT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmax

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVnom

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmin

07/08/2023




802.11n HT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmin

07/08/2023




TX Burst Time(s)	Limit(s)
1.346875m	8m

802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmax

07/08/2023




TX Burst Time(s)	Limit(s)
1.346875m	8m

802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVnom

07/08/2023




TX Burst Time(s)	Limit(s)
1.346875m	8m

802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmin

07/08/2023




TX Burst Time(s)	Limit(s)
1.346875m	8m

802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmax

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVnom

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmin

07/08/2023




802.11ac VHT20_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmax

07/08/2023





802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVnom

08/08/2023



Port 1 

CF
5.19GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmin

08/08/2023



Port 1 

CF
5.19GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m

802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVnom

08/08/2023



802.11ac VHT40_Nss1,(MCS0)_2TX


TX Burst

5230MHz_TnomVmin

08/08/2023

Port 1 

CF
5.23GHz
RBW
10MHz
VBW
10MHz
Sweep Time
50ms
TX Time
670.3125us



TX Burst Time(s)	Limit(s)
670.3125u	8m

802.11ac VHT40_Nss1,(MCS0)_2TX


TX Burst

5230MHz_TnomVmax

08/08/2023

Port 1 

CF
5.23GHz
RBW
10MHz
VBW
10MHz
Sweep Time
50ms
TX Time
670.3125us




TX Burst Time(s)	Limit(s)
670.3125u	8m

802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmin

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmax

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVnom

08/08/2023




802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmin

08/08/2023





802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmax

08/08/2023



Port 1 

CF
5.51GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVnom

08/08/2023



Port 1 

CF
5.59GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmin

08/08/2023



Port 1 

CF
5.59GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmax

08/08/2023



Port 1 

CF
5.59GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVnom

08/08/2023



Port 1 

CF
5.71GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmin

08/08/2023



Port 1 

CF
5.71GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT40_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmax

08/08/2023



Port 1 

CF
5.71GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
670.3125us


TX Burst Time(s)	Limit(s)
670.3125u	8m


802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVnom

08/08/2023



Port 1 

CF
5.21GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
334.375us


TX Burst Time(s)	Limit(s)
334.375u	8m

802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVmax

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVnom

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVmax

08/08/2023





802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVnom

08/08/2023



Port 1 

CF
5.61GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
334.375us


TX Burst Time(s)	Limit(s)
334.375u	8m


802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVmin

08/08/2023



Port 1 

CF
5.61GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
334.375us


TX Burst Time(s)	Limit(s)
334.375u	8m


802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVmax

08/08/2023



Port 1 

CF
5.61GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
334.375us


TX Burst Time(s)	Limit(s)
334.375u	8m


802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVnom

08/08/2023



Port 1 

CF
5.69GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
334.375us


TX Burst Time(s)	Limit(s)
334.375u	8m

802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVmin

08/08/2023




802.11ac VHT80_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVmax

08/08/2023





ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVnom

07/08/2023



Port 1 

CF
5.18GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmin

07/08/2023



Port 1 

CF
5.18GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5180MHz_TnomVmax

07/08/2023



Port 1 

CF
5.18GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVnom

07/08/2023



Port 1 

CF
5.2GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmin

07/08/2023



Port 1 

CF
5.2GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5200MHz_TnomVmax

07/08/2023



Port 1 

CF
5.2GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVnom

07/08/2023



Port 1 

CF
5.24GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmin

07/08/2023



Port 1 

CF
5.24GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m

ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5240MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVnom

07/08/2023





ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmin

07/08/2023



Port 1 

CF
5.26GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5260MHz_TnomVmax

07/08/2023



Port 1 

CF
5.26GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVnom

07/08/2023



Port 1 

CF
5.28GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmin

07/08/2023



Port 1 

CF
5.28GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m

ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5280MHz_TnomVmax

07/08/2023




ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVnom

07/08/2023





ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmin

07/08/2023



Port 1 

CF
5.32GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5320MHz_TnomVmax

07/08/2023



Port 1 

CF
5.32GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVnom

07/08/2023



Port 1 

CF
5.5GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmin

07/08/2023



Port 1 

CF
5.5GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5500MHz_TnomVmax

07/08/2023



Port 1 

CF
5.5GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVnom

07/08/2023



Port 1 

CF
5.6GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmin

07/08/2023



Port 1 

CF
5.6GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5600MHz_TnomVmax

07/08/2023



Port 1 

CF
5.6GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVnom

07/08/2023



Port 1 

CF
5.72GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmin

07/08/2023



Port 1 

CF
5.72GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax20_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5720MHz_TnomVmax

07/08/2023



Port 1 

CF
5.72GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
121.875us


TX Burst Time(s)	Limit(s)
121.875u	8m


ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVnom

08/08/2023



Port 1 

CF
5.19GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
95.3125us


TX Burst Time(s)	Limit(s)
95.3125u	8m

ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5190MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5230MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5270MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5310MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVnom

08/08/2023





ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmin

08/08/2023



Port 1 

CF
5.51GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
95.3125us


TX Burst Time(s)	Limit(s)
95.3125u	8m


ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5510MHz_TnomVmax

08/08/2023



Port 1 

CF
5.51GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
95.3125us


TX Burst Time(s)	Limit(s)
95.3125u	8m

ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5590MHz_TnomVmax

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVnom

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmin

08/08/2023




ax40_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5710MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVnom

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVmin

08/08/2023





ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5210MHz_TnomVmax

08/08/2023



Port 1 

CF
5.21GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVnom

08/08/2023



Port 1 

CF
5.29GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVmin

08/08/2023



Port 1 

CF
5.29GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5290MHz_TnomVmax

08/08/2023



Port 1 

CF
5.29GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVnom

08/08/2023



Port 1 

CF
5.53GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVmin

08/08/2023



Port 1 

CF
5.53GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m

ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5530MHz_TnomVmax

08/08/2023




ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVnom

08/08/2023





ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVmin

08/08/2023



Port 1 

CF
5.61GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5610MHz_TnomVmax

08/08/2023



Port 1 

CF
5.61GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVnom

08/08/2023



Port 1 

CF
5.69GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m


ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVmin

08/08/2023



Port 1 

CF
5.69GHz

RBW
10MHz

VBW
10MHz

Sweep Time
50ms

TX Time
82.8125us


TX Burst Time(s)	Limit(s)
82.8125u	8m

ax80_OFDMA_Nss1,(MCS0)_2TX

TX Burst

5690MHz_TnomVmax

08/08/2023



Summary

Mode	Result	Interference Pin (dBm)	Function
5.15-5.25GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	-47.20	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	-47.20	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	-47.20	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.20	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	-47.18	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	-47.18	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.18	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-47.15	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.15	Good
5.25-5.35GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	-47.33	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	-47.33	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	-47.33	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.33	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	-47.31	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	-47.31	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.31	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-47.28	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.28	Good
5.47-5.730GHz	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	-47.96	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	-47.96	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	-47.96	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.96	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	-47.94	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	-47.94	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.94	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	-47.91	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	-47.91	Good

Result

Mode	Result	Interference Pin (dBm)	Function
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5180MHz_TnomVnom	Pass	-47.10	Good
5180MHz_TnomVmin	Pass	-47.10	Good
5180MHz_TnomVmax	Pass	-47.10	Good
5200MHz_TnomVnom	Pass	-47.13	Good
5200MHz_TnomVmin	Pass	-47.13	Good
5200MHz_TnomVmax	Pass	-47.13	Good
5240MHz_TnomVnom	Pass	-47.20	Good
5240MHz_TnomVmin	Pass	-47.20	Good
5240MHz_TnomVmax	Pass	-47.20	Good
5260MHz_TnomVnom	Pass	-47.23	Good
5260MHz_TnomVmin	Pass	-47.23	Good
5260MHz_TnomVmax	Pass	-47.23	Good
5280MHz_TnomVnom	Pass	-47.26	Good
5280MHz_TnomVmin	Pass	-47.26	Good
5280MHz_TnomVmax	Pass	-47.26	Good
5320MHz_TnomVnom	Pass	-47.33	Good
5320MHz_TnomVmin	Pass	-47.33	Good
5320MHz_TnomVmax	Pass	-47.33	Good
5500MHz_TnomVnom	Pass	-47.62	Good
5500MHz_TnomVmin	Pass	-47.62	Good
5500MHz_TnomVmax	Pass	-47.62	Good
5600MHz_TnomVnom	Pass	-47.77	Good
5600MHz_TnomVmin	Pass	-47.77	Good
5600MHz_TnomVmax	Pass	-47.77	Good
5720MHz_TnomVnom	Pass	-47.96	Good
5720MHz_TnomVmin	Pass	-47.96	Good
5720MHz_TnomVmax	Pass	-47.96	Good
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	-47.10	Good
5180MHz_TnomVmin	Pass	-47.10	Good
5180MHz_TnomVmax	Pass	-47.10	Good
5200MHz_TnomVnom	Pass	-47.13	Good
5200MHz_TnomVmin	Pass	-47.13	Good
5200MHz_TnomVmax	Pass	-47.13	Good
5240MHz_TnomVnom	Pass	-47.20	Good
5240MHz_TnomVmin	Pass	-47.20	Good
5240MHz_TnomVmax	Pass	-47.20	Good
5260MHz_TnomVnom	Pass	-47.23	Good
5260MHz_TnomVmin	Pass	-47.23	Good
5260MHz_TnomVmax	Pass	-47.23	Good
5280MHz_TnomVnom	Pass	-47.26	Good

Mode	Result	Interference Pin (dBm)	Function
5280MHz_TnomVmin	Pass	-47.26	Good
5280MHz_TnomVmax	Pass	-47.26	Good
5320MHz_TnomVnom	Pass	-47.33	Good
5320MHz_TnomVmin	Pass	-47.33	Good
5320MHz_TnomVmax	Pass	-47.33	Good
5500MHz_TnomVnom	Pass	-47.62	Good
5500MHz_TnomVmin	Pass	-47.62	Good
5500MHz_TnomVmax	Pass	-47.62	Good
5600MHz_TnomVnom	Pass	-47.77	Good
5600MHz_TnomVmin	Pass	-47.77	Good
5600MHz_TnomVmax	Pass	-47.77	Good
5720MHz_TnomVnom	Pass	-47.96	Good
5720MHz_TnomVmin	Pass	-47.96	Good
5720MHz_TnomVmax	Pass	-47.96	Good
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	-47.11	Good
5190MHz_TnomVmin	Pass	-47.11	Good
5190MHz_TnomVmax	Pass	-47.11	Good
5230MHz_TnomVnom	Pass	-47.18	Good
5230MHz_TnomVmin	Pass	-47.18	Good
5230MHz_TnomVmax	Pass	-47.18	Good
5270MHz_TnomVnom	Pass	-47.25	Good
5270MHz_TnomVmin	Pass	-47.25	Good
5270MHz_TnomVmax	Pass	-47.25	Good
5310MHz_TnomVnom	Pass	-47.31	Good
5310MHz_TnomVmin	Pass	-47.31	Good
5310MHz_TnomVmax	Pass	-47.31	Good
5510MHz_TnomVnom	Pass	-47.63	Good
5510MHz_TnomVmin	Pass	-47.63	Good
5510MHz_TnomVmax	Pass	-47.63	Good
5590MHz_TnomVnom	Pass	-47.76	Good
5590MHz_TnomVmin	Pass	-47.76	Good
5590MHz_TnomVmax	Pass	-47.76	Good
5710MHz_TnomVnom	Pass	-47.94	Good
5710MHz_TnomVmin	Pass	-47.94	Good
5710MHz_TnomVmax	Pass	-47.94	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	-47.10	Good
5180MHz_TnomVmin	Pass	-47.10	Good
5180MHz_TnomVmax	Pass	-47.10	Good
5200MHz_TnomVnom	Pass	-47.13	Good
5200MHz_TnomVmin	Pass	-47.13	Good
5200MHz_TnomVmax	Pass	-47.13	Good

Mode	Result	Interference Pin (dBm)	Function
5240MHz_TnomVnom	Pass	-47.20	Good
5240MHz_TnomVmin	Pass	-47.20	Good
5240MHz_TnomVmax	Pass	-47.20	Good
5260MHz_TnomVnom	Pass	-47.23	Good
5260MHz_TnomVmin	Pass	-47.23	Good
5260MHz_TnomVmax	Pass	-47.23	Good
5280MHz_TnomVnom	Pass	-47.26	Good
5280MHz_TnomVmin	Pass	-47.26	Good
5280MHz_TnomVmax	Pass	-47.26	Good
5320MHz_TnomVnom	Pass	-47.33	Good
5320MHz_TnomVmin	Pass	-47.33	Good
5320MHz_TnomVmax	Pass	-47.33	Good
5500MHz_TnomVnom	Pass	-47.62	Good
5500MHz_TnomVmin	Pass	-47.62	Good
5500MHz_TnomVmax	Pass	-47.62	Good
5600MHz_TnomVnom	Pass	-47.77	Good
5600MHz_TnomVmin	Pass	-47.77	Good
5600MHz_TnomVmax	Pass	-47.77	Good
5720MHz_TnomVnom	Pass	-47.96	Good
5720MHz_TnomVmin	Pass	-47.96	Good
5720MHz_TnomVmax	Pass	-47.96	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	-47.11	Good
5190MHz_TnomVmin	Pass	-47.11	Good
5190MHz_TnomVmax	Pass	-47.11	Good
5230MHz_TnomVnom	Pass	-47.18	Good
5230MHz_TnomVmin	Pass	-47.18	Good
5230MHz_TnomVmax	Pass	-47.18	Good
5270MHz_TnomVnom	Pass	-47.25	Good
5270MHz_TnomVmin	Pass	-47.25	Good
5270MHz_TnomVmax	Pass	-47.25	Good
5310MHz_TnomVnom	Pass	-47.31	Good
5310MHz_TnomVmin	Pass	-47.31	Good
5310MHz_TnomVmax	Pass	-47.31	Good
5510MHz_TnomVnom	Pass	-47.63	Good
5510MHz_TnomVmin	Pass	-47.63	Good
5510MHz_TnomVmax	Pass	-47.63	Good
5590MHz_TnomVnom	Pass	-47.76	Good
5590MHz_TnomVmin	Pass	-47.76	Good
5590MHz_TnomVmax	Pass	-47.76	Good
5710MHz_TnomVnom	Pass	-47.94	Good
5710MHz_TnomVmin	Pass	-47.94	Good
5710MHz_TnomVmax	Pass	-47.94	Good

Mode	Result	Interference Pin (dBm)	Function
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	-47.15	Good
5210MHz_TnomVmin	Pass	-47.15	Good
5210MHz_TnomVmax	Pass	-47.15	Good
5290MHz_TnomVnom	Pass	-47.28	Good
5290MHz_TnomVmin	Pass	-47.28	Good
5290MHz_TnomVmax	Pass	-47.28	Good
5530MHz_TnomVnom	Pass	-47.66	Good
5530MHz_TnomVmin	Pass	-47.66	Good
5530MHz_TnomVmax	Pass	-47.66	Good
5610MHz_TnomVnom	Pass	-47.79	Good
5610MHz_TnomVmin	Pass	-47.79	Good
5610MHz_TnomVmax	Pass	-47.79	Good
5690MHz_TnomVnom	Pass	-47.91	Good
5690MHz_TnomVmin	Pass	-47.91	Good
5690MHz_TnomVmax	Pass	-47.91	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5180MHz_TnomVnom	Pass	-47.10	Good
5180MHz_TnomVmin	Pass	-47.10	Good
5180MHz_TnomVmax	Pass	-47.10	Good
5200MHz_TnomVnom	Pass	-47.13	Good
5200MHz_TnomVmin	Pass	-47.13	Good
5200MHz_TnomVmax	Pass	-47.13	Good
5240MHz_TnomVnom	Pass	-47.20	Good
5240MHz_TnomVmin	Pass	-47.20	Good
5240MHz_TnomVmax	Pass	-47.20	Good
5260MHz_TnomVnom	Pass	-47.23	Good
5260MHz_TnomVmin	Pass	-47.23	Good
5260MHz_TnomVmax	Pass	-47.23	Good
5280MHz_TnomVnom	Pass	-47.26	Good
5280MHz_TnomVmin	Pass	-47.26	Good
5280MHz_TnomVmax	Pass	-47.26	Good
5320MHz_TnomVnom	Pass	-47.33	Good
5320MHz_TnomVmin	Pass	-47.33	Good
5320MHz_TnomVmax	Pass	-47.33	Good
5500MHz_TnomVnom	Pass	-47.62	Good
5500MHz_TnomVmin	Pass	-47.62	Good
5500MHz_TnomVmax	Pass	-47.62	Good
5600MHz_TnomVnom	Pass	-47.77	Good
5600MHz_TnomVmin	Pass	-47.77	Good
5600MHz_TnomVmax	Pass	-47.77	Good
5720MHz_TnomVnom	Pass	-47.96	Good
5720MHz_TnomVmin	Pass	-47.96	Good

Mode	Result	Interference Pin (dBm)	Function
5720MHz_TnomVmax	Pass	-47.96	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5190MHz_TnomVnom	Pass	-47.11	Good
5190MHz_TnomVmin	Pass	-47.11	Good
5190MHz_TnomVmax	Pass	-47.11	Good
5230MHz_TnomVnom	Pass	-47.18	Good
5230MHz_TnomVmin	Pass	-47.18	Good
5230MHz_TnomVmax	Pass	-47.18	Good
5270MHz_TnomVnom	Pass	-47.25	Good
5270MHz_TnomVmin	Pass	-47.25	Good
5270MHz_TnomVmax	Pass	-47.25	Good
5310MHz_TnomVnom	Pass	-47.31	Good
5310MHz_TnomVmin	Pass	-47.31	Good
5310MHz_TnomVmax	Pass	-47.31	Good
5510MHz_TnomVnom	Pass	-47.63	Good
5510MHz_TnomVmin	Pass	-47.63	Good
5510MHz_TnomVmax	Pass	-47.63	Good
5590MHz_TnomVnom	Pass	-47.76	Good
5590MHz_TnomVmin	Pass	-47.76	Good
5590MHz_TnomVmax	Pass	-47.76	Good
5710MHz_TnomVnom	Pass	-47.94	Good
5710MHz_TnomVmin	Pass	-47.94	Good
5710MHz_TnomVmax	Pass	-47.94	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-
5210MHz_TnomVnom	Pass	-47.15	Good
5210MHz_TnomVmin	Pass	-47.15	Good
5210MHz_TnomVmax	Pass	-47.15	Good
5290MHz_TnomVnom	Pass	-47.28	Good
5290MHz_TnomVmin	Pass	-47.28	Good
5290MHz_TnomVmax	Pass	-47.28	Good
5530MHz_TnomVnom	Pass	-47.66	Good
5530MHz_TnomVmin	Pass	-47.66	Good
5530MHz_TnomVmax	Pass	-47.66	Good
5610MHz_TnomVnom	Pass	-47.79	Good
5610MHz_TnomVmin	Pass	-47.79	Good
5610MHz_TnomVmax	Pass	-47.79	Good
5690MHz_TnomVnom	Pass	-47.91	Good
5690MHz_TnomVmin	Pass	-47.91	Good
5690MHz_TnomVmax	Pass	-47.91	Good

Summary

Mode	Result	MAC (ID Length)	ID Limit	Function
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5.25-5.35GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5.47-5.730GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Result

Mode	Result	MAC (ID Length)	ID Limit	Function
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Mode	Result	MAC (ID Length)	ID Limit	Function
5280MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Mode	Result	MAC (ID Length)	ID Limit	Function
5240MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Mode	Result	MAC (ID Length)	ID Limit	Function
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5210MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5210MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5180MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5180MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5200MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5240MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5260MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5280MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5320MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5500MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5600MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5720MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Mode	Result	MAC (ID Length)	ID Limit	Function
5720MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5190MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5190MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5230MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5270MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5310MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5510MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5590MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5710MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-
5210MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5210MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5210MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5290MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5530MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5610MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVnom	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVmin	Pass	C0:EE:40:D8:56:EE	19 bits	Good
5690MHz_TnomVmax	Pass	C0:EE:40:D8:56:EE	19 bits	Good

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	26G	1M	19.85G	-67.64	-67.87	-64.74	0.33549	-46.99	20
802.11n HT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.84688G	-67.91	-67.56	-64.72	0.3372	-46.99	20
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85G	-67.50	-67.65	-64.56	0.34962	-46.99	20
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.8625G	-67.94	-67.96	-64.94	0.32065	-46.99	20
802.11n HT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.83438G	-67.58	-67.45	-64.50	0.35447	-46.99	20
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-67.86	-68.16	-65.00	0.31644	-46.99	20
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-67.76	-68.08	-64.91	0.32309	-46.99	20
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-67.58	-67.84	-64.70	0.33902	-46.99	20
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85938G	-68.50	-67.40	-64.90	0.32322	-46.99	20
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	26G	1M	19.85625G	-68.15	-67.55	-64.83	0.3289	-46.99	20
802.11n HT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85G	-67.54	-68.05	-64.78	0.33287	-46.99	20
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.8625G	-68.07	-67.74	-64.89	0.32422	-46.99	20
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-68.22	-67.36	-64.76	0.33431	-46.99	20
802.11n HT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-67.89	-67.80	-64.83	0.32851	-46.99	20
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.86563G	-67.94	-68.12	-65.02	0.31486	-46.99	20
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85625G	-67.72	-68.13	-64.91	0.32286	-46.99	20
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85G	-67.68	-67.55	-64.60	0.3464	-46.99	20
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85313G	-68.01	-67.42	-64.69	0.33926	-46.99	20
5.47-5.730GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	1G	26G	1M	19.84688G	-67.99	-67.77	-64.87	0.32596	-46.99	20
802.11n HT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85938G	-67.83	-67.82	-64.81	0.33001	-46.99	20
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.84375G	-67.89	-67.66	-64.76	0.33395	-46.99	20
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.84375G	-67.45	-68.21	-64.80	0.3309	-46.99	20
802.11n HT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.87188G	-68.22	-67.68	-64.93	0.32127	-46.99	20
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.84688G	-68.03	-67.33	-64.66	0.34233	-46.99	20
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85938G	-68.59	-67.23	-64.85	0.32759	-46.99	20
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85313G	-68.01	-67.85	-64.92	0.32218	-46.99	20
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	1G	26G	1M	19.85938G	-67.71	-67.64	-64.66	0.34162	-46.99	20

**Result**

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	1G	100k	927.37M	-91.10	-88.35	-86.50	0.00224	-53.98	4
5180MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-68.24	-68.16	-65.19	0.30273	-46.99	20
5180MHz_TnomVnom	Pass	1G	26G	1M	5.17813G	-70.54	-77.77	-69.79	0.10502	-46.99	20
5180MHz_TnomVmin	Pass	30M	1G	100k	821.4M	-88.72	-91.06	-86.72	0.00213	-53.98	4
5180MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.93	-68.18	-65.04	0.31312	-46.99	20
5180MHz_TnomVmin	Pass	1G	26G	1M	5.17813G	-70.26	-77.75	-69.55	0.11098	-46.99	20
5180MHz_TnomVmax	Pass	30M	1G	100k	944.71M	-89.35	-89.22	-86.27	0.00236	-53.98	4
5180MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.01	-68.25	-65.12	0.30775	-46.99	20
5180MHz_TnomVmax	Pass	1G	26G	1M	5.17813G	-70.39	-77.49	-69.62	0.10924	-46.99	20
5200MHz_TnomVnom	Pass	30M	1G	100k	999.03M	-90.14	-89.40	-86.74	0.00212	-53.98	4
5200MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.32	-68.68	-64.94	0.32087	-46.99	20
5200MHz_TnomVnom	Pass	1G	26G	1M	5.2G	-70.57	-77.38	-69.75	0.10598	-46.99	20
5200MHz_TnomVmin	Pass	30M	1G	100k	718.46M	-92.36	-87.75	-86.46	0.00226	-53.98	4
5200MHz_TnomVmin	Pass	1G	26G	1M	19.8375G	-67.80	-68.16	-64.97	0.31872	-46.99	20
5200MHz_TnomVmin	Pass	1G	26G	1M	5.2G	-70.73	-76.75	-69.76	0.10566	-46.99	20
5200MHz_TnomVmax	Pass	30M	1G	100k	892.09M	-92.43	-87.64	-86.40	0.00229	-53.98	4
5200MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-67.64	-67.87	-64.74	0.33549	-46.99	20
5200MHz_TnomVmax	Pass	1G	26G	1M	5.2G	-70.20	-77.31	-69.43	0.11408	-46.99	20
5240MHz_TnomVnom	Pass	30M	1G	100k	945.56M	-88.49	-91.26	-86.65	0.00216	-53.98	4
5240MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-68.87	-67.19	-64.94	0.3207	-46.99	20
5240MHz_TnomVnom	Pass	1G	26G	1M	5.24063G	-73.10	-77.62	-71.79	0.06628	-46.99	20
5240MHz_TnomVmin	Pass	30M	1G	100k	984.6M	-88.61	-89.96	-86.22	0.00239	-53.98	4
5240MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-67.90	-68.58	-65.22	0.30086	-46.99	20
5240MHz_TnomVmin	Pass	1G	26G	1M	5.24063G	-72.64	-77.68	-71.46	0.07151	-46.99	20
5240MHz_TnomVmax	Pass	30M	1G	100k	922.28M	-88.49	-90.49	-86.37	0.00231	-53.98	4
5240MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.26	-67.70	-64.96	0.3191	-46.99	20
5240MHz_TnomVmax	Pass	1G	26G	1M	5.24063G	-73.34	-78.11	-72.09	0.0618	-46.99	20
5260MHz_TnomVnom	Pass	30M	1G	100k	879.48M	-90.25	-88.96	-86.55	0.00221	-53.98	4
5260MHz_TnomVnom	Pass	1G	26G	1M	19.84063G	-67.94	-68.54	-65.22	0.30065	-46.99	20
5260MHz_TnomVnom	Pass	1G	26G	1M	5.25938G	-70.98	-77.48	-70.10	0.09766	-46.99	20
5260MHz_TnomVmin	Pass	30M	1G	100k	811.7M	-89.39	-89.78	-86.57	0.0022	-53.98	4
5260MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.96	-67.82	-64.88	0.32515	-46.99	20
5260MHz_TnomVmin	Pass	1G	26G	1M	5.25938G	-71.04	-76.79	-70.02	0.09965	-46.99	20
5260MHz_TnomVmax	Pass	30M	1G	100k	964.6M	-91.26	-87.89	-86.25	0.00237	-53.98	4
5260MHz_TnomVmax	Pass	1G	26G	1M	19.84688G	-68.23	-68.05	-65.13	0.30699	-46.99	20
5260MHz_TnomVmax	Pass	1G	26G	1M	5.25938G	-70.41	-76.82	-69.52	0.11179	-46.99	20
5280MHz_TnomVnom	Pass	30M	1G	100k	943.5M	-88.88	-89.85	-86.33	0.00233	-53.98	4
5280MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-68.10	-68.38	-65.23	0.30009	-46.99	20
5280MHz_TnomVnom	Pass	1G	26G	1M	5.27813G	-71.41	-77.85	-70.52	0.08868	-46.99	20
5280MHz_TnomVmin	Pass	30M	1G	100k	870.51M	-89.63	-89.27	-86.44	0.00227	-53.98	4
5280MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-68.15	-67.55	-64.83	0.3289	-46.99	20
5280MHz_TnomVmin	Pass	1G	26G	1M	5.27813G	-71.38	-77.59	-70.45	0.0902	-46.99	20
5280MHz_TnomVmax	Pass	30M	1G	100k	812.67M	-88.80	-89.99	-86.34	0.00232	-53.98	4
5280MHz_TnomVmax	Pass	1G	26G	1M	19.83438G	-68.40	-67.57	-64.95	0.31953	-46.99	20
5280MHz_TnomVmax	Pass	1G	26G	1M	5.27813G	-71.01	-76.98	-70.03	0.09929	-46.99	20
5320MHz_TnomVnom	Pass	30M	1G	100k	983.03M	-89.55	-90.33	-86.91	0.00204	-53.98	4
5320MHz_TnomVnom	Pass	1G	26G	1M	19.85625G	-67.72	-68.43	-65.05	0.31259	-46.99	20
5320MHz_TnomVnom	Pass	1G	26G	1M	5.31875G	-70.42	-77.66	-69.67	0.10792	-46.99	20
5320MHz_TnomVmin	Pass	30M	1G	100k	757.99M	-87.33	-92.30	-86.13	0.00244	-53.98	4



Receiver Spurious Emissions

Appendix I.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5320MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.71	-68.24	-64.96	0.3194	-46.99	20
5320MHz_TnomVmin	Pass	1G	26G	1M	5.31875G	-70.29	-78.15	-69.63	0.10885	-46.99	20
5320MHz_TnomVmax	Pass	30M	1G	100k	803.94M	-89.22	-89.67	-86.43	0.00228	-53.98	4
5320MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-67.99	-67.78	-64.87	0.32558	-46.99	20
5320MHz_TnomVmax	Pass	1G	26G	1M	5.31875G	-70.49	-77.75	-69.74	0.10612	-46.99	20
5500MHz_TnomVnom	Pass	30M	1G	100k	940.47M	-91.11	-88.38	-86.52	0.00223	-53.98	4
5500MHz_TnomVnom	Pass	1G	26G	1M	19.84063G	-68.99	-67.57	-65.21	0.30117	-46.99	20
5500MHz_TnomVnom	Pass	1G	26G	1M	5.5G	-72.54	-77.62	-71.37	0.07302	-46.99	20
5500MHz_TnomVmin	Pass	30M	1G	100k	902.64M	-90.52	-88.88	-86.61	0.00218	-53.98	4
5500MHz_TnomVmin	Pass	1G	26G	1M	19.8625G	-67.98	-68.46	-65.20	0.30178	-46.99	20
5500MHz_TnomVmin	Pass	1G	26G	1M	5.5G	-72.88	-77.33	-71.55	0.07002	-46.99	20
5500MHz_TnomVmax	Pass	30M	1G	100k	853.53M	-90.95	-88.63	-86.63	0.00217	-53.98	4
5500MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-67.89	-68.29	-65.08	0.31081	-46.99	20
5500MHz_TnomVmax	Pass	1G	26G	1M	5.5G	-72.52	-77.54	-71.33	0.0736	-46.99	20
5600MHz_TnomVnom	Pass	30M	1G	100k	999.39M	-92.35	-87.56	-86.32	0.00234	-53.98	4
5600MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-67.82	-68.00	-64.90	0.32369	-46.99	20
5600MHz_TnomVnom	Pass	1G	26G	1M	5.6G	-73.89	-77.21	-72.23	0.05984	-46.99	20
5600MHz_TnomVmin	Pass	30M	1G	100k	801.76M	-90.04	-89.27	-86.63	0.00217	-53.98	4
5600MHz_TnomVmin	Pass	1G	26G	1M	19.8625G	-68.21	-67.62	-64.89	0.32399	-46.99	20
5600MHz_TnomVmin	Pass	1G	26G	1M	5.6G	-74.18	-77.80	-72.61	0.05479	-46.99	20
5600MHz_TnomVmax	Pass	30M	1G	100k	907.85M	-91.17	-88.05	-86.33	0.00233	-53.98	4
5600MHz_TnomVmax	Pass	1G	26G	1M	19.83125G	-68.28	-67.94	-65.10	0.30929	-46.99	20
5600MHz_TnomVmax	Pass	1G	26G	1M	5.6G	-73.88	-77.15	-72.20	0.0602	-46.99	20
5720MHz_TnomVnom	Pass	30M	1G	100k	791.09M	-89.12	-90.23	-86.63	0.00217	-53.98	4
5720MHz_TnomVnom	Pass	1G	26G	1M	19.85938G	-67.87	-68.04	-64.94	0.32034	-46.99	20
5720MHz_TnomVnom	Pass	1G	26G	1M	5.71875G	-75.05	-76.77	-72.82	0.0523	-46.99	20
5720MHz_TnomVmin	Pass	30M	1G	100k	797.63M	-88.35	-91.52	-86.64	0.00217	-53.98	4
5720MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-68.17	-67.88	-65.01	0.31533	-46.99	20
5720MHz_TnomVmin	Pass	1G	26G	1M	5.71875G	-75.21	-76.92	-72.97	0.05045	-46.99	20
5720MHz_TnomVmax	Pass	30M	1G	100k	971.63M	-91.17	-88.67	-86.73	0.00212	-53.98	4
5720MHz_TnomVmax	Pass	1G	26G	1M	19.84688G	-67.99	-67.77	-64.87	0.32596	-46.99	20
5720MHz_TnomVmax	Pass	1G	26G	1M	5.71875G	-74.66	-77.17	-72.73	0.05338	-46.99	20
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	1G	100k	890.03M	-87.89	-91.91	-86.44	0.00227	-53.98	4
5180MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.74	-68.29	-65.00	0.31652	-46.99	20
5180MHz_TnomVnom	Pass	1G	26G	1M	5.17813G	-70.59	-77.27	-69.75	0.10605	-46.99	20
5180MHz_TnomVmin	Pass	30M	1G	100k	942.65M	-89.56	-89.23	-86.38	0.0023	-53.98	4
5180MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.99	-68.14	-65.05	0.31232	-46.99	20
5180MHz_TnomVmin	Pass	1G	26G	1M	5.17813G	-70.38	-77.90	-69.67	0.10784	-46.99	20
5180MHz_TnomVmax	Pass	30M	1G	100k	766.72M	-89.14	-90.74	-86.86	0.00206	-53.98	4
5180MHz_TnomVmax	Pass	1G	26G	1M	19.83438G	-68.17	-67.53	-64.83	0.32901	-46.99	20
5180MHz_TnomVmax	Pass	1G	26G	1M	5.17813G	-70.53	-76.97	-69.64	0.1086	-46.99	20
5200MHz_TnomVnom	Pass	30M	1G	100k	894.51M	-90.22	-88.74	-86.41	0.00229	-53.98	4
5200MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.26	-67.47	-64.84	0.32834	-46.99	20
5200MHz_TnomVnom	Pass	1G	26G	1M	5.2G	-70.33	-77.49	-69.57	0.11051	-46.99	20
5200MHz_TnomVmin	Pass	30M	1G	100k	739.8M	-86.60	-93.28	-85.76	0.00266	-53.98	4
5200MHz_TnomVmin	Pass	1G	26G	1M	19.84688G	-67.91	-67.56	-64.72	0.3372	-46.99	20
5200MHz_TnomVmin	Pass	1G	26G	1M	5.2G	-71.05	-77.07	-70.08	0.09816	-46.99	20
5200MHz_TnomVmax	Pass	30M	1G	100k	946.41M	-90.34	-89.49	-86.88	0.00205	-53.98	4
5200MHz_TnomVmax	Pass	1G	26G	1M	19.84375G	-68.05	-67.71	-64.87	0.32611	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5200MHz_TnomVmax	Pass	1G	26G	1M	5.2G	-70.87	-77.51	-70.02	0.09959	-46.99	20
5240MHz_TnomVnom	Pass	30M	1G	100k	962.17M	-90.14	-89.17	-86.62	0.00218	-53.98	4
5240MHz_TnomVnom	Pass	1G	26G	1M	19.85938G	-67.83	-68.15	-64.98	0.31792	-46.99	20
5240MHz_TnomVnom	Pass	1G	26G	1M	5.24063G	-73.43	-77.56	-72.01	0.06293	-46.99	20
5240MHz_TnomVmin	Pass	30M	1G	100k	737.25M	-89.82	-89.33	-86.56	0.00221	-53.98	4
5240MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.85	-68.04	-64.93	0.3211	-46.99	20
5240MHz_TnomVmin	Pass	1G	26G	1M	5.24063G	-72.87	-77.05	-71.47	0.07137	-46.99	20
5240MHz_TnomVmax	Pass	30M	1G	100k	898.51M	-89.39	-89.46	-86.41	0.00228	-53.98	4
5240MHz_TnomVmax	Pass	1G	26G	1M	19.84688G	-67.98	-67.70	-64.83	0.32905	-46.99	20
5240MHz_TnomVmax	Pass	1G	26G	1M	5.24063G	-73.49	-77.92	-72.15	0.06091	-46.99	20
5260MHz_TnomVnom	Pass	30M	1G	100k	770.84M	-88.96	-89.55	-86.23	0.00238	-53.98	4
5260MHz_TnomVnom	Pass	1G	26G	1M	19.87188G	-68.19	-67.63	-64.89	0.32429	-46.99	20
5260MHz_TnomVnom	Pass	1G	26G	1M	5.25938G	-70.97	-77.00	-70.00	0.09994	-46.99	20
5260MHz_TnomVmin	Pass	30M	1G	100k	992.97M	-88.29	-90.43	-86.22	0.00239	-53.98	4
5260MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-68.37	-67.99	-65.17	0.3044	-46.99	20
5260MHz_TnomVmin	Pass	1G	26G	1M	5.25938G	-70.81	-77.90	-70.03	0.0992	-46.99	20
5260MHz_TnomVmax	Pass	30M	1G	100k	893.91M	-87.92	-89.95	-85.81	0.00263	-53.98	4
5260MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.32	-67.38	-64.81	0.33004	-46.99	20
5260MHz_TnomVmax	Pass	1G	26G	1M	5.25938G	-70.74	-77.31	-69.88	0.10291	-46.99	20
5280MHz_TnomVnom	Pass	30M	1G	100k	685.96M	-91.33	-88.38	-86.60	0.00219	-53.98	4
5280MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.54	-68.05	-64.78	0.33287	-46.99	20
5280MHz_TnomVnom	Pass	1G	26G	1M	5.27813G	-71.04	-77.46	-70.15	0.09665	-46.99	20
5280MHz_TnomVmin	Pass	30M	1G	100k	951.62M	-89.06	-90.20	-86.58	0.0022	-53.98	4
5280MHz_TnomVmin	Pass	1G	26G	1M	19.83438G	-68.07	-68.28	-65.16	0.30455	-46.99	20
5280MHz_TnomVmin	Pass	1G	26G	1M	5.27813G	-71.31	-77.27	-70.33	0.09271	-46.99	20
5280MHz_TnomVmax	Pass	30M	1G	100k	789.51M	-92.61	-87.63	-86.43	0.00227	-53.98	4
5280MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-68.28	-67.82	-65.03	0.31379	-46.99	20
5280MHz_TnomVmax	Pass	1G	26G	1M	5.27813G	-71.22	-77.47	-70.30	0.09342	-46.99	20
5320MHz_TnomVnom	Pass	30M	1G	100k	862.75M	-89.07	-90.01	-86.50	0.00224	-53.98	4
5320MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-68.21	-68.04	-65.11	0.30804	-46.99	20
5320MHz_TnomVnom	Pass	1G	26G	1M	5.31875G	-70.54	-78.05	-69.83	0.10398	-46.99	20
5320MHz_TnomVmin	Pass	30M	1G	100k	976.72M	-89.05	-89.24	-86.13	0.00244	-53.98	4
5320MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.92	-68.28	-65.09	0.31003	-46.99	20
5320MHz_TnomVmin	Pass	1G	26G	1M	5.31875G	-70.71	-77.21	-69.83	0.10393	-46.99	20
5320MHz_TnomVmax	Pass	30M	1G	100k	848.07M	-88.03	-91.87	-86.53	0.00222	-53.98	4
5320MHz_TnomVmax	Pass	1G	26G	1M	19.87813G	-68.44	-67.65	-65.02	0.31501	-46.99	20
5320MHz_TnomVmax	Pass	1G	26G	1M	5.31875G	-70.60	-77.84	-69.85	0.10354	-46.99	20
5500MHz_TnomVnom	Pass	30M	1G	100k	892.09M	-89.22	-89.69	-86.44	0.00227	-53.98	4
5500MHz_TnomVnom	Pass	1G	26G	1M	19.8625G	-68.34	-67.61	-64.95	0.31994	-46.99	20
5500MHz_TnomVnom	Pass	1G	26G	1M	5.5G	-72.28	-78.01	-71.25	0.07497	-46.99	20
5500MHz_TnomVmin	Pass	30M	1G	100k	900.7M	-89.65	-88.81	-86.20	0.0024	-53.98	4
5500MHz_TnomVmin	Pass	1G	26G	1M	19.88438G	-68.24	-67.97	-65.09	0.30956	-46.99	20
5500MHz_TnomVmin	Pass	1G	26G	1M	5.5G	-72.34	-78.58	-71.41	0.07221	-46.99	20
5500MHz_TnomVmax	Pass	30M	1G	100k	868.81M	-89.37	-90.00	-86.66	0.00216	-53.98	4
5500MHz_TnomVmax	Pass	1G	26G	1M	19.85313G	-68.14	-67.89	-65.00	0.31602	-46.99	20
5500MHz_TnomVmax	Pass	1G	26G	1M	5.5G	-72.35	-78.04	-71.31	0.07391	-46.99	20
5600MHz_TnomVnom	Pass	30M	1G	100k	928.71M	-89.42	-89.47	-86.43	0.00227	-53.98	4
5600MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-67.72	-68.22	-64.95	0.3197	-46.99	20
5600MHz_TnomVnom	Pass	1G	26G	1M	5.6G	-73.83	-77.96	-72.41	0.0574	-46.99	20
5600MHz_TnomVmin	Pass	30M	1G	100k	857.29M	-87.87	-91.34	-86.26	0.00237	-53.98	4

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5600MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.83	-67.82	-64.81	0.33001	-46.99	20
5600MHz_TnomVmin	Pass	1G	26G	1M	5.6G	-73.74	-77.06	-72.08	0.06195	-46.99	20
5600MHz_TnomVmax	Pass	30M	1G	100k	958.78M	-90.74	-88.30	-86.34	0.00232	-53.98	4
5600MHz_TnomVmax	Pass	1G	26G	1M	19.8375G	-68.15	-68.10	-65.11	0.30799	-46.99	20
5600MHz_TnomVmax	Pass	1G	26G	1M	5.6G	-73.71	-76.77	-71.97	0.0636	-46.99	20
5720MHz_TnomVnom	Pass	30M	1G	100k	863.11M	-91.67	-87.92	-86.39	0.0023	-53.98	4
5720MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.25	-67.81	-65.01	0.3152	-46.99	20
5720MHz_TnomVnom	Pass	1G	26G	1M	5.71875G	-74.79	-76.61	-72.60	0.05502	-46.99	20
5720MHz_TnomVmin	Pass	30M	1G	100k	913.19M	-88.27	-89.94	-86.01	0.0025	-53.98	4
5720MHz_TnomVmin	Pass	1G	26G	1M	19.84688G	-67.87	-68.17	-65.01	0.31571	-46.99	20
5720MHz_TnomVmin	Pass	1G	26G	1M	5.71875G	-74.75	-76.49	-72.52	0.05594	-46.99	20
5720MHz_TnomVmax	Pass	30M	1G	100k	876.93M	-89.54	-89.85	-86.68	0.00215	-53.98	4
5720MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-68.04	-67.88	-64.95	0.31997	-46.99	20
5720MHz_TnomVmax	Pass	1G	26G	1M	5.71875G	-75.34	-76.88	-73.03	0.04975	-46.99	20
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	1G	100k	977.21M	-91.03	-88.27	-86.42	0.00228	-53.98	4
5190MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.87	-67.71	-64.78	0.33274	-46.99	20
5190MHz_TnomVnom	Pass	1G	26G	1M	5.19063G	-73.16	-77.91	-71.91	0.06449	-46.99	20
5190MHz_TnomVmin	Pass	30M	1G	100k	899.73M	-87.74	-91.62	-86.25	0.00237	-53.98	4
5190MHz_TnomVmin	Pass	1G	26G	1M	19.86563G	-67.93	-68.60	-65.24	0.2991	-46.99	20
5190MHz_TnomVmin	Pass	1G	26G	1M	5.19063G	-72.87	-78.13	-71.74	0.06702	-46.99	20
5190MHz_TnomVmax	Pass	30M	1G	100k	898.03M	-90.41	-88.97	-86.62	0.00218	-53.98	4
5190MHz_TnomVmax	Pass	1G	26G	1M	19.86563G	-68.03	-67.77	-64.89	0.32451	-46.99	20
5190MHz_TnomVmax	Pass	1G	26G	1M	5.19063G	-73.35	-77.83	-72.03	0.06272	-46.99	20
5230MHz_TnomVnom	Pass	30M	1G	100k	867.11M	-89.43	-89.19	-86.30	0.00235	-53.98	4
5230MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.15	-67.95	-65.04	0.31343	-46.99	20
5230MHz_TnomVnom	Pass	1G	26G	1M	5.22813G	-70.06	-77.35	-69.32	0.11704	-46.99	20
5230MHz_TnomVmin	Pass	30M	1G	100k	987.39M	-90.59	-88.90	-86.65	0.00216	-53.98	4
5230MHz_TnomVmin	Pass	1G	26G	1M	19.83438G	-67.58	-67.45	-64.50	0.35447	-46.99	20
5230MHz_TnomVmin	Pass	1G	26G	1M	5.22813G	-70.24	-77.41	-69.48	0.11278	-46.99	20
5230MHz_TnomVmax	Pass	30M	1G	100k	986.54M	-89.04	-89.88	-86.43	0.00228	-53.98	4
5230MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-68.38	-67.96	-65.15	0.30517	-46.99	20
5230MHz_TnomVmax	Pass	1G	26G	1M	5.22813G	-70.36	-76.83	-69.48	0.11279	-46.99	20
5270MHz_TnomVnom	Pass	30M	1G	100k	923.98M	-89.02	-89.73	-86.35	0.00232	-53.98	4
5270MHz_TnomVnom	Pass	1G	26G	1M	19.86875G	-67.92	-68.02	-64.96	0.3192	-46.99	20
5270MHz_TnomVnom	Pass	1G	26G	1M	5.26875G	-70.99	-77.57	-70.13	0.09711	-46.99	20
5270MHz_TnomVmin	Pass	30M	1G	100k	928.1M	-89.65	-89.09	-86.35	0.00232	-53.98	4
5270MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.91	-68.36	-65.12	0.30769	-46.99	20
5270MHz_TnomVmin	Pass	1G	26G	1M	5.26875G	-71.06	-77.41	-70.15	0.0965	-46.99	20
5270MHz_TnomVmax	Pass	30M	1G	100k	880.33M	-88.50	-90.62	-86.42	0.00228	-53.98	4
5270MHz_TnomVmax	Pass	1G	26G	1M	19.84375G	-68.33	-67.87	-65.08	0.3102	-46.99	20
5270MHz_TnomVmax	Pass	1G	26G	1M	5.26875G	-70.47	-76.97	-69.59	0.10983	-46.99	20
5310MHz_TnomVnom	Pass	30M	1G	100k	938.16M	-90.77	-88.12	-86.24	0.00238	-53.98	4
5310MHz_TnomVnom	Pass	1G	26G	1M	19.85625G	-67.89	-67.80	-64.83	0.32851	-46.99	20
5310MHz_TnomVnom	Pass	1G	26G	1M	5.30938G	-70.03	-77.82	-69.36	0.11583	-46.99	20
5310MHz_TnomVmin	Pass	30M	1G	100k	999.64M	-89.37	-89.92	-86.63	0.00217	-53.98	4
5310MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-68.32	-67.54	-64.90	0.32343	-46.99	20
5310MHz_TnomVmin	Pass	1G	26G	1M	5.30938G	-70.67	-77.61	-69.87	0.10304	-46.99	20
5310MHz_TnomVmax	Pass	30M	1G	100k	743.07M	-89.94	-89.47	-86.69	0.00214	-53.98	4
5310MHz_TnomVmax	Pass	1G	26G	1M	19.86875G	-68.37	-67.79	-65.06	0.31189	-46.99	20



Receiver Spurious Emissions

Appendix I.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5310MHz_TnomVmax	Pass	1G	26G	1M	5.30938G	-70.32	-78.14	-69.66	0.10824	-46.99	20
5510MHz_TnomVnom	Pass	30M	1G	100k	939.74M	-90.17	-89.29	-86.70	0.00214	-53.98	4
5510MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.44	-67.84	-65.12	0.30766	-46.99	20
5510MHz_TnomVnom	Pass	1G	26G	1M	5.50938G	-72.55	-77.32	-71.30	0.07413	-46.99	20
5510MHz_TnomVmin	Pass	30M	1G	100k	925.67M	-89.24	-88.06	-85.60	0.00275	-53.98	4
5510MHz_TnomVmin	Pass	1G	26G	1M	19.8625G	-67.85	-68.31	-65.06	0.31163	-46.99	20
5510MHz_TnomVmin	Pass	1G	26G	1M	5.50938G	-72.42	-77.98	-71.35	0.0732	-46.99	20
5510MHz_TnomVmax	Pass	30M	1G	100k	888.94M	-90.30	-88.54	-86.32	0.00233	-53.98	4
5510MHz_TnomVmax	Pass	1G	26G	1M	19.87188G	-68.22	-67.68	-64.93	0.32127	-46.99	20
5510MHz_TnomVmax	Pass	1G	26G	1M	5.50938G	-72.55	-77.10	-71.24	0.07509	-46.99	20
5590MHz_TnomVnom	Pass	30M	1G	100k	888.57M	-89.85	-89.04	-86.42	0.00228	-53.98	4
5590MHz_TnomVnom	Pass	1G	26G	1M	19.825G	-68.41	-67.99	-65.18	0.30307	-46.99	20
5590MHz_TnomVnom	Pass	1G	26G	1M	5.59063G	-76.18	-77.12	-73.61	0.04351	-46.99	20
5590MHz_TnomVmin	Pass	30M	1G	100k	797.03M	-90.68	-88.93	-86.71	0.00213	-53.98	4
5590MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.67	-68.38	-65.00	0.31621	-46.99	20
5590MHz_TnomVmin	Pass	1G	26G	1M	5.59063G	-76.02	-77.49	-73.68	0.04283	-46.99	20
5590MHz_TnomVmax	Pass	30M	1G	100k	887.36M	-90.47	-88.96	-86.64	0.00217	-53.98	4
5590MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-68.14	-67.92	-65.02	0.3149	-46.99	20
5590MHz_TnomVmax	Pass	1G	26G	1M	5.59063G	-76.34	-77.84	-74.02	0.03967	-46.99	20
5710MHz_TnomVnom	Pass	30M	1G	100k	996.12M	-89.25	-90.53	-86.83	0.00207	-53.98	4
5710MHz_TnomVnom	Pass	1G	26G	1M	19.84063G	-67.64	-68.56	-65.07	0.3115	-46.99	20
5710MHz_TnomVnom	Pass	1G	26G	1M	5.70938G	-74.99	-77.54	-73.07	0.04932	-46.99	20
5710MHz_TnomVmin	Pass	30M	1G	100k	933.92M	-91.07	-88.54	-86.61	0.00218	-53.98	4
5710MHz_TnomVmin	Pass	1G	26G	1M	19.84688G	-67.72	-68.19	-64.94	0.32075	-46.99	20
5710MHz_TnomVmin	Pass	1G	26G	1M	5.70938G	-74.98	-77.23	-72.95	0.05069	-46.99	20
5710MHz_TnomVmax	Pass	30M	1G	100k	957.81M	-88.43	-91.32	-86.63	0.00217	-53.98	4
5710MHz_TnomVmax	Pass	1G	26G	1M	19.84063G	-68.58	-67.75	-65.13	0.30656	-46.99	20
5710MHz_TnomVmax	Pass	1G	26G	1M	5.70938G	-74.56	-76.40	-72.37	0.0579	-46.99	20
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	1G	100k	988.72M	-87.76	-92.74	-86.56	0.00221	-53.98	4
5180MHz_TnomVnom	Pass	1G	26G	1M	19.85313G	-68.33	-68.00	-65.15	0.30538	-46.99	20
5180MHz_TnomVnom	Pass	1G	26G	1M	5.17813G	-70.58	-77.51	-69.78	0.10524	-46.99	20
5180MHz_TnomVmin	Pass	30M	1G	100k	711.43M	-90.34	-88.79	-86.49	0.00225	-53.98	4
5180MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.55	-68.11	-64.81	0.33032	-46.99	20
5180MHz_TnomVmin	Pass	1G	26G	1M	5.17813G	-70.90	-77.59	-70.06	0.0987	-46.99	20
5180MHz_TnomVmax	Pass	30M	1G	100k	956.59M	-89.64	-89.36	-86.49	0.00225	-53.98	4
5180MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-67.72	-68.01	-64.85	0.32717	-46.99	20
5180MHz_TnomVmax	Pass	1G	26G	1M	5.17813G	-70.57	-77.64	-69.79	0.10492	-46.99	20
5200MHz_TnomVnom	Pass	30M	1G	100k	880.57M	-91.84	-87.97	-86.48	0.00225	-53.98	4
5200MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.67	-67.70	-64.67	0.34083	-46.99	20
5200MHz_TnomVnom	Pass	1G	26G	1M	5.2G	-71.20	-76.71	-70.12	0.09719	-46.99	20
5200MHz_TnomVmin	Pass	30M	1G	100k	711.43M	-90.06	-88.66	-86.29	0.00235	-53.98	4
5200MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-67.50	-67.65	-64.56	0.34962	-46.99	20
5200MHz_TnomVmin	Pass	1G	26G	1M	5.2G	-70.36	-77.39	-69.57	0.11028	-46.99	20
5200MHz_TnomVmax	Pass	30M	1G	100k	948.23M	-90.58	-87.63	-85.85	0.0026	-53.98	4
5200MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.21	-67.80	-64.99	0.31697	-46.99	20
5200MHz_TnomVmax	Pass	1G	26G	1M	5.2G	-70.85	-76.87	-69.88	0.10278	-46.99	20
5240MHz_TnomVnom	Pass	30M	1G	100k	744.53M	-88.88	-90.69	-86.68	0.00215	-53.98	4
5240MHz_TnomVnom	Pass	1G	26G	1M	19.84063G	-67.95	-68.20	-65.06	0.31168	-46.99	20
5240MHz_TnomVnom	Pass	1G	26G	1M	5.24063G	-73.12	-77.95	-71.89	0.06479	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5240MHz_TnomVmin	Pass	30M	1G	100k	990.91M	-89.67	-89.33	-86.49	0.00225	-53.98	4
5240MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.54	-68.46	-64.97	0.31876	-46.99	20
5240MHz_TnomVmin	Pass	1G	26G	1M	5.24063G	-73.38	-77.21	-71.88	0.06493	-46.99	20
5240MHz_TnomVmax	Pass	30M	1G	100k	984.36M	-89.27	-90.19	-86.70	0.00214	-53.98	4
5240MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-67.57	-68.25	-64.89	0.32461	-46.99	20
5240MHz_TnomVmax	Pass	1G	26G	1M	5.24063G	-72.88	-77.56	-71.61	0.06906	-46.99	20
5260MHz_TnomVnom	Pass	30M	1G	100k	869.41M	-89.44	-89.89	-86.65	0.00216	-53.98	4
5260MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.55	-68.84	-65.14	0.30641	-46.99	20
5260MHz_TnomVnom	Pass	1G	26G	1M	5.25938G	-70.93	-76.49	-69.86	0.10316	-46.99	20
5260MHz_TnomVmin	Pass	30M	1G	100k	927.37M	-89.38	-89.84	-86.59	0.00219	-53.98	4
5260MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.90	-68.13	-65.00	0.316	-46.99	20
5260MHz_TnomVmin	Pass	1G	26G	1M	5.25938G	-70.86	-78.04	-70.10	0.09774	-46.99	20
5260MHz_TnomVmax	Pass	30M	1G	100k	942.41M	-89.80	-89.23	-86.50	0.00224	-53.98	4
5260MHz_TnomVmax	Pass	1G	26G	1M	19.8625G	-68.07	-67.74	-64.89	0.32422	-46.99	20
5260MHz_TnomVmax	Pass	1G	26G	1M	5.25938G	-70.97	-76.99	-70.00	0.09998	-46.99	20
5280MHz_TnomVnom	Pass	30M	1G	100k	927.86M	-90.14	-88.96	-86.50	0.00224	-53.98	4
5280MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.92	-68.28	-65.09	0.31003	-46.99	20
5280MHz_TnomVnom	Pass	1G	26G	1M	5.27813G	-71.17	-77.27	-70.22	0.09513	-46.99	20
5280MHz_TnomVmin	Pass	30M	1G	100k	771.08M	-89.83	-88.71	-86.22	0.00239	-53.98	4
5280MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.91	-68.06	-64.97	0.31812	-46.99	20
5280MHz_TnomVmin	Pass	1G	26G	1M	5.27813G	-71.18	-77.04	-70.18	0.09598	-46.99	20
5280MHz_TnomVmax	Pass	30M	1G	100k	893.06M	-90.33	-88.92	-86.56	0.00221	-53.98	4
5280MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-68.24	-68.02	-65.12	0.30773	-46.99	20
5280MHz_TnomVmax	Pass	1G	26G	1M	5.27813G	-71.52	-77.80	-70.60	0.08707	-46.99	20
5320MHz_TnomVnom	Pass	30M	1G	100k	843.95M	-91.15	-88.51	-86.62	0.00218	-53.98	4
5320MHz_TnomVnom	Pass	1G	26G	1M	19.8375G	-68.37	-67.97	-65.16	0.30513	-46.99	20
5320MHz_TnomVnom	Pass	1G	26G	1M	5.31875G	-70.37	-77.11	-69.54	0.11129	-46.99	20
5320MHz_TnomVmin	Pass	30M	1G	100k	944.95M	-92.10	-87.79	-86.42	0.00228	-53.98	4
5320MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.29	-68.74	-64.94	0.3203	-46.99	20
5320MHz_TnomVmin	Pass	1G	26G	1M	5.31875G	-70.49	-77.07	-69.63	0.10896	-46.99	20
5320MHz_TnomVmax	Pass	30M	1G	100k	989.33M	-90.74	-88.73	-86.61	0.00218	-53.98	4
5320MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-67.64	-68.45	-65.02	0.31508	-46.99	20
5320MHz_TnomVmax	Pass	1G	26G	1M	5.31875G	-70.97	-77.67	-70.13	0.09708	-46.99	20
5500MHz_TnomVnom	Pass	30M	1G	100k	987.75M	-88.89	-90.35	-86.55	0.00221	-53.98	4
5500MHz_TnomVnom	Pass	1G	26G	1M	19.87188G	-68.36	-67.97	-65.15	0.30547	-46.99	20
5500MHz_TnomVnom	Pass	1G	26G	1M	5.5G	-72.31	-77.58	-71.18	0.07621	-46.99	20
5500MHz_TnomVmin	Pass	30M	1G	100k	895.12M	-90.88	-88.72	-86.66	0.00216	-53.98	4
5500MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-68.38	-67.78	-65.06	0.31194	-46.99	20
5500MHz_TnomVmin	Pass	1G	26G	1M	5.5G	-72.68	-77.57	-71.46	0.07145	-46.99	20
5500MHz_TnomVmax	Pass	30M	1G	100k	955.74M	-90.67	-88.69	-86.56	0.00221	-53.98	4
5500MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-68.41	-67.74	-65.05	0.31248	-46.99	20
5500MHz_TnomVmax	Pass	1G	26G	1M	5.5G	-72.36	-78.08	-71.33	0.07364	-46.99	20
5600MHz_TnomVnom	Pass	30M	1G	100k	785.99M	-88.38	-91.77	-86.74	0.00212	-53.98	4
5600MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.07	-67.91	-64.98	0.31776	-46.99	20
5600MHz_TnomVnom	Pass	1G	26G	1M	5.6G	-73.97	-77.09	-72.25	0.05963	-46.99	20
5600MHz_TnomVmin	Pass	30M	1G	100k	888.45M	-90.43	-89.45	-86.90	0.00204	-53.98	4
5600MHz_TnomVmin	Pass	1G	26G	1M	19.87188G	-68.37	-68.22	-65.28	0.29621	-46.99	20
5600MHz_TnomVmin	Pass	1G	26G	1M	5.6G	-73.83	-77.28	-72.21	0.06011	-46.99	20
5600MHz_TnomVmax	Pass	30M	1G	100k	889.54M	-91.32	-88.41	-86.62	0.00218	-53.98	4
5600MHz_TnomVmax	Pass	1G	26G	1M	19.84375G	-67.89	-67.66	-64.76	0.33395	-46.99	20



Receiver Spurious Emissions

Appendix I.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5600MHz_TnomVmax	Pass	1G	26G	1M	5.6G	-73.92	-77.63	-72.38	0.05781	-46.99	20
5720MHz_TnomVnom	Pass	30M	1G	100k	711.91M	-88.83	-89.67	-86.22	0.00239	-53.98	4
5720MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-68.23	-67.88	-65.04	0.31324	-46.99	20
5720MHz_TnomVnom	Pass	1G	26G	1M	5.71875G	-75.03	-77.05	-72.91	0.05113	-46.99	20
5720MHz_TnomVmin	Pass	30M	1G	100k	857.05M	-92.08	-87.87	-86.47	0.00225	-53.98	4
5720MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.89	-67.92	-64.89	0.32399	-46.99	20
5720MHz_TnomVmin	Pass	1G	26G	1M	5.71875G	-74.59	-77.22	-72.70	0.05372	-46.99	20
5720MHz_TnomVmax	Pass	30M	1G	100k	870.02M	-92.08	-88.00	-86.57	0.0022	-53.98	4
5720MHz_TnomVmax	Pass	1G	26G	1M	19.875G	-67.52	-68.64	-65.03	0.31378	-46.99	20
5720MHz_TnomVmax	Pass	1G	26G	1M	5.71875G	-74.97	-76.81	-72.78	0.05269	-46.99	20
802.11ac VHT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	1G	100k	911.12M	-89.65	-89.93	-86.78	0.0021	-53.98	4
5190MHz_TnomVnom	Pass	1G	26G	1M	19.83125G	-68.96	-67.84	-65.35	0.29149	-46.99	20
5190MHz_TnomVnom	Pass	1G	26G	1M	5.19063G	-73.60	-77.52	-72.12	0.06135	-46.99	20
5190MHz_TnomVmin	Pass	30M	1G	100k	983.51M	-87.96	-91.77	-86.45	0.00226	-53.98	4
5190MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.86	-68.16	-65.00	0.31644	-46.99	20
5190MHz_TnomVmin	Pass	1G	26G	1M	5.19063G	-73.54	-78.05	-72.22	0.05993	-46.99	20
5190MHz_TnomVmax	Pass	30M	1G	100k	871.6M	-88.43	-90.89	-86.48	0.00225	-53.98	4
5190MHz_TnomVmax	Pass	1G	26G	1M	19.8625G	-68.15	-67.87	-65.00	0.31641	-46.99	20
5190MHz_TnomVmax	Pass	1G	26G	1M	5.19063G	-73.36	-77.93	-72.06	0.06224	-46.99	20
5230MHz_TnomVnom	Pass	30M	1G	100k	933.56M	-91.24	-87.98	-86.30	0.00234	-53.98	4
5230MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-68.02	-68.09	-65.04	0.313	-46.99	20
5230MHz_TnomVnom	Pass	1G	26G	1M	5.22813G	-70.16	-77.28	-69.39	0.11509	-46.99	20
5230MHz_TnomVmin	Pass	30M	1G	100k	875.96M	-89.82	-89.67	-86.73	0.00212	-53.98	4
5230MHz_TnomVmin	Pass	1G	26G	1M	19.8375G	-67.99	-68.17	-65.07	0.31126	-46.99	20
5230MHz_TnomVmin	Pass	1G	26G	1M	5.22813G	-70.15	-76.59	-69.26	0.11853	-46.99	20
5230MHz_TnomVmax	Pass	30M	1G	100k	815.09M	-87.46	-92.67	-86.32	0.00234	-53.98	4
5230MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-68.09	-68.26	-65.16	0.30452	-46.99	20
5230MHz_TnomVmax	Pass	1G	26G	1M	5.22813G	-69.85	-76.57	-69.01	0.12554	-46.99	20
5270MHz_TnomVnom	Pass	30M	1G	100k	918.04M	-88.00	-91.82	-86.49	0.00224	-53.98	4
5270MHz_TnomVnom	Pass	1G	26G	1M	19.86563G	-68.35	-67.76	-65.03	0.31371	-46.99	20
5270MHz_TnomVnom	Pass	1G	26G	1M	5.26875G	-70.83	-76.54	-69.80	0.10479	-46.99	20
5270MHz_TnomVmin	Pass	30M	1G	100k	867.35M	-90.94	-86.80	-85.38	0.00289	-53.98	4
5270MHz_TnomVmin	Pass	1G	26G	1M	19.86563G	-67.94	-68.12	-65.02	0.31486	-46.99	20
5270MHz_TnomVmin	Pass	1G	26G	1M	5.26875G	-70.87	-77.07	-69.94	0.10148	-46.99	20
5270MHz_TnomVmax	Pass	30M	1G	100k	960.59M	-89.44	-88.98	-86.19	0.0024	-53.98	4
5270MHz_TnomVmax	Pass	1G	26G	1M	19.86875G	-68.03	-68.19	-65.10	0.3091	-46.99	20
5270MHz_TnomVmax	Pass	1G	26G	1M	5.26875G	-70.65	-77.54	-69.84	0.10372	-46.99	20
5310MHz_TnomVnom	Pass	30M	1G	100k	955.62M	-89.27	-89.54	-86.39	0.00229	-53.98	4
5310MHz_TnomVnom	Pass	1G	26G	1M	19.86563G	-68.12	-68.45	-65.27	0.29706	-46.99	20
5310MHz_TnomVnom	Pass	1G	26G	1M	5.30938G	-70.29	-77.62	-69.55	0.11084	-46.99	20
5310MHz_TnomVmin	Pass	30M	1G	100k	722.22M	-89.23	-89.58	-86.39	0.0023	-53.98	4
5310MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-68.06	-68.13	-65.08	0.31013	-46.99	20
5310MHz_TnomVmin	Pass	1G	26G	1M	5.30938G	-70.47	-78.04	-69.77	0.10545	-46.99	20
5310MHz_TnomVmax	Pass	30M	1G	100k	883.96M	-89.25	-90.04	-86.62	0.00218	-53.98	4
5310MHz_TnomVmax	Pass	1G	26G	1M	19.875G	-68.30	-67.79	-65.03	0.31425	-46.99	20
5310MHz_TnomVmax	Pass	1G	26G	1M	5.30938G	-70.47	-78.16	-69.79	0.10502	-46.99	20
5510MHz_TnomVnom	Pass	30M	1G	100k	679.9M	-88.61	-90.77	-86.55	0.00221	-53.98	4
5510MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.75	-68.34	-65.02	0.31444	-46.99	20
5510MHz_TnomVnom	Pass	1G	26G	1M	5.50938G	-72.38	-78.33	-71.40	0.0725	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5510MHz_TnomVmin	Pass	30M	1G	100k	937.92M	-88.41	-91.05	-86.52	0.00223	-53.98	4
5510MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-68.66	-67.64	-65.11	0.30833	-46.99	20
5510MHz_TnomVmin	Pass	1G	26G	1M	5.50938G	-72.11	-77.96	-71.11	0.07751	-46.99	20
5510MHz_TnomVmax	Pass	30M	1G	100k	950.17M	-87.71	-93.82	-86.76	0.00211	-53.98	4
5510MHz_TnomVmax	Pass	1G	26G	1M	19.84688G	-68.03	-67.33	-64.66	0.34233	-46.99	20
5510MHz_TnomVmax	Pass	1G	26G	1M	5.50938G	-72.67	-77.88	-71.53	0.07037	-46.99	20
5590MHz_TnomVnom	Pass	30M	1G	100k	858.02M	-89.00	-90.13	-86.52	0.00223	-53.98	4
5590MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-67.97	-67.75	-64.85	0.32747	-46.99	20
5590MHz_TnomVnom	Pass	1G	26G	1M	5.59063G	-76.11	-77.45	-73.72	0.04248	-46.99	20
5590MHz_TnomVmin	Pass	30M	1G	100k	946.17M	-88.65	-90.53	-86.48	0.00225	-53.98	4
5590MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.93	-68.20	-65.05	0.31242	-46.99	20
5590MHz_TnomVmin	Pass	1G	26G	1M	5.59063G	-76.05	-76.92	-73.45	0.04515	-46.99	20
5590MHz_TnomVmax	Pass	30M	1G	100k	960.84M	-90.43	-88.45	-86.32	0.00233	-53.98	4
5590MHz_TnomVmax	Pass	1G	26G	1M	19.8375G	-67.97	-68.32	-65.13	0.30682	-46.99	20
5590MHz_TnomVmax	Pass	1G	26G	1M	5.59063G	-75.77	-77.99	-73.73	0.04237	-46.99	20
5710MHz_TnomVnom	Pass	30M	1G	100k	798.36M	-90.57	-88.51	-86.41	0.00229	-53.98	4
5710MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.68	-68.39	-65.01	0.31549	-46.99	20
5710MHz_TnomVnom	Pass	1G	26G	1M	5.70938G	-74.97	-76.83	-72.79	0.05259	-46.99	20
5710MHz_TnomVmin	Pass	30M	1G	100k	834.62M	-89.17	-90.03	-86.57	0.0022	-53.98	4
5710MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-67.73	-68.45	-65.06	0.31154	-46.99	20
5710MHz_TnomVmin	Pass	1G	26G	1M	5.70938G	-75.10	-77.47	-73.11	0.04881	-46.99	20
5710MHz_TnomVmax	Pass	30M	1G	100k	984.97M	-91.13	-88.49	-86.60	0.00219	-53.98	4
5710MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-67.81	-68.19	-64.99	0.31728	-46.99	20
5710MHz_TnomVmax	Pass	1G	26G	1M	5.70938G	-75.31	-77.03	-73.08	0.04926	-46.99	20
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	1G	100k	931.49M	-89.32	-89.55	-86.42	0.00228	-53.98	4
5210MHz_TnomVnom	Pass	1G	26G	1M	19.9G	-68.33	-68.02	-65.16	0.30465	-46.99	20
5210MHz_TnomVnom	Pass	1G	26G	1M	5.20938G	-70.88	-76.99	-69.93	0.10166	-46.99	20
5210MHz_TnomVmin	Pass	30M	1G	100k	876.81M	-88.61	-90.82	-86.57	0.00221	-53.98	4
5210MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.58	-67.84	-64.70	0.33902	-46.99	20
5210MHz_TnomVmin	Pass	1G	26G	1M	5.20938G	-70.61	-77.08	-69.73	0.10648	-46.99	20
5210MHz_TnomVmax	Pass	30M	1G	100k	989.94M	-89.53	-89.48	-86.49	0.00224	-53.98	4
5210MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-67.73	-68.00	-64.85	0.32714	-46.99	20
5210MHz_TnomVmax	Pass	1G	26G	1M	5.20938G	-70.71	-76.62	-69.72	0.1067	-46.99	20
5290MHz_TnomVnom	Pass	30M	1G	100k	972.96M	-89.03	-89.35	-86.18	0.00241	-53.98	4
5290MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.68	-67.55	-64.60	0.3464	-46.99	20
5290MHz_TnomVnom	Pass	1G	26G	1M	5.29063G	-73.00	-78.65	-71.95	0.06376	-46.99	20
5290MHz_TnomVmin	Pass	30M	1G	100k	999.64M	-91.20	-87.91	-86.24	0.00238	-53.98	4
5290MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-68.03	-67.58	-64.79	0.33198	-46.99	20
5290MHz_TnomVmin	Pass	1G	26G	1M	5.29063G	-72.44	-77.45	-71.25	0.07501	-46.99	20
5290MHz_TnomVmax	Pass	30M	1G	100k	986.66M	-90.86	-88.70	-86.64	0.00217	-53.98	4
5290MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-67.85	-68.72	-65.25	0.29834	-46.99	20
5290MHz_TnomVmax	Pass	1G	26G	1M	5.29063G	-72.72	-78.12	-71.62	0.06887	-46.99	20
5530MHz_TnomVnom	Pass	30M	1G	100k	895.48M	-88.53	-91.63	-86.80	0.00209	-53.98	4
5530MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.66	-68.27	-64.94	0.32033	-46.99	20
5530MHz_TnomVnom	Pass	1G	26G	1M	5.52813G	-73.26	-77.89	-71.97	0.06346	-46.99	20
5530MHz_TnomVmin	Pass	30M	1G	100k	807.58M	-87.65	-92.32	-86.38	0.0023	-53.98	4
5530MHz_TnomVmin	Pass	1G	26G	1M	19.8625G	-68.50	-67.78	-65.11	0.30798	-46.99	20
5530MHz_TnomVmin	Pass	1G	26G	1M	5.52813G	-73.28	-77.34	-71.84	0.06544	-46.99	20
5530MHz_TnomVmax	Pass	30M	1G	100k	744.53M	-91.03	-88.36	-86.48	0.00225	-53.98	4

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5530MHz_TnomVmax	Pass	1G	26G	1M	19.85313G	-68.12	-68.15	-65.12	0.30728	-46.99	20
5530MHz_TnomVmax	Pass	1G	26G	1M	5.52813G	-73.39	-78.13	-72.13	0.0612	-46.99	20
5610MHz_TnomVnom	Pass	30M	1G	100k	850.14M	-90.46	-89.03	-86.68	0.00215	-53.98	4
5610MHz_TnomVnom	Pass	1G	26G	1M	19.85313G	-68.01	-67.85	-64.92	0.32218	-46.99	20
5610MHz_TnomVnom	Pass	1G	26G	1M	5.60938G	-73.75	-77.73	-72.29	0.05904	-46.99	20
5610MHz_TnomVmin	Pass	30M	1G	100k	846.26M	-88.21	-91.02	-86.38	0.0023	-53.98	4
5610MHz_TnomVmin	Pass	1G	26G	1M	19.83438G	-67.99	-68.08	-65.02	0.31445	-46.99	20
5610MHz_TnomVmin	Pass	1G	26G	1M	5.60938G	-73.30	-77.53	-71.91	0.06443	-46.99	20
5610MHz_TnomVmax	Pass	30M	1G	100k	754.71M	-87.95	-91.55	-86.38	0.0023	-53.98	4
5610MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.16	-68.10	-65.12	0.30764	-46.99	20
5610MHz_TnomVmax	Pass	1G	26G	1M	5.60938G	-73.50	-77.89	-72.15	0.06092	-46.99	20
5690MHz_TnomVnom	Pass	30M	1G	100k	949.8M	-89.38	-89.04	-86.20	0.0024	-53.98	4
5690MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.93	-68.36	-65.13	0.30695	-46.99	20
5690MHz_TnomVnom	Pass	1G	26G	1M	5.69063G	-76.60	-77.74	-74.12	0.0387	-46.99	20
5690MHz_TnomVmin	Pass	30M	1G	100k	927.86M	-89.89	-89.47	-86.66	0.00216	-53.98	4
5690MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-68.11	-67.85	-64.97	0.31858	-46.99	20
5690MHz_TnomVmin	Pass	1G	26G	1M	5.69063G	-76.50	-76.96	-73.71	0.04252	-46.99	20
5690MHz_TnomVmax	Pass	30M	1G	100k	938.53M	-90.90	-88.35	-86.43	0.00228	-53.98	4
5690MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.23	-68.03	-65.12	0.30771	-46.99	20
5690MHz_TnomVmax	Pass	1G	26G	1M	5.69063G	-76.58	-77.53	-74.02	0.03964	-46.99	20
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	30M	1G	100k	978.18M	-89.42	-89.28	-86.34	0.00232	-53.98	4
5180MHz_TnomVnom	Pass	1G	26G	1M	19.8625G	-67.94	-67.96	-64.94	0.32065	-46.99	20
5180MHz_TnomVnom	Pass	1G	26G	1M	5.17813G	-69.98	-78.07	-69.35	0.11606	-46.99	20
5180MHz_TnomVmin	Pass	30M	1G	100k	867.6M	-91.24	-88.14	-86.41	0.00229	-53.98	4
5180MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-68.23	-67.99	-65.10	0.30917	-46.99	20
5180MHz_TnomVmin	Pass	1G	26G	1M	5.17813G	-70.23	-76.72	-69.35	0.11612	-46.99	20
5180MHz_TnomVmax	Pass	30M	1G	100k	718.58M	-87.90	-91.96	-86.46	0.00226	-53.98	4
5180MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-68.16	-68.09	-65.11	0.308	-46.99	20
5180MHz_TnomVmax	Pass	1G	26G	1M	5.17813G	-70.30	-76.96	-69.45	0.11346	-46.99	20
5200MHz_TnomVnom	Pass	30M	1G	100k	687.66M	-88.58	-90.36	-86.37	0.00231	-53.98	4
5200MHz_TnomVnom	Pass	1G	26G	1M	19.85938G	-68.29	-67.87	-65.06	0.31156	-46.99	20
5200MHz_TnomVnom	Pass	1G	26G	1M	5.2G	-70.63	-76.62	-69.65	0.10827	-46.99	20
5200MHz_TnomVmin	Pass	30M	1G	100k	976.11M	-87.68	-91.89	-86.28	0.00235	-53.98	4
5200MHz_TnomVmin	Pass	1G	26G	1M	19.87813G	-68.45	-67.75	-65.08	0.31077	-46.99	20
5200MHz_TnomVmin	Pass	1G	26G	1M	5.2G	-70.65	-77.18	-69.78	0.10524	-46.99	20
5200MHz_TnomVmax	Pass	30M	1G	100k	916.82M	-90.59	-88.90	-86.65	0.00216	-53.98	4
5200MHz_TnomVmax	Pass	1G	26G	1M	19.84063G	-68.17	-68.09	-65.12	0.30764	-46.99	20
5200MHz_TnomVmax	Pass	1G	26G	1M	5.2G	-70.85	-76.54	-69.81	0.10441	-46.99	20
5240MHz_TnomVnom	Pass	30M	1G	100k	902.64M	-89.59	-90.00	-86.78	0.0021	-53.98	4
5240MHz_TnomVnom	Pass	1G	26G	1M	19.85938G	-67.43	-68.54	-64.94	0.32068	-46.99	20
5240MHz_TnomVnom	Pass	1G	26G	1M	5.24063G	-73.36	-78.07	-72.10	0.06173	-46.99	20
5240MHz_TnomVmin	Pass	30M	1G	100k	996.48M	-89.75	-89.19	-86.45	0.00226	-53.98	4
5240MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-68.17	-67.96	-65.05	0.31236	-46.99	20
5240MHz_TnomVmin	Pass	1G	26G	1M	5.24063G	-73.44	-76.98	-71.85	0.06533	-46.99	20
5240MHz_TnomVmax	Pass	30M	1G	100k	766.84M	-89.00	-89.49	-86.23	0.00238	-53.98	4
5240MHz_TnomVmax	Pass	1G	26G	1M	19.83125G	-68.58	-68.05	-65.30	0.29535	-46.99	20
5240MHz_TnomVmax	Pass	1G	26G	1M	5.24063G	-73.23	-77.31	-71.80	0.06611	-46.99	20
5260MHz_TnomVnom	Pass	30M	1G	100k	912.7M	-90.63	-88.48	-86.41	0.00228	-53.98	4
5260MHz_TnomVnom	Pass	1G	26G	1M	19.85313G	-67.86	-68.52	-65.17	0.30429	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5260MHz_TnomVnom	Pass	1G	26G	1M	5.25938G	-70.73	-76.92	-69.79	0.10485	-46.99	20
5260MHz_TnomVmin	Pass	30M	1G	100k	979.75M	-88.59	-89.68	-86.09	0.00246	-53.98	4
5260MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-68.00	-68.38	-65.18	0.3037	-46.99	20
5260MHz_TnomVmin	Pass	1G	26G	1M	5.25938G	-70.64	-77.14	-69.76	0.10562	-46.99	20
5260MHz_TnomVmax	Pass	30M	1G	100k	999.76M	-88.08	-91.23	-86.37	0.00231	-53.98	4
5260MHz_TnomVmax	Pass	1G	26G	1M	19.84375G	-68.52	-67.54	-64.99	0.3168	-46.99	20
5260MHz_TnomVmax	Pass	1G	26G	1M	5.25938G	-71.11	-77.44	-70.20	0.09548	-46.99	20
5280MHz_TnomVnom	Pass	30M	1G	100k	974.17M	-88.79	-90.56	-86.58	0.0022	-53.98	4
5280MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-67.56	-68.03	-64.78	0.33279	-46.99	20
5280MHz_TnomVnom	Pass	1G	26G	1M	5.27813G	-70.87	-77.64	-70.04	0.09907	-46.99	20
5280MHz_TnomVmin	Pass	30M	1G	100k	778.84M	-87.82	-89.65	-85.63	0.00274	-53.98	4
5280MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.93	-68.65	-65.26	0.29752	-46.99	20
5280MHz_TnomVmin	Pass	1G	26G	1M	5.27813G	-71.56	-77.32	-70.54	0.08836	-46.99	20
5280MHz_TnomVmax	Pass	30M	1G	100k	914.4M	-92.38	-87.65	-86.39	0.0023	-53.98	4
5280MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-67.99	-67.97	-64.97	0.31844	-46.99	20
5280MHz_TnomVmax	Pass	1G	26G	1M	5.27813G	-71.17	-77.80	-70.32	0.09298	-46.99	20
5320MHz_TnomVnom	Pass	30M	1G	100k	758.47M	-88.16	-90.31	-86.09	0.00246	-53.98	4
5320MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-68.08	-67.99	-65.02	0.31445	-46.99	20
5320MHz_TnomVnom	Pass	1G	26G	1M	5.31875G	-70.52	-78.07	-69.82	0.10431	-46.99	20
5320MHz_TnomVmin	Pass	30M	1G	100k	871.96M	-90.47	-88.28	-86.23	0.00238	-53.98	4
5320MHz_TnomVmin	Pass	1G	26G	1M	19.82813G	-68.45	-67.81	-65.11	0.30847	-46.99	20
5320MHz_TnomVmin	Pass	1G	26G	1M	5.31875G	-70.49	-77.41	-69.69	0.10749	-46.99	20
5320MHz_TnomVmax	Pass	30M	1G	100k	952.96M	-88.77	-90.70	-86.62	0.00218	-53.98	4
5320MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-68.22	-67.36	-64.76	0.33431	-46.99	20
5320MHz_TnomVmax	Pass	1G	26G	1M	5.31875G	-70.46	-78.22	-69.79	0.10502	-46.99	20
5500MHz_TnomVnom	Pass	30M	1G	100k	936.83M	-89.36	-89.53	-86.43	0.00227	-53.98	4
5500MHz_TnomVnom	Pass	1G	26G	1M	19.83438G	-68.18	-67.64	-64.89	0.32424	-46.99	20
5500MHz_TnomVnom	Pass	1G	26G	1M	5.5G	-72.50	-77.64	-71.34	0.07345	-46.99	20
5500MHz_TnomVmin	Pass	30M	1G	100k	842.86M	-89.12	-90.26	-86.64	0.00217	-53.98	4
5500MHz_TnomVmin	Pass	1G	26G	1M	19.84063G	-68.02	-68.21	-65.10	0.30877	-46.99	20
5500MHz_TnomVmin	Pass	1G	26G	1M	5.5G	-72.56	-77.67	-71.39	0.07256	-46.99	20
5500MHz_TnomVmax	Pass	30M	1G	100k	943.98M	-89.73	-89.19	-86.44	0.00227	-53.98	4
5500MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.26	-67.84	-65.03	0.31372	-46.99	20
5500MHz_TnomVmax	Pass	1G	26G	1M	5.5G	-72.75	-78.20	-71.66	0.06822	-46.99	20
5600MHz_TnomVnom	Pass	30M	1G	100k	970.29M	-89.81	-89.06	-86.41	0.00229	-53.98	4
5600MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-67.45	-68.21	-64.80	0.3309	-46.99	20
5600MHz_TnomVnom	Pass	1G	26G	1M	5.6G	-73.31	-77.74	-71.97	0.06349	-46.99	20
5600MHz_TnomVmin	Pass	30M	1G	100k	979.02M	-90.31	-88.70	-86.42	0.00228	-53.98	4
5600MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-67.94	-67.99	-64.95	0.31955	-46.99	20
5600MHz_TnomVmin	Pass	1G	26G	1M	5.6G	-73.90	-77.37	-72.29	0.05906	-46.99	20
5600MHz_TnomVmax	Pass	30M	1G	100k	876.33M	-89.76	-89.33	-86.53	0.00222	-53.98	4
5600MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-67.76	-68.37	-65.04	0.31304	-46.99	20
5600MHz_TnomVmax	Pass	1G	26G	1M	5.6G	-73.39	-76.92	-71.80	0.06614	-46.99	20
5720MHz_TnomVnom	Pass	30M	1G	100k	977.93M	-91.38	-87.68	-86.14	0.00243	-53.98	4
5720MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.99	-68.33	-65.15	0.30575	-46.99	20
5720MHz_TnomVnom	Pass	1G	26G	1M	5.71875G	-74.89	-75.91	-72.36	0.05808	-46.99	20
5720MHz_TnomVmin	Pass	30M	1G	100k	958.41M	-88.12	-91.34	-86.43	0.00228	-53.98	4
5720MHz_TnomVmin	Pass	1G	26G	1M	19.85313G	-68.15	-67.65	-64.88	0.3249	-46.99	20
5720MHz_TnomVmin	Pass	1G	26G	1M	5.71875G	-74.58	-76.89	-72.57	0.0553	-46.99	20
5720MHz_TnomVmax	Pass	30M	1G	100k	981.57M	-89.70	-88.69	-86.16	0.00242	-53.98	4



Receiver Spurious Emissions

Appendix I.

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5720MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.23	-67.94	-65.07	0.31101	-46.99	20
5720MHz_TnomVmax	Pass	1G	26G	1M	5.71875G	-74.93	-76.79	-72.75	0.05308	-46.99	20
ax40_OFDMA_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	30M	1G	100k	924.46M	-90.39	-89.35	-86.83	0.00208	-53.98	4
5190MHz_TnomVnom	Pass	1G	26G	1M	19.85625G	-67.76	-68.08	-64.91	0.32309	-46.99	20
5190MHz_TnomVnom	Pass	1G	26G	1M	5.19063G	-72.75	-77.77	-71.56	0.0698	-46.99	20
5190MHz_TnomVmin	Pass	30M	1G	100k	932.95M	-89.40	-89.70	-86.54	0.00222	-53.98	4
5190MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.94	-68.24	-65.08	0.31066	-46.99	20
5190MHz_TnomVmin	Pass	1G	26G	1M	5.19063G	-73.52	-77.84	-72.15	0.06091	-46.99	20
5190MHz_TnomVmax	Pass	30M	1G	100k	916.34M	-88.63	-90.69	-86.53	0.00222	-53.98	4
5190MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-68.09	-67.84	-64.95	0.31968	-46.99	20
5190MHz_TnomVmax	Pass	1G	26G	1M	5.19063G	-73.80	-77.56	-72.27	0.05923	-46.99	20
5230MHz_TnomVnom	Pass	30M	1G	100k	886.75M	-88.55	-89.86	-86.15	0.00243	-53.98	4
5230MHz_TnomVnom	Pass	1G	26G	1M	19.85625G	-68.87	-67.24	-64.97	0.31852	-46.99	20
5230MHz_TnomVnom	Pass	1G	26G	1M	5.22813G	-70.24	-76.59	-69.33	0.11655	-46.99	20
5230MHz_TnomVmin	Pass	30M	1G	100k	925.55M	-89.46	-88.95	-86.19	0.00241	-53.98	4
5230MHz_TnomVmin	Pass	1G	26G	1M	19.83438G	-68.27	-67.77	-65.00	0.31605	-46.99	20
5230MHz_TnomVmin	Pass	1G	26G	1M	5.22813G	-70.14	-77.46	-69.40	0.11478	-46.99	20
5230MHz_TnomVmax	Pass	30M	1G	100k	976.24M	-90.82	-88.96	-86.78	0.0021	-53.98	4
5230MHz_TnomVmax	Pass	1G	26G	1M	19.82813G	-67.98	-68.44	-65.19	0.30244	-46.99	20
5230MHz_TnomVmax	Pass	1G	26G	1M	5.22813G	-69.95	-77.36	-69.23	0.11952	-46.99	20
5270MHz_TnomVnom	Pass	30M	1G	100k	773.87M	-90.29	-88.94	-86.55	0.00221	-53.98	4
5270MHz_TnomVnom	Pass	1G	26G	1M	19.84375G	-68.20	-68.01	-65.09	0.30948	-46.99	20
5270MHz_TnomVnom	Pass	1G	26G	1M	5.26875G	-70.73	-77.26	-69.86	0.10332	-46.99	20
5270MHz_TnomVmin	Pass	30M	1G	100k	915.85M	-89.85	-89.68	-86.75	0.00211	-53.98	4
5270MHz_TnomVmin	Pass	1G	26G	1M	19.84375G	-67.91	-68.65	-65.25	0.29827	-46.99	20
5270MHz_TnomVmin	Pass	1G	26G	1M	5.26875G	-70.93	-77.38	-70.04	0.099	-46.99	20
5270MHz_TnomVmax	Pass	30M	1G	100k	668.87M	-88.82	-90.59	-86.61	0.00219	-53.98	4
5270MHz_TnomVmax	Pass	1G	26G	1M	19.8625G	-67.84	-68.13	-64.97	0.31825	-46.99	20
5270MHz_TnomVmax	Pass	1G	26G	1M	5.26875G	-70.73	-77.11	-69.83	0.10398	-46.99	20
5310MHz_TnomVnom	Pass	30M	1G	100k	805.76M	-88.08	-91.07	-86.31	0.00234	-53.98	4
5310MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-68.33	-67.71	-65.00	0.31633	-46.99	20
5310MHz_TnomVnom	Pass	1G	26G	1M	5.30938G	-70.29	-77.94	-69.60	0.10961	-46.99	20
5310MHz_TnomVmin	Pass	30M	1G	100k	917.91M	-89.79	-88.32	-85.98	0.00252	-53.98	4
5310MHz_TnomVmin	Pass	1G	26G	1M	19.85625G	-67.72	-68.13	-64.91	0.32286	-46.99	20
5310MHz_TnomVmin	Pass	1G	26G	1M	5.30938G	-70.48	-77.14	-69.63	0.10886	-46.99	20
5310MHz_TnomVmax	Pass	30M	1G	100k	959.5M	-89.00	-89.64	-86.30	0.00235	-53.98	4
5310MHz_TnomVmax	Pass	1G	26G	1M	19.8375G	-67.86	-68.75	-65.27	0.29703	-46.99	20
5310MHz_TnomVmax	Pass	1G	26G	1M	5.30938G	-70.57	-76.98	-69.68	0.10774	-46.99	20
5510MHz_TnomVnom	Pass	30M	1G	100k	757.26M	-88.72	-91.24	-86.79	0.00209	-53.98	4
5510MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-68.20	-67.86	-65.02	0.31504	-46.99	20
5510MHz_TnomVnom	Pass	1G	26G	1M	5.50938G	-72.48	-77.32	-71.25	0.07503	-46.99	20
5510MHz_TnomVmin	Pass	30M	1G	100k	786.84M	-90.68	-88.71	-86.57	0.0022	-53.98	4
5510MHz_TnomVmin	Pass	1G	26G	1M	19.84063G	-67.90	-68.20	-65.04	0.31354	-46.99	20
5510MHz_TnomVmin	Pass	1G	26G	1M	5.50938G	-72.21	-78.41	-71.28	0.07454	-46.99	20
5510MHz_TnomVmax	Pass	30M	1G	100k	810.24M	-88.74	-90.42	-86.49	0.00224	-53.98	4
5510MHz_TnomVmax	Pass	1G	26G	1M	19.85625G	-67.96	-68.24	-65.09	0.30992	-46.99	20
5510MHz_TnomVmax	Pass	1G	26G	1M	5.50938G	-72.78	-77.48	-71.51	0.07059	-46.99	20
5590MHz_TnomVnom	Pass	30M	1G	100k	866.87M	-88.08	-92.10	-86.63	0.00217	-53.98	4
5590MHz_TnomVnom	Pass	1G	26G	1M	19.85938G	-68.59	-67.23	-64.85	0.32759	-46.99	20



Receiver Spurious Emissions

Appendix I.


Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5590MHz_TnomVnom	Pass	1G	26G	1M	5.59063G	-76.18	-78.16	-74.05	0.03937	-46.99	20
5590MHz_TnomVmin	Pass	30M	1G	100k	897.91M	-89.45	-89.45	-86.44	0.00227	-53.98	4
5590MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-68.09	-68.00	-65.03	0.31373	-46.99	20
5590MHz_TnomVmin	Pass	1G	26G	1M	5.59063G	-76.00	-78.15	-73.93	0.04043	-46.99	20
5590MHz_TnomVmax	Pass	30M	1G	100k	905.55M	-90.29	-88.80	-86.47	0.00225	-53.98	4
5590MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-68.04	-68.30	-65.16	0.30495	-46.99	20
5590MHz_TnomVmax	Pass	1G	26G	1M	5.59063G	-76.49	-78.00	-74.17	0.03829	-46.99	20
5710MHz_TnomVnom	Pass	30M	1G	100k	851.11M	-88.17	-91.50	-86.51	0.00223	-53.98	4
5710MHz_TnomVnom	Pass	1G	26G	1M	19.84063G	-68.10	-68.17	-65.12	0.30729	-46.99	20
5710MHz_TnomVnom	Pass	1G	26G	1M	5.70938G	-74.97	-77.15	-72.91	0.05112	-46.99	20
5710MHz_TnomVmin	Pass	30M	1G	100k	937.68M	-91.79	-87.81	-86.35	0.00232	-53.98	4
5710MHz_TnomVmin	Pass	1G	26G	1M	19.85G	-68.14	-68.41	-65.26	0.29767	-46.99	20
5710MHz_TnomVmin	Pass	1G	26G	1M	5.70938G	-74.68	-77.37	-72.81	0.05236	-46.99	20
5710MHz_TnomVmax	Pass	30M	1G	100k	983.27M	-89.04	-88.65	-85.83	0.00261	-53.98	4
5710MHz_TnomVmax	Pass	1G	26G	1M	19.85G	-67.85	-68.26	-65.04	0.31334	-46.99	20
5710MHz_TnomVmax	Pass	1G	26G	1M	5.70938G	-74.97	-76.73	-72.75	0.05307	-46.99	20
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	30M	1G	100k	939.62M	-91.04	-88.68	-86.69	0.00214	-53.98	4
5210MHz_TnomVnom	Pass	1G	26G	1M	19.85625G	-68.03	-68.58	-65.29	0.29607	-46.99	20
5210MHz_TnomVnom	Pass	1G	26G	1M	5.20938G	-70.59	-77.42	-69.77	0.10541	-46.99	20
5210MHz_TnomVmin	Pass	30M	1G	100k	999.39M	-90.50	-88.63	-86.45	0.00226	-53.98	4
5210MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-68.50	-67.40	-64.90	0.32322	-46.99	20
5210MHz_TnomVmin	Pass	1G	26G	1M	5.20938G	-70.94	-76.97	-69.97	0.10063	-46.99	20
5210MHz_TnomVmax	Pass	30M	1G	100k	946.04M	-91.52	-87.73	-86.21	0.00239	-53.98	4
5210MHz_TnomVmax	Pass	1G	26G	1M	19.84063G	-67.81	-68.19	-64.99	0.31728	-46.99	20
5210MHz_TnomVmax	Pass	1G	26G	1M	5.20938G	-70.30	-77.57	-69.55	0.11082	-46.99	20
5290MHz_TnomVnom	Pass	30M	1G	100k	922.76M	-91.22	-88.22	-86.46	0.00226	-53.98	4
5290MHz_TnomVnom	Pass	1G	26G	1M	19.84688G	-67.77	-68.35	-65.04	0.31333	-46.99	20
5290MHz_TnomVnom	Pass	1G	26G	1M	5.29063G	-72.95	-77.58	-71.66	0.06816	-46.99	20
5290MHz_TnomVmin	Pass	30M	1G	100k	712.88M	-90.87	-88.66	-86.62	0.00218	-53.98	4
5290MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.75	-68.29	-65.00	0.31613	-46.99	20
5290MHz_TnomVmin	Pass	1G	26G	1M	5.29063G	-73.06	-78.59	-71.99	0.06327	-46.99	20
5290MHz_TnomVmax	Pass	30M	1G	100k	861.17M	-91.56	-88.14	-86.51	0.00223	-53.98	4
5290MHz_TnomVmax	Pass	1G	26G	1M	19.85313G	-68.01	-67.42	-64.69	0.33926	-46.99	20
5290MHz_TnomVmax	Pass	1G	26G	1M	5.29063G	-72.72	-78.31	-71.66	0.06821	-46.99	20
5530MHz_TnomVnom	Pass	30M	1G	100k	839.83M	-91.50	-88.05	-86.43	0.00227	-53.98	4
5530MHz_TnomVnom	Pass	1G	26G	1M	19.86875G	-67.77	-67.86	-64.80	0.33079	-46.99	20
5530MHz_TnomVnom	Pass	1G	26G	1M	5.52813G	-73.43	-77.59	-72.02	0.06281	-46.99	20
5530MHz_TnomVmin	Pass	30M	1G	100k	817.28M	-90.89	-88.45	-86.49	0.00224	-53.98	4
5530MHz_TnomVmin	Pass	1G	26G	1M	19.85938G	-67.71	-67.64	-64.66	0.34162	-46.99	20
5530MHz_TnomVmin	Pass	1G	26G	1M	5.52813G	-73.07	-77.39	-71.70	0.06756	-46.99	20
5530MHz_TnomVmax	Pass	30M	1G	100k	976.84M	-89.44	-89.31	-86.36	0.00231	-53.98	4
5530MHz_TnomVmax	Pass	1G	26G	1M	19.85938G	-67.64	-68.86	-65.20	0.3022	-46.99	20
5530MHz_TnomVmax	Pass	1G	26G	1M	5.52813G	-73.07	-77.85	-71.82	0.06572	-46.99	20
5610MHz_TnomVnom	Pass	30M	1G	100k	847.47M	-89.85	-89.91	-86.87	0.00206	-53.98	4
5610MHz_TnomVnom	Pass	1G	26G	1M	19.85G	-67.49	-68.47	-64.94	0.32047	-46.99	20
5610MHz_TnomVnom	Pass	1G	26G	1M	5.60938G	-73.63	-77.87	-72.24	0.05968	-46.99	20
5610MHz_TnomVmin	Pass	30M	1G	100k	916.1M	-90.13	-88.88	-86.45	0.00226	-53.98	4
5610MHz_TnomVmin	Pass	1G	26G	1M	19.87188G	-68.12	-68.32	-65.21	0.3014	-46.99	20
5610MHz_TnomVmin	Pass	1G	26G	1M	5.60938G	-73.35	-77.59	-71.96	0.06366	-46.99	20

Mode	Result	F-Start (Hz)	F-Stop (Hz)	RBW (Hz)	Freq (Hz)	P1 (dBm)	P2 (dBm)	Psum (dBm)	Psum (nW)	Limit (dBm)	Limit (nW)
5610MHz_TnomVmax	Pass	30M	1G	100k	900.45M	-88.55	-89.73	-86.09	0.00246	-53.98	4
5610MHz_TnomVmax	Pass	1G	26G	1M	19.84063G	-68.00	-68.16	-65.07	0.31125	-46.99	20
5610MHz_TnomVmax	Pass	1G	26G	1M	5.60938G	-73.48	-78.19	-72.22	0.06005	-46.99	20
5690MHz_TnomVnom	Pass	30M	1G	100k	891.24M	-88.93	-89.39	-86.14	0.00243	-53.98	4
5690MHz_TnomVnom	Pass	1G	26G	1M	19.86563G	-67.36	-68.69	-64.96	0.31886	-46.99	20
5690MHz_TnomVnom	Pass	1G	26G	1M	5.69063G	-75.69	-77.50	-73.49	0.04476	-46.99	20
5690MHz_TnomVmin	Pass	30M	1G	100k	928.46M	-88.67	-90.65	-86.54	0.00222	-53.98	4
5690MHz_TnomVmin	Pass	1G	26G	1M	19.84688G	-68.05	-68.23	-65.13	0.30699	-46.99	20
5690MHz_TnomVmin	Pass	1G	26G	1M	5.69063G	-76.20	-77.20	-73.66	0.04304	-46.99	20
5690MHz_TnomVmax	Pass	30M	1G	100k	889.91M	-89.65	-89.46	-86.54	0.00222	-53.98	4
5690MHz_TnomVmax	Pass	1G	26G	1M	19.86875G	-67.98	-68.44	-65.19	0.30244	-46.99	20
5690MHz_TnomVmax	Pass	1G	26G	1M	5.69063G	-76.25	-77.74	-73.92	0.04054	-46.99	20

802.11a_Nss1,(6Mbps)_2TX

CSE-RX


5180MHz_TnomVnom



802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5180MHz_TnomVmin







802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5180MHz_TnomVmax

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	944.71M	-86.27	-53.98	-32.29	-89.35	-89.22
1G	26G	19.85G	-65.12	-46.99	-18.13	-68.01	-68.25
1G	26G	5.17813G	-69.62	-46.99	-22.63	-70.39	-77.49

802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5200MHz_TnomVnom

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	999.03M	-86.74	-53.98	-32.76	-90.14	-89.40
1G	26G	19.85G	-64.94	-46.99	-17.95	-67.32	-68.68
1G	26G	5.2G	-69.75	-46.99	-22.76	-70.57	-77.38

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	718.46M	-86.46	-53.98	-32.48	-92.36	-87.75
1G	26G	19.8375G	-64.97	-46.99	-17.98	-67.80	-68.16
1G	26G	5.2G	-69.76	-46.99	-22.77	-70.73	-76.75

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	892.09M	-86.40	-53.98	-32.42	-92.43	-87.64
1G	26G	19.85G	-64.74	-46.99	-17.75	-67.64	-67.87
1G	26G	5.2G	-69.43	-46.99	-22.44	-70.20	-77.31

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	945.56M	-86.65	-53.98	-32.67	-88.49	-91.26
1G	26G	19.85G	-64.94	-46.99	-17.95	-68.87	-67.19
1G	26G	5.24063G	-71.79	-46.99	-24.80	-73.10	-77.62

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVmin

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	984.6M	-86.22	-53.98	-32.24	-88.61	-89.96
1G	26G	19.85G	-65.22	-46.99	-18.23	-67.90	-68.58
1G	26G	5.24063G	-71.46	-46.99	-24.47	-72.64	-77.68

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVmax

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	922.28M	-86.37	-53.98	-32.39	-88.49	-90.49
1G	26G	19.85G	-64.96	-46.99	-17.97	-68.26	-67.70
1G	26G	5.24063G	-72.09	-46.99	-25.10	-73.34	-78.11

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom

CSE-RX

08/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	879.48M	-86.55	-53.98	-32.57	-90.25	-88.96
1G	26G	19.84063G	-65.22	-46.99	-18.23	-67.94	-68.54
1G	26G	5.25938G	-70.10	-46.99	-23.11	-70.98	-77.48




802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	811.7M	-86.57	-53.98	-32.59	-89.39	-89.78
1G	26G	19.85938G	-64.88	-46.99	-17.89	-67.96	-67.82
1G	26G	5.25938G	-70.02	-46.99	-23.03	-71.04	-76.79

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVmax

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	964.6M	-86.25	-53.98	-32.27	-91.26	-87.89
1G	26G	19.84688G	-65.13	-46.99	-18.14	-68.23	-68.05
1G	26G	5.25938G	-69.52	-46.99	-22.53	-70.41	-76.82

802.11a_Nss1,(6Mbps)_2TX

5280MHz_TnomVnom

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	943.5M	-86.33	-53.98	-32.35	-88.88	-89.85
1G	26G	19.84375G	-65.23	-46.99	-18.24	-68.10	-68.38
1G	26G	5.27813G	-70.52	-46.99	-23.53	-71.41	-77.85

802.11a_Nss1,(6Mbps)_2TX

5280MHz_TnomVmin

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	870.51M	-86.44	-53.98	-32.46	-89.63	-89.27
1G	26G	19.85625G	-64.83	-46.99	-17.84	-68.15	-67.55
1G	26G	5.27813G	-70.45	-46.99	-23.46	-71.38	-77.59

802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5280MHz_TnomVmax

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	812.67M	-86.34	-53.98	-32.36	-88.80	-89.99
1G	26G	19.83438G	-64.95	-46.99	-17.96	-68.40	-67.57
1G	26G	5.27813G	-70.03	-46.99	-23.04	-71.01	-76.98

802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5320MHz_TnomVnom

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	983.03M	-86.91	-53.98	-32.93	-89.55	-90.33
1G	26G	19.85625G	-65.05	-46.99	-18.06	-67.72	-68.43
1G	26G	5.31875G	-69.67	-46.99	-22.68	-70.42	-77.66

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	757.99M	-86.13	-53.98	-32.15	-87.33	-92.30
1G	26G	19.84375G	-64.96	-46.99	-17.97	-67.71	-68.24
1G	26G	5.31875G	-69.63	-46.99	-22.64	-70.29	-78.15

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVmax

CSE-RX

08/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	803.94M	-86.43	-53.98	-32.45	-89.22	-89.67
1G	26G	19.85G	-64.87	-46.99	-17.88	-67.99	-67.78
1G	26G	5.31875G	-69.74	-46.99	-22.75	-70.49	-77.75




802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom

CSE-RX

08/08/2023



Limit	
Sum	
Port 1	
Port 2	


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	940.47M	-86.52	-53.98	-32.54	-91.11	-88.38
1G	26G	19.84063G	-65.21	-46.99	-18.22	-68.99	-67.57
1G	26G	5.5G	-71.37	-46.99	-24.38	-72.54	-77.62

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVmin

CSE-RX

08/08/2023




Limit	
Sum	
Port 1	
Port 2	

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	902.64M	-86.61	-53.98	-32.63	-90.52	-88.88
1G	26G	19.8625G	-65.20	-46.99	-18.21	-67.98	-68.46
1G	26G	5.5G	-71.55	-46.99	-24.56	-72.88	-77.33

802.11a_Nss1,(6Mbps)_2TX

CSE-RX


5500MHz_TnomVmax



802.11a_Nss1,(6Mbps)_2TX

CSE-RX

5600MHz_TnomVnom




802.11a_Nss1,(6Mbps)_2TX

5600MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	801.76M	-86.63	-53.98	-32.65	-90.04	-89.27
1G	26G	19.8625G	-64.89	-46.99	-17.90	-68.21	-67.62
1G	26G	5.6G	-72.61	-46.99	-25.62	-74.18	-77.80

802.11a_Nss1,(6Mbps)_2TX

5600MHz_TnomVmax

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	907.85M	-86.33	-53.98	-32.35	-91.17	-88.05
1G	26G	19.83125G	-65.10	-46.99	-18.11	-68.28	-67.94
1G	26G	5.6G	-72.20	-46.99	-25.21	-73.88	-77.15

802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVnom

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	791.09M	-86.63	-53.98	-32.65	-89.12	-90.23
1G	26G	19.85938G	-64.94	-46.99	-17.95	-67.87	-68.04
1G	26G	5.71875G	-72.82	-46.99	-25.83	-75.05	-76.77

802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVmin

CSE-RX

08/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	797.63M	-86.64	-53.98	-32.66	-88.35	-91.52
1G	26G	19.85313G	-65.01	-46.99	-18.02	-68.17	-67.88
1G	26G	5.71875G	-72.97	-46.99	-25.98	-75.21	-76.92





802.11a_Nss1,(6Mbps)_2TX

5720MHz_TnomVmax

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	971.63M	-86.73	-53.98	-32.75	-91.17	-88.67
1G	26G	19.84688G	-64.87	-46.99	-17.88	-67.99	-67.77
1G	26G	5.71875G	-72.73	-46.99	-25.74	-74.66	-77.17

802.11n HT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	890.03M	-86.44	-53.98	-32.46	-87.89	-91.91
1G	26G	19.84688G	-65.00	-46.99	-18.01	-67.74	-68.29
1G	26G	5.17813G	-69.75	-46.99	-22.76	-70.59	-77.27

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVmin

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	942.65M	-86.38	-53.98	-32.40	-89.56	-89.23
1G	26G	19.85625G	-65.05	-46.99	-18.06	-67.99	-68.14
1G	26G	5.17813G	-69.67	-46.99	-22.68	-70.38	-77.90

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVmax

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	766.72M	-86.86	-53.98	-32.88	-89.14	-90.74
1G	26G	19.83438G	-64.83	-46.99	-17.84	-68.17	-67.53
1G	26G	5.17813G	-69.64	-46.99	-22.65	-70.53	-76.97

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVnom




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	894.51M	-86.41	-53.98	-32.43	-90.22	-88.74
1G	26G	19.84688G	-64.84	-46.99	-17.85	-68.26	-67.47
1G	26G	5.2G	-69.57	-46.99	-22.58	-70.33	-77.49

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVmin




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	739.8M	-85.76	-53.98	-31.78	-86.60	-93.28
1G	26G	19.84688G	-64.72	-46.99	-17.73	-67.91	-67.56
1G	26G	5.2G	-70.08	-46.99	-23.09	-71.05	-77.07

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX


5200MHz_TnomVmax



802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX


5240MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX


5240MHz_TnomVmin



802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5240MHz_TnomVmax





802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5260MHz_TnomVnom

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	770.84M	-86.23	-53.98	-32.25	-88.96	-89.55
1G	26G	19.87188G	-64.89	-46.99	-17.90	-68.19	-67.63
1G	26G	5.25938G	-70.00	-46.99	-23.01	-70.97	-77.00

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5260MHz_TnomVmin

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	992.97M	-86.22	-53.98	-32.24	-88.29	-90.43
1G	26G	19.84375G	-65.17	-46.99	-18.18	-68.37	-67.99
1G	26G	5.25938G	-70.03	-46.99	-23.04	-70.81	-77.90

802.11n HT20_Nss1,(MCS0)_2TX

5260MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	893.91M	-85.81	-53.98	-31.83	-87.92	-89.95
1G	26G	19.85G	-64.81	-46.99	-17.82	-68.32	-67.38
1G	26G	5.25938G	-69.88	-46.99	-22.89	-70.74	-77.31

802.11n HT20_Nss1,(MCS0)_2TX

5280MHz_TnomVnom

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	685.96M	-86.60	-53.98	-32.62	-91.33	-88.38
1G	26G	19.85G	-64.78	-46.99	-17.79	-67.54	-68.05
1G	26G	5.27813G	-70.15	-46.99	-23.16	-71.04	-77.46

802.11n HT20_Nss1,(MCS0)_2TX

5280MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	951.62M	-86.58	-53.98	-32.60	-89.06	-90.20
1G	26G	19.83438G	-65.16	-46.99	-18.17	-68.07	-68.28
1G	26G	5.27813G	-70.33	-46.99	-23.34	-71.31	-77.27

802.11n HT20_Nss1,(MCS0)_2TX

5280MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	789.51M	-86.43	-53.98	-32.45	-92.61	-87.63
1G	26G	19.85938G	-65.03	-46.99	-18.04	-68.28	-67.82
1G	26G	5.27813G	-70.30	-46.99	-23.31	-71.22	-77.47

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX


5320MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5320MHz_TnomVmin





802.11n HT20_Nss1,(MCS0)_2TX

5320MHz_TnomVmax

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	848.07M	-86.53	-53.98	-32.55	-88.03	-91.87
1G	26G	19.87813G	-65.02	-46.99	-18.03	-68.44	-67.65
1G	26G	5.31875G	-69.85	-46.99	-22.86	-70.60	-77.84

802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom

CSE-RX

08/08/2023



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	892.09M	-86.44	-53.98	-32.46	-89.22	-89.69
1G	26G	19.8625G	-64.95	-46.99	-17.96	-68.34	-67.61
1G	26G	5.5G	-71.25	-46.99	-24.26	-72.28	-78.01





802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TnomVmin

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	900.7M	-86.20	-53.98	-32.22	-89.65	-88.81
1G	26G	19.88438G	-65.09	-46.99	-18.10	-68.24	-67.97
1G	26G	5.5G	-71.41	-46.99	-24.42	-72.34	-78.58

802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	868.81M	-86.66	-53.98	-32.68	-89.37	-90.00
1G	26G	19.85313G	-65.00	-46.99	-18.01	-68.14	-67.89
1G	26G	5.5G	-71.31	-46.99	-24.32	-72.35	-78.04

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX


5600MHz_TnomVnom



802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5600MHz_TnomVmin




802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5600MHz_TnomVmax

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	958.78M	-86.34	-53.98	-32.36	-90.74	-88.30
1G	26G	19.8375G	-65.11	-46.99	-18.12	-68.15	-68.10
1G	26G	5.6G	-71.97	-46.99	-24.98	-73.71	-76.77

802.11n HT20_Nss1,(MCS0)_2TX

CSE-RX

5720MHz_TnomVnom

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	863.11M	-86.39	-53.98	-32.41	-91.67	-87.92
1G	26G	19.84688G	-65.01	-46.99	-18.02	-68.25	-67.81
1G	26G	5.71875G	-72.60	-46.99	-25.61	-74.79	-76.61

802.11n HT20_Nss1,(MCS0)_2TX

5720MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	913.19M	-86.01	-53.98	-32.03	-88.27	-89.94
1G	26G	19.84688G	-65.01	-46.99	-18.02	-67.87	-68.17
1G	26G	5.71875G	-72.52	-46.99	-25.53	-74.75	-76.49

802.11n HT20_Nss1,(MCS0)_2TX

5720MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	876.93M	-86.68	-53.98	-32.70	-89.54	-89.85
1G	26G	19.85938G	-64.95	-46.99	-17.96	-68.04	-67.88
1G	26G	5.71875G	-73.03	-46.99	-26.04	-75.34	-76.88

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	977.21M	-86.42	-53.98	-32.44	-91.03	-88.27
1G	26G	19.84688G	-64.78	-46.99	-17.79	-67.87	-67.71
1G	26G	5.19063G	-71.91	-46.99	-24.92	-73.16	-77.91

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVmin

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	899.73M	-86.25	-53.98	-32.27	-87.74	-91.62
1G	26G	19.86563G	-65.24	-46.99	-18.25	-67.93	-68.60
1G	26G	5.19063G	-71.74	-46.99	-24.75	-72.87	-78.13

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TnomVmax

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	898.03M	-86.62	-53.98	-32.64	-90.41	-88.97
1G	26G	19.86563G	-64.89	-46.99	-17.90	-68.03	-67.77
1G	26G	5.19063G	-72.03	-46.99	-25.04	-73.35	-77.83

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	867.11M	-86.30	-53.98	-32.32	-89.43	-89.19
1G	26G	19.84688G	-65.04	-46.99	-18.05	-68.15	-67.95
1G	26G	5.22813G	-69.32	-46.99	-22.33	-70.06	-77.35

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	987.39M	-86.65	-53.98	-32.67	-90.59	-88.90
1G	26G	19.83438G	-64.50	-46.99	-17.51	-67.58	-67.45
1G	26G	5.22813G	-69.48	-46.99	-22.49	-70.24	-77.41

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TnomVmax

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	986.54M	-86.43	-53.98	-32.45	-89.04	-89.88
1G	26G	19.85938G	-65.15	-46.99	-18.16	-68.38	-67.96
1G	26G	5.22813G	-69.48	-46.99	-22.49	-70.36	-76.83

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	923.98M	-86.35	-53.98	-32.37	-89.02	-89.73
1G	26G	19.86875G	-64.96	-46.99	-17.97	-67.92	-68.02
1G	26G	5.26875G	-70.13	-46.99	-23.14	-70.99	-77.57

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TnomVmin

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	928.1M	-86.35	-53.98	-32.37	-89.65	-89.09
1G	26G	19.85625G	-65.12	-46.99	-18.13	-67.91	-68.36
1G	26G	5.26875G	-70.15	-46.99	-23.16	-71.06	-77.41

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TnomVmax

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	880.33M	-86.42	-53.98	-32.44	-88.50	-90.62
1G	26G	19.84375G	-65.08	-46.99	-18.09	-68.33	-67.87
1G	26G	5.26875G	-69.59	-46.99	-22.60	-70.47	-76.97

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	938.16M	-86.24	-53.98	-32.26	-90.77	-88.12
1G	26G	19.85625G	-64.83	-46.99	-17.84	-67.89	-67.80
1G	26G	5.30938G	-69.36	-46.99	-22.37	-70.03	-77.82

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TnomVmin

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	999.64M	-86.63	-53.98	-32.65	-89.37	-89.92
1G	26G	19.85938G	-64.90	-46.99	-17.91	-68.32	-67.54
1G	26G	5.30938G	-69.87	-46.99	-22.88	-70.67	-77.61

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TnomVmax

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	743.07M	-86.69	-53.98	-32.71	-89.94	-89.47
1G	26G	19.86875G	-65.06	-46.99	-18.07	-68.37	-67.79
1G	26G	5.30938G	-69.66	-46.99	-22.67	-70.32	-78.14

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom

CSE-RX

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	939.74M	-86.70	-53.98	-32.72	-90.17	-89.29
1G	26G	19.84688G	-65.12	-46.99	-18.13	-68.44	-67.84
1G	26G	5.50938G	-71.30	-46.99	-24.31	-72.55	-77.32

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	925.67M	-85.60	-53.98	-31.62	-89.24	-88.06
1G	26G	19.8625G	-65.06	-46.99	-18.07	-67.85	-68.31
1G	26G	5.50938G	-71.35	-46.99	-24.36	-72.42	-77.98

802.11n HT40_Nss1,(MCS0)_2TX

CSE-RX


5510MHz_TnomVmax



802.11n HT40_Nss1,(MCS0)_2TX

CSE-RX

5590MHz_TnomVnom






802.11n HT40_Nss1,(MCS0)_2TX

5590MHz_TnomVmin

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	797.03M	-86.71	-53.98	-32.73	-90.68	-88.93
1G	26G	19.84375G	-65.00	-46.99	-18.01	-67.67	-68.38
1G	26G	5.59063G	-73.68	-46.99	-26.69	-76.02	-77.49

802.11n HT40_Nss1,(MCS0)_2TX

5590MHz_TnomVmax

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	887.36M	-86.64	-53.98	-32.66	-90.47	-88.96
1G	26G	19.85625G	-65.02	-46.99	-18.03	-68.14	-67.92
1G	26G	5.59063G	-74.02	-46.99	-27.03	-76.34	-77.84

802.11n HT40_Nss1,(MCS0)_2TX

5710MHz_TnomVnom

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	996.12M	-86.83	-53.98	-32.85	-89.25	-90.53
1G	26G	19.84063G	-65.07	-46.99	-18.08	-67.64	-68.56
1G	26G	5.70938G	-73.07	-46.99	-26.08	-74.99	-77.54

802.11n HT40_Nss1,(MCS0)_2TX

5710MHz_TnomVmin

CSE-RX

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	933.92M	-86.61	-53.98	-32.63	-91.07	-88.54
1G	26G	19.84688G	-64.94	-46.99	-17.95	-67.72	-68.19
1G	26G	5.70938G	-72.95	-46.99	-25.96	-74.98	-77.23

802.11n HT40_Nss1,(MCS0)_2TX

5710MHz_TnomVmax

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	957.81M	-86.63	-53.98	-32.65	-88.43	-91.32
1G	26G	19.84063G	-65.13	-46.99	-18.14	-68.58	-67.75
1G	26G	5.70938G	-72.37	-46.99	-25.38	-74.56	-76.40

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom

CSE-RX

08/08/2023



Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	988.72M	-86.56	-53.98	-32.58	-87.76	-92.74
1G	26G	19.85313G	-65.15	-46.99	-18.16	-68.33	-68.00
1G	26G	5.17813G	-69.78	-46.99	-22.79	-70.58	-77.51



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVmin




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	711.43M	-86.49	-53.98	-32.51	-90.34	-88.79
1G	26G	19.84375G	-64.81	-46.99	-17.82	-67.55	-68.11
1G	26G	5.17813G	-70.06	-46.99	-23.07	-70.90	-77.59

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVmax




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	956.59M	-86.49	-53.98	-32.51	-89.64	-89.36
1G	26G	19.85938G	-64.85	-46.99	-17.86	-67.72	-68.01
1G	26G	5.17813G	-69.79	-46.99	-22.80	-70.57	-77.64

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5200MHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVmin






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5200MHz_TnomVmax



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5240MHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5240MHz_TnomVmin



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5240MHz_TnomVmax



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5260MHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5260MHz_TnomVmin






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5260MHz_TnomVmax



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5280MHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5280MHz_TnomVmin



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5280MHz_TnomVmax





802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5320MHz_TnomVnom

08/08/2023





F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	843.95M	-86.62	-53.98	-32.64	-91.15	-88.51
1G	26G	19.8375G	-65.16	-46.99	-18.17	-68.37	-67.97
1G	26G	5.31875G	-69.54	-46.99	-22.55	-70.37	-77.11

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5320MHz_TnomVmin

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	944.95M	-86.42	-53.98	-32.44	-92.10	-87.79
1G	26G	19.85938G	-64.94	-46.99	-17.95	-67.29	-68.74
1G	26G	5.31875G	-69.63	-46.99	-22.64	-70.49	-77.07

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5320MHz_TnomVmax




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	989.33M	-86.61	-53.98	-32.63	-90.74	-88.73
1G	26G	19.85G	-65.02	-46.99	-18.03	-67.64	-68.45
1G	26G	5.31875G	-70.13	-46.99	-23.14	-70.97	-77.67

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5500MHz_TnomVnom




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	987.75M	-86.55	-53.98	-32.57	-88.89	-90.35
1G	26G	19.87188G	-65.15	-46.99	-18.16	-68.36	-67.97
1G	26G	5.5G	-71.18	-46.99	-24.19	-72.31	-77.58

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5500MHz_TnomVmin



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5500MHz_TnomVmax






802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5600MHz_TnomVnom




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	785.99M	-86.74	-53.98	-32.76	-88.38	-91.77
1G	26G	19.84688G	-64.98	-46.99	-17.99	-68.07	-67.91
1G	26G	5.6G	-72.25	-46.99	-25.26	-73.97	-77.09

802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5600MHz_TnomVmin



08/08/2023
Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	888.45M	-86.90	-53.98	-32.92	-90.43	-89.45
1G	26G	19.87188G	-65.28	-46.99	-18.29	-68.37	-68.22
1G	26G	5.6G	-72.21	-46.99	-25.22	-73.83	-77.28



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5600MHz_TnomVmax



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5720MHz_TnomVnom



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX


5720MHz_TnomVmin



802.11ac VHT20_Nss1,(MCS0)_2TX

CSE-RX

5720MHz_TnomVmax






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5190MHz_TnomVnom




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	911.12M	-86.78	-53.98	-32.80	-89.65	-89.93
1G	26G	19.83125G	-65.35	-46.99	-18.36	-68.96	-67.84
1G	26G	5.19063G	-72.12	-46.99	-25.13	-73.60	-77.52

802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5190MHz_TnomVmin




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	983.51M	-86.45	-53.98	-32.47	-87.96	-91.77
1G	26G	19.85625G	-65.00	-46.99	-18.01	-67.86	-68.16
1G	26G	5.19063G	-72.22	-46.99	-25.23	-73.54	-78.05

802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5190MHz_TnomVmax



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5230MHz_TnomVnom






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5230MHz_TnomVmin



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5230MHz_TnomVmax



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5270MHz_TnomVnom



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5270MHz_TnomVmin






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5270MHz_TnomVmax



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5310MHz_TnomVnom



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5310MHz_TnomVmin



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5310MHz_TnomVmax






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5510MHz_TnomVnom



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5510MHz_TnomVmin






802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5510MHz_TnomVmax




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	950.17M	-86.76	-53.98	-32.78	-87.71	-93.82
1G	26G	19.84688G	-64.66	-46.99	-17.67	-68.03	-67.33
1G	26G	5.50938G	-71.53	-46.99	-24.54	-72.67	-77.88

802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX

5590MHz_TnomVnom



08/08/2023
Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	858.02M	-86.52	-53.98	-32.54	-89.00	-90.13
1G	26G	19.84375G	-64.85	-46.99	-17.86	-67.97	-67.75
1G	26G	5.59063G	-73.72	-46.99	-26.73	-76.11	-77.45



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5590MHz_TnomVmin



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5590MHz_TnomVmax



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5710MHz_TnomVnom



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5710MHz_TnomVmin



802.11ac VHT40_Nss1,(MCS0)_2TX

CSE-RX


5710MHz_TnomVmax



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5210MHz_TnomVnom






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5210MHz_TnomVmin



08/08/2023

Limit ☒

Sum ☒

Port 1 ☒


Port 2 ☒

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	876.81M	-86.57	-53.98	-32.59	-88.61	-90.82
1G	26G	19.85625G	-64.70	-46.99	-17.71	-67.58	-67.84
1G	26G	5.20938G	-69.73	-46.99	-22.74	-70.61	-77.08

802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5210MHz_TnomVmax



08/08/2023

Limit ☒

Sum ☒

Port 1 ☒

Port 2 ☒


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	989.94M	-86.49	-53.98	-32.51	-89.53	-89.48
1G	26G	19.85938G	-64.85	-46.99	-17.86	-67.73	-68.00
1G	26G	5.20938G	-69.72	-46.99	-22.73	-70.71	-76.62



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5290MHz_TnomVnom



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5290MHz_TnomVmin



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5290MHz_TnomVmax



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5530MHz_TnomVnom






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5530MHz_TnomVmin



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5530MHz_TnomVmax



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5610MHz_TnomVnom



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5610MHz_TnomVmin






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX


5610MHz_TnomVmax



802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5690MHz_TnomVnom






802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5690MHz_TnomVmin




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	927.86M	-86.66	-53.98	-32.68	-89.89	-89.47
1G	26G	19.85313G	-64.97	-46.99	-17.98	-68.11	-67.85
1G	26G	5.69063G	-73.71	-46.99	-26.72	-76.50	-76.96

802.11ac VHT80_Nss1,(MCS0)_2TX

CSE-RX

5690MHz_TnomVmax



08/08/2023
Limit
Sum
Port 1
Port 2


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	938.53M	-86.43	-53.98	-32.45	-90.90	-88.35
1G	26G	19.85G	-65.12	-46.99	-18.13	-68.23	-68.03
1G	26G	5.69063G	-74.02	-46.99	-27.03	-76.58	-77.53

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVnom

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	978.18M	-86.34	-53.98	-32.36	-89.42	-89.28
1G	26G	19.8625G	-64.94	-46.99	-17.95	-67.94	-67.96
1G	26G	5.17813G	-69.35	-46.99	-22.36	-69.98	-78.07

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5180MHz_TnomVmin

08/08/2023




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	867.6M	-86.41	-53.98	-32.43	-91.24	-88.14
1G	26G	19.85313G	-65.10	-46.99	-18.11	-68.23	-67.99
1G	26G	5.17813G	-69.35	-46.99	-22.36	-70.23	-76.72

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5180MHz_TnomVmax



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVnom






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVmin




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	976.11M	-86.28	-53.98	-32.30	-87.68	-91.89
1G	26G	19.87813G	-65.08	-46.99	-18.09	-68.45	-67.75
1G	26G	5.2G	-69.78	-46.99	-22.79	-70.65	-77.18

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5200MHz_TnomVmax




08/08/2023
Limit
Sum
Port 1
Port 2

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	916.82M	-86.65	-53.98	-32.67	-90.59	-88.90
1G	26G	19.84063G	-65.12	-46.99	-18.13	-68.17	-68.09
1G	26G	5.2G	-69.81	-46.99	-22.82	-70.85	-76.54

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5240MHz_TnomVnom




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	902.64M	-86.78	-53.98	-32.80	-89.59	-90.00
1G	26G	19.85938G	-64.94	-46.99	-17.95	-67.43	-68.54
1G	26G	5.24063G	-72.10	-46.99	-25.11	-73.36	-78.07

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5240MHz_TnomVmin




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	996.48M	-86.45	-53.98	-32.47	-89.75	-89.19
1G	26G	19.84375G	-65.05	-46.99	-18.06	-68.17	-67.96
1G	26G	5.24063G	-71.85	-46.99	-24.86	-73.44	-76.98

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5240MHz_TnomVmax



08/08/2023

Limit ☒

Sum ☒

Port 1 ☒


Port 2 ☒

F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	766.84M	-86.23	-53.98	-32.25	-89.00	-89.49
1G	26G	19.83125G	-65.30	-46.99	-18.31	-68.58	-68.05
1G	26G	5.24063G	-71.80	-46.99	-24.81	-73.23	-77.31

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5260MHz_TnomVnom



08/08/2023

Limit ☒

Sum ☒

Port 1 ☒

Port 2 ☒


F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	912.7M	-86.41	-53.98	-32.43	-90.63	-88.48
1G	26G	19.85313G	-65.17	-46.99	-18.18	-67.86	-68.52
1G	26G	5.25938G	-69.79	-46.99	-22.80	-70.73	-76.92



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5260MHz_TnomVmin



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5260MHz_TnomVmax






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5280MHz_TnomVnom




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	974.17M	-86.58	-53.98	-32.60	-88.79	-90.56
1G	26G	19.84375G	-64.78	-46.99	-17.79	-67.56	-68.03
1G	26G	5.27813G	-70.04	-46.99	-23.05	-70.87	-77.64

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5280MHz_TnomVmin




F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	778.84M	-85.63	-53.98	-31.65	-87.82	-89.65
1G	26G	19.84375G	-65.26	-46.99	-18.27	-67.93	-68.65
1G	26G	5.27813G	-70.54	-46.99	-23.55	-71.56	-77.32

ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5280MHz_TnomVmax



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5320MHz_TnomVnom



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5320MHz_TnomVmin



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5320MHz_TnomVmax






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5500MHz_TnomVnom



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5500MHz_TnomVmin






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5500MHz_TnomVmax



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5600MHz_TnomVnom






ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5600MHz_TnomVmin



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5600MHz_TnomVmax



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5720MHz_TnomVnom



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5720MHz_TnomVmin



ax20_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5720MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5190MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5190MHz_TnomVmin



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5190MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5230MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5230MHz_TnomVmin






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5230MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5270MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5270MHz_TnomVmin



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5270MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5310MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5310MHz_TnomVmin



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5310MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5510MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5510MHz_TnomVmin



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5510MHz_TnomVmax






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5590MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5590MHz_TnomVmin






ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5590MHz_TnomVmax



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5710MHz_TnomVnom



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5710MHz_TnomVmin



ax40_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5710MHz_TnomVmax






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5210MHz_TnomVnom



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5210MHz_TnomVmin



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5210MHz_TnomVmax



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5290MHz_TnomVnom



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5290MHz_TnomVmin



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5290MHz_TnomVmax






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5530MHz_TnomVnom



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5530MHz_TnomVmin



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5530MHz_TnomVmax



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5610MHz_TnomVnom



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5610MHz_TnomVmin



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5610MHz_TnomVmax






ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5690MHz_TnomVnom



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX


5690MHz_TnomVmin



ax80_OFDMA_Nss1,(MCS0)_2TX

CSE-RX

5690MHz_TnomVmax



F-Start(Hz)	F-Stop(Hz)	Freq(Hz)	Psum(dBm)	Limit(dBm)	Margin(dB)	P1(dBm)	P2(dBm)
30M	1G	889.91M	-86.54	-53.98	-32.56	-89.65	-89.46
1G	26G	19.86875G	-65.19	-46.99	-18.20	-67.98	-68.44
1G	26G	5.69063G	-73.92	-46.99	-26.93	-76.25	-77.74

Summary

Mode	Result	Function
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
5.47-5.730GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	Good
802.11n HT20_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11n HT40_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	Pass	Good
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	Pass	Good

Result

Mode	Result	Function
802.11a_Nss1,(6Mbps)_2TX	-	-
5180MHz_TnomVnom	Pass	Good
5180MHz_TnomVmin	Pass	Good
5180MHz_TnomVmax	Pass	Good
5200MHz_TnomVnom	Pass	Good
5200MHz_TnomVmin	Pass	Good
5200MHz_TnomVmax	Pass	Good
5240MHz_TnomVnom	Pass	Good
5240MHz_TnomVmin	Pass	Good
5240MHz_TnomVmax	Pass	Good
5260MHz_TnomVnom	Pass	Good
5260MHz_TnomVmin	Pass	Good
5260MHz_TnomVmax	Pass	Good
5280MHz_TnomVnom	Pass	Good
5280MHz_TnomVmin	Pass	Good
5280MHz_TnomVmax	Pass	Good
5320MHz_TnomVnom	Pass	Good
5320MHz_TnomVmin	Pass	Good
5320MHz_TnomVmax	Pass	Good
5500MHz_TnomVnom	Pass	Good
5500MHz_TnomVmin	Pass	Good
5500MHz_TnomVmax	Pass	Good
5600MHz_TnomVnom	Pass	Good
5600MHz_TnomVmin	Pass	Good
5600MHz_TnomVmax	Pass	Good
5720MHz_TnomVnom	Pass	Good
5720MHz_TnomVmin	Pass	Good
5720MHz_TnomVmax	Pass	Good
802.11n HT20_Nss1,(MCS0)_2TX	-	-
5180MHz_TnomVnom	Pass	Good
5180MHz_TnomVmin	Pass	Good
5180MHz_TnomVmax	Pass	Good
5200MHz_TnomVnom	Pass	Good
5200MHz_TnomVmin	Pass	Good
5200MHz_TnomVmax	Pass	Good
5240MHz_TnomVnom	Pass	Good
5240MHz_TnomVmin	Pass	Good
5240MHz_TnomVmax	Pass	Good
5260MHz_TnomVnom	Pass	Good
5260MHz_TnomVmin	Pass	Good
5260MHz_TnomVmax	Pass	Good
5280MHz_TnomVnom	Pass	Good

Mode	Result	Function
5280MHz_TnomVmin	Pass	Good
5280MHz_TnomVmax	Pass	Good
5320MHz_TnomVnom	Pass	Good
5320MHz_TnomVmin	Pass	Good
5320MHz_TnomVmax	Pass	Good
5500MHz_TnomVnom	Pass	Good
5500MHz_TnomVmin	Pass	Good
5500MHz_TnomVmax	Pass	Good
5600MHz_TnomVnom	Pass	Good
5600MHz_TnomVmin	Pass	Good
5600MHz_TnomVmax	Pass	Good
5720MHz_TnomVnom	Pass	Good
5720MHz_TnomVmin	Pass	Good
5720MHz_TnomVmax	Pass	Good
802.11n HT40_Nss1,(MCS0)_2TX	-	-
5190MHz_TnomVnom	Pass	Good
5190MHz_TnomVmin	Pass	Good
5190MHz_TnomVmax	Pass	Good
5230MHz_TnomVnom	Pass	Good
5230MHz_TnomVmin	Pass	Good
5230MHz_TnomVmax	Pass	Good
5270MHz_TnomVnom	Pass	Good
5270MHz_TnomVmin	Pass	Good
5270MHz_TnomVmax	Pass	Good
5310MHz_TnomVnom	Pass	Good
5310MHz_TnomVmin	Pass	Good
5310MHz_TnomVmax	Pass	Good
5510MHz_TnomVnom	Pass	Good
5510MHz_TnomVmin	Pass	Good
5510MHz_TnomVmax	Pass	Good
5590MHz_TnomVnom	Pass	Good
5590MHz_TnomVmin	Pass	Good
5590MHz_TnomVmax	Pass	Good
5710MHz_TnomVnom	Pass	Good
5710MHz_TnomVmin	Pass	Good
5710MHz_TnomVmax	Pass	Good
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-
5180MHz_TnomVnom	Pass	Good
5180MHz_TnomVmin	Pass	Good
5180MHz_TnomVmax	Pass	Good
5200MHz_TnomVnom	Pass	Good
5200MHz_TnomVmin	Pass	Good
5200MHz_TnomVmax	Pass	Good

Mode	Result	Function
5240MHz_TnomVnom	Pass	Good
5240MHz_TnomVmin	Pass	Good
5240MHz_TnomVmax	Pass	Good
5260MHz_TnomVnom	Pass	Good
5260MHz_TnomVmin	Pass	Good
5260MHz_TnomVmax	Pass	Good
5280MHz_TnomVnom	Pass	Good
5280MHz_TnomVmin	Pass	Good
5280MHz_TnomVmax	Pass	Good
5320MHz_TnomVnom	Pass	Good
5320MHz_TnomVmin	Pass	Good
5320MHz_TnomVmax	Pass	Good
5500MHz_TnomVnom	Pass	Good
5500MHz_TnomVmin	Pass	Good
5500MHz_TnomVmax	Pass	Good
5600MHz_TnomVnom	Pass	Good
5600MHz_TnomVmin	Pass	Good
5600MHz_TnomVmax	Pass	Good
5720MHz_TnomVnom	Pass	Good
5720MHz_TnomVmin	Pass	Good
5720MHz_TnomVmax	Pass	Good
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-
5190MHz_TnomVnom	Pass	Good
5190MHz_TnomVmin	Pass	Good
5190MHz_TnomVmax	Pass	Good
5230MHz_TnomVnom	Pass	Good
5230MHz_TnomVmin	Pass	Good
5230MHz_TnomVmax	Pass	Good
5270MHz_TnomVnom	Pass	Good
5270MHz_TnomVmin	Pass	Good
5270MHz_TnomVmax	Pass	Good
5310MHz_TnomVnom	Pass	Good
5310MHz_TnomVmin	Pass	Good
5310MHz_TnomVmax	Pass	Good
5510MHz_TnomVnom	Pass	Good
5510MHz_TnomVmin	Pass	Good
5510MHz_TnomVmax	Pass	Good
5590MHz_TnomVnom	Pass	Good
5590MHz_TnomVmin	Pass	Good
5590MHz_TnomVmax	Pass	Good
5710MHz_TnomVnom	Pass	Good
5710MHz_TnomVmin	Pass	Good
5710MHz_TnomVmax	Pass	Good

Mode	Result	Function
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-
5210MHz_TnomVnom	Pass	Good
5210MHz_TnomVmin	Pass	Good
5210MHz_TnomVmax	Pass	Good
5290MHz_TnomVnom	Pass	Good
5290MHz_TnomVmin	Pass	Good
5290MHz_TnomVmax	Pass	Good
5530MHz_TnomVnom	Pass	Good
5530MHz_TnomVmin	Pass	Good
5530MHz_TnomVmax	Pass	Good
5610MHz_TnomVnom	Pass	Good
5610MHz_TnomVmin	Pass	Good
5610MHz_TnomVmax	Pass	Good
5690MHz_TnomVnom	Pass	Good
5690MHz_TnomVmin	Pass	Good
5690MHz_TnomVmax	Pass	Good
ax20_OFDMA_Nss1,(MCS0)_2TX	-	-
5180MHz_TnomVnom	Pass	Good
5180MHz_TnomVmin	Pass	Good
5180MHz_TnomVmax	Pass	Good
5200MHz_TnomVnom	Pass	Good
5200MHz_TnomVmin	Pass	Good
5200MHz_TnomVmax	Pass	Good
5240MHz_TnomVnom	Pass	Good
5240MHz_TnomVmin	Pass	Good
5240MHz_TnomVmax	Pass	Good
5260MHz_TnomVnom	Pass	Good
5260MHz_TnomVmin	Pass	Good
5260MHz_TnomVmax	Pass	Good
5280MHz_TnomVnom	Pass	Good
5280MHz_TnomVmin	Pass	Good
5280MHz_TnomVmax	Pass	Good
5320MHz_TnomVnom	Pass	Good
5320MHz_TnomVmin	Pass	Good
5320MHz_TnomVmax	Pass	Good
5500MHz_TnomVnom	Pass	Good
5500MHz_TnomVmin	Pass	Good
5500MHz_TnomVmax	Pass	Good
5600MHz_TnomVnom	Pass	Good
5600MHz_TnomVmin	Pass	Good
5600MHz_TnomVmax	Pass	Good
5720MHz_TnomVnom	Pass	Good
5720MHz_TnomVmin	Pass	Good

Mode	Result	Function
5720MHz_TnomVmax	Pass	Good
ax40_OFDMA_Nss1,(MCS0)_2TX	-	-
5190MHz_TnomVnom	Pass	Good
5190MHz_TnomVmin	Pass	Good
5190MHz_TnomVmax	Pass	Good
5230MHz_TnomVnom	Pass	Good
5230MHz_TnomVmin	Pass	Good
5230MHz_TnomVmax	Pass	Good
5270MHz_TnomVnom	Pass	Good
5270MHz_TnomVmin	Pass	Good
5270MHz_TnomVmax	Pass	Good
5310MHz_TnomVnom	Pass	Good
5310MHz_TnomVmin	Pass	Good
5310MHz_TnomVmax	Pass	Good
5510MHz_TnomVnom	Pass	Good
5510MHz_TnomVmin	Pass	Good
5510MHz_TnomVmax	Pass	Good
5590MHz_TnomVnom	Pass	Good
5590MHz_TnomVmin	Pass	Good
5590MHz_TnomVmax	Pass	Good
5710MHz_TnomVnom	Pass	Good
5710MHz_TnomVmin	Pass	Good
5710MHz_TnomVmax	Pass	Good
ax80_OFDMA_Nss1,(MCS0)_2TX	-	-
5210MHz_TnomVnom	Pass	Good
5210MHz_TnomVmin	Pass	Good
5210MHz_TnomVmax	Pass	Good
5290MHz_TnomVnom	Pass	Good
5290MHz_TnomVmin	Pass	Good
5290MHz_TnomVmax	Pass	Good
5530MHz_TnomVnom	Pass	Good
5530MHz_TnomVmin	Pass	Good
5530MHz_TnomVmax	Pass	Good
5610MHz_TnomVnom	Pass	Good
5610MHz_TnomVmin	Pass	Good
5610MHz_TnomVmax	Pass	Good
5690MHz_TnomVnom	Pass	Good
5690MHz_TnomVmin	Pass	Good
5690MHz_TnomVmax	Pass	Good